NACOmatic

Effective: 17-December-2009 Expires: 11-February-2010

Your Ad Here ~80,000 Page views/month

Contact:

Doug Ranz 248-318-0011 NACOmatic@hotmail.com

Warranty

I make absolutely no warranty nor guarantee whatsoever about the accuracy, availability, applicability and/or correctness of any of the information in this document.

The official, original NACO documents are available for your downloading pleasure from: http://naco.faa.gov/index.asp?xml=naco/onlineproducts

Copyright

This compilation is protected by US copyright laws and international copyright treaties.

Limitations

The sale, hosting and/or distribution of this document in any and all forms, is prohibited.

Release from Liability

All users of this compilation must agree to be legally bound hereby, that Douglas R. Ranz ("Released Party") SHALL NOT BE LIABLE FOR MY DEATH OR INJURY TO MY PERSON, OR FOR ANY LOSS FOR DAMAGE TO MY PROPERTY OR REPUTATION caused in any manner whatsoever, whether attributable to the negligence of the Released Party, or for any other reason, occurring during the time that I am operating an aircraft.

I do hereby waive any right of action against the Released Party from any and all causes or claims that I may have against them from the beginning of time. I further agree not to sue on any such cause or claim. This agreement shall not release liability for gross negligence or willful misconduct of the Released Party. I agree to indemnify and hold the Released Party harmless for any losses, judgments, damages or fees he may incur, including but not limited to attorneys fees, arising out any lawsuit related to the planning, flight and/or enforcement of or legal challenge to this agreement. It is my intention that this agreement be interpreted and enforced to the maximum extent allowed by Michigan law.

Kind]	Le-DX	<pre>Index;</pre>	by A	ptID		Use	"Menu",	then	"Goto	Page"
1DS	=>	51	SPA	=>	56					
33A	=>	45	SSC	=>	55					
35A	=>	57	UDG	=>	36					
38J	=>	42	UZA	=>	53					
51J	=>	44	XNO	=>	50					
52J	=>	30								
58J	=>	57								
88J	=>	26								
99N	=>	28								
AIK	=>	26								
AND	=>	27								
ARW	=>	28								
BBP	=>	29								
BNL	=>	28								
CAE	=>	34								
CDN	=>	30								
CEU	=>	33								
CHS	=>	31								
CKI	=>	44								
CQW	=>	32								
CRE	=>	51								
CUB	=>	35								
DCM	=>	32								
DLC	=>	36								
DYB	=>	56								
EOE	=>	50								
FDW	=>	58								
FLO	=>	37								
GGE	=>	38								
GMU	=>	40								
GRD	=>	40								
GSP	=>	41								
GYH	=>	39								
HVS	=>	42								
HXD	=>	43								
HYW	=>	35								
LKR	=>	45								
LQK	=>	53								
LRO	=>	49								
LUX	=>	45								
MAO	=>	47								
MKS	=>	49								
MMT	=>	48								
MNI	=>	46								
MYR	=>	49								
NBC	=>	29								
OGB	=>	51								
PHH	=>	27								
PYG	=>	52								
RBW	=>	58								
SMS	=>	56								
DITO		50								

GENERAL INFORMATION

This Airport/Facility Directory is a Civil Flight Information Publication published and distributed every eight weeks by the National Aeronautical Charting Office, FAA, Department of Transportation, Silver Spring, Maryland 20910. It is designed for use with Aeronautical Charts covering the conterminous United States, Puerto Rico and the Virgin Islands.

This directory contains all open to the public airports, seaplane bases and heliports, military facilities, and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally, this directory contains communications data, navigational facilities and certain special notices and procedures.

Military data contained within this publication is provided by the National Geospatial-Intelligence Agency and is intended to provide reference data for military and/or joint civil/military airports. Not all military data contained in this publication is applicable to civil users.

CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

CRITICAL information such as equipment malfunction, abnormal field conditions, hazards to flight, etc., should be reported as soon as possible to the nearest FAA facility, either in person or by reverse charge telephone call.

FOR AIRPORT SUPPLEMENT REVISIONS FORM VISIT WEB SITE: http://nfdc.faa.gov/portal/airportchanges.do

FAA, Aeronautical Information Services, ATO-R, Rm. 626

800 Independence Ave., SW

Washington, DC 20591

Telephone 1-866-295-8236

Fax 202-267-5322

Email 9-ATOR-HO-AIS-AIRPORTCHANGES@FAA.GOV

NOTICE: Changes must be received by the Aeronautical Information Services as soon as possible but not later than the "cut-off" dates listed below to assure publication on the desired effective date.

	Airport Information	Airspace Information*
Effective Date	Cut-off date	Cut-off date
17 Dec 09	4 Nov 09	15 Oct 09
11 Feb 10	30 Dec 09	10 Dec 09
8 Apr 10	24 Feb 10	4 Feb 10
3 Jun 10	21 Apr 10	1 Apr 10
29 Jul 10	16 Jun 10	27 May 10
23 Sep 10	11 Aug 10	22 Jul 10

^{*}Including changes to preferred routes and graphic depictions on charts.

FOR CHARTING ERRORS CONTACT:

ı

FAA, National Aeronautical Charting Office, ATO-W

SSMC-4 Sta. #2335

1305 East West Highway

Silver Spring, MD 20910–3281

Telephone 1-800-626-3677

Email 9-AMC-Aerochart@faa.gov

Frequently asked questions (FAQs) are answered on our web site at www.naco.faa.gov. See the FAQs prior to contact via toll free number.

FOR PROCUREMENT CONTACT:

FAA, National Aeronautical Charting Office

Distribution Division, ATO-W

10201 Good Luck Road

Glenn Dale, MD 20769-9700

Online at www.naco.faa.gov

Email 9-AMC-Chartsales@faa.gov

Telephone 1-800-638-8972

Fax 301-436-6829

or any authorized FAA Chart Agent

New or Changed Information—To alert users of new information or changes to information from the previous issue, a vertical line will be portrayed in the outside margin and extending the full length of the new and/or revised data. This will not apply to the front cover or the airport/facility directory listing.

This Airport/Facility Directory comprises part of the following sections of the United States Aeronautical Information Publication (AIP): GEN, ENR and AD.

1

TABLE OF CONTENTS

General Information	Inside Front Cover
Abbreviations	2
Directory Legend	4
Airport/Facility Directory	
Alabama	22
Florida	66
Georgia	145
Kentucky	204
North Carolina	232
South Carolina	291
Tennessee	324
Puerto Rico	365
Virgin Islands	370
City/Military Airport Cross Reference	372
Seaplane Landing Areas	373
Special Notices	375
Regulatory Notices	388
FAA and National Weather Service	
Telephone Numbers	389
Key to Aviation Weather Reports	390
Air Traffic Facilities Telephone Numbers	392
Air Route Traffic Control Centers	394
Flight Service Station Communication Frequencies	396
Flight Standards District Offices	400
Routes/Waypoints	
Low Altitude Preferred Routes	401
Low Altitude Directional Routes	408
High Altitude Preferred Routes	408
High Altitude Directional Routes	451
Q-Routes	458
RNAV Routing Pitch and Catch Points	461
VFR Waypoints	472
VOR Receiver Check	482
Parachute Jumping Areas	489
Aeronautical Chart Bulletins	493
Supplemental Communication Reference	504
Airport Diagrams	510
National Weather Service (NWS) Upper Air Observing Stations	648
Figure Flight Advisory Service (FFAS)	Inside Back Cover

ABBREVIATIONS

The following abbreviations/acronyms are those commonly used within this Directory. Other abbreviations/acronyms may be found in the Legend and are not duplicated below. The abbreviations presented are intended to represent grammatical variations of the basic form. (Example-"req" may mean "request", "requesting", "requested", or "requests").

AAF	Army Air Field	byd	beyond
AB	Airbase	С	Commercial Circuit (Telephone)
abv	above	CGAF	Coast Guard Air Facility
ACC	Air Combat Command; Area Control	CGAS	Coast Guard Air Station
	Center	CIV	Civil
acft	aircraft	clsd	closed
ADCC	Air Defense Control Center	comd	command
AER	approach end rwy	CONUS	Continental United States
AFB	Air Force Base	CSTMS	Customs
AFHP	Air Force Heliport	ctc	contact
afld	airfield	ctl	control
AFOD	US Army Flight Operations Detachment	dalgt	daylight
AFRC	Armed Forces Reserve Center/Air Force	Dec	December
	Reserve Command	DIAP	DoD Instrument Approach Procedure
AFSS	Automated Flight Service Station	DoD	Department of Defense
AG	Agriculture	DSN	Defense Switching Network (Telephone)
A-GEAR	Arresting Gear	dsplcd	displaced
AGL	above ground level	durn	duration
AHP	Army heliport	eff	effective
ALS	Approach Light System	emerg	emergency
alt	altitude	EOR	End of Runway
AMC	Air Mobility Command	ETA	Estimated Time of Arrival
ANGS	Air National Guard Station	ETD	Estimated Time of Departure
apch	approach	exc	except
Apr	April	extd	extend
APU	Auxiliary Power Unit	FBO	fixed-base operator
ARB	Air Reserve Base	Feb	February
arpt	airport	fld	field
ARS	Air Reserve Station	FLIP	Flight Information Publication
AS	Air Station	flt	flight
ASDE-X	Airport Surface Detection Equipment—	flw	follow
	Model X	Fri	Friday
ASU	Aircraft Starting Unit	FSS	Flight Service Station
ATC	Air Traffic Control	GA	glide angle
Aug	August	GCA	Ground Controlled Approach
AUW	All Up Weight (gross weight)	GS	glide slope
avbl	available	haz	hazard
bcn	beacon	HQ	Headquarters
blo	below		

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

hr hour non precision instrument ΙΔΡ Instrument Approach Procedure NS ABTMT Noise Abatement ICAC International Civil Aviation Organization NSTD nonstandard IFR Instrument Flight Rules ntc notice ILS Instrument Landing System obsn observation IM Inner Marker Oct October IMG Immigration OI F Outlying Field

incr increase onr operate, operator, operational

indet indefinite ons operations intensity OTS out of service ints invof in the vicinity of ovrn overrun

personnel and equipment working IMC Instrument Meteorological Conditions PAFW

lan nat pattern Jet Aircraft Starting Unit IASI p-line power line

JOAP Joint Oil Analysis Program **PMSV** Pilot-to-Metro Service IOSAC Joint Operational Support Airlift Center PΩI Petrol, Oils and Lubricants IRB Joint Reserve Base PPR prior permission required Jul July PRM Precision Runway Monitoring PTD

Jun June Pilot to Dispatcher

Κt Knots RAMCC Regional Air Movement Control Center

LAA Local Airport Advisory rea request LAHSO Land and Hold Short Operations rgt tfc right traffic RON Remain Overnight lhs nounds ldg landing rar require lighted rstd lgtd restricted

RSRS løts lights reduced same runway separation

LMM Compass locator at Middle Marker ILS rwv runway LOC Localizer Sat Saturday

LOM Compass locator at Outer Marker ILS SFLE Strategic Expeditionary Landing Field

limited Sen Itd September MACC Military Area Control Center SFA Single Frequency Approach

March efe Mar surface

SFRA MCAF Marine Corps Air Facility Special Flight Rules Area

SOAP MCALE Marine Corps Auxiliary Landing Field Spectrometric Oil Analysis Program

SOF Supervisor of Flying MCAS Marine Corps Air Station Marine Corps Base SPR MCB Seaplane Base

SP med medium sunrise SS METRO Pilot-to-Metro voice call sunset Mil military std standard min minute Sur Sunday MLS Microwave Landing System SVC service MM Middle Marker of ILS tfc traffic Mon Monday thld threshold Maintenance Period Thu Thursday tkf

MP MSI mean sea level take-off MSAW minimum safe altitude warning tmnrv temporary NAAS Naval Auxiliary Air Station tran transient NADC Naval Air Development Center Tue Tuesday NADER Naval Air Depot twr tower Naval Air Engineering Center NAEC twv taxiway

NAFS Naval Air Engineering Station UC **Under Construction** Naval Air Facility USA United States Army NAF Naval Air Logistics Control Office NALCO USAF United States Air Force USCG NALO Navy Air Logistics Office United States Coast Guard NALE Naval Auxiliary Landing Field USN United States Navy


NAS Naval Air Station Defense Switching Network (telephone,

NAWC Naval Air Warfare Center formerly AUTOVON) NAWS Naval Air Weapons Station VFR Visual Flight Rules VIP night Very Important Person ngt

NOLF Naval Outlying Field VMC Visual Meteorological Conditions

Nov November Wed Wednesday wx weather

SAMPI F



All bearings and radials are magnetic unless otherwise specified.
All mileages are nautical unless otherwise noted.
All times are Coordinated Universal Time (UTC) except as noted.
All elevations are in feet above/below Mean Sea Level (MSL) unless otherwise noted.
The horizontal reference datum of this publication is North American Datum of 1983 (NAD83), which for charting purposes is considered equivalent to World Geodetic System 1984 (WGS 84).

10 SKETC	H LEGEND
runways/landing areas	radio aids to navigation
Hard Surfaced	VORTAC
Metal Surface	VOR/DME NDB
Sod, Gravel, etc	TACAN TO NDB/DME
Light Plane,	MISCELLANEOUS AERONAUTICAL FEATURES
Closed	Airport Beacon
Helicopter Landings Area	Wind Cone
Displaced Threshold 0	Tetrahedron
Taxiway, Apron and Stopways	
ANGCELLANICOUG BACE AND CHITHDAL	APPROACH LIGHTING SYSTEMS
MISCELLANEOUS BASE AND CULTURAL FEATURES	A dot "•" portrayed with approach lighting letter identifier indicates sequenced flashing lights (F) installed with the approach lighting
Buildings	system e.g. (A) Negative symbology, e.g., (A) w indicates Pilot Controlled Lighting (PCL).
Power Lines	Runway Centerline Lighting
Fence	Approach Lighting System ALSF-2 I
Towers	Approach Lighting System ALSF-1
Tanks	Short Approach Lighting System SALS/SALSF. Simplified Short Approach Lighting System (SSALR) with RAII
Oil Well	System (SSALR) with RAIL
Smoke Stack	and SSALF)
5812 Obstruction	As System (MALSR) and RAIL
Controlling Obstruction	Lighting System (ODALS)
G & G.	(‡) Air Force Overrun
Trees	Visual Approach Slope Indicator with Standard Threshold Clearance provided
Populated Places	Pulsating Visual Approach Slope Indicator (PVASI)
Cuts and Fills Fill HITTITI	Visual Approach Slope Indicator with a threshold crossing height to accomodate long bodied or jumbo aircraft
Cliffs and Depressions	Tri-color Visual Approach Slope Indicator (TRCV)
Ditch	(V3) Approach Path Alignment Panel (APAP)
Hill	P Precision Approach Path Indicator (PAPI)

LEGEND

This directory is a listing of data on record with the FAA on all open to the public airports, military facilities and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally this listing contains data for associated terminal control facilities, air route traffic control centers, and radio aids to navigation within the conterminous United States, Puerto Rico and the Virgin Islands. Joint civil/military and civil airports are listed alphabetically by state, associated city and airport name and cross-referenced by airport name. Military facilities are listed alphabetically by state and official airport name and cross-referenced by associated city name. Navaids, flight service stations and remote communication outlets that are associated with an airport, but with a different name, are listed alphabetically under their own name, as well as under the airport with which they are associated.

The listing of an open to the public airport in this directory merely indicates the airport operator's willingness to accommodate transient aircraft, and does not represent that the facility conforms with any Federal or local standards, or that it has been approved for use on the part of the general public. Military and private use facilities published in this directory are open to civil pilots only in an emergency or with prior permission. See Special Notice Section, Civil Use of Military Fields.

The information on obstructions is taken from reports submitted to the FAA. Obstruction data has not been verified in all cases, Pilots are cautioned that objects not indicated in this tabulation (or on the airports sketches and/or charts) may exist which can create a hazard to flight operation. Detailed specifics concerning services and facilities tabulated within this directory are contained in the Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

The legend items that follow explain in detail the contents of this Directory and are keyed to the circled numbers on the sample on the preceding pages.

1 CITY/AIRPORT NAME

Civil and joint civil/military airports and facilities in this directory are listed alphabetically by state and associated city. Where the city name is different from the airport name the city name will appear on the line above the airport name. Airports with the same associated city name will be listed alphabetically by airport name and will be separated by a dashed rule line. A solid rule line will separate all others. FAA approved helipads and seaplane landing areas associated with a land airport will be separated by a dotted line. Military airports are listed alphabetically by state and official airport name.

(2) ALTERNATE NAME

Alternate names, if any, will be shown in parentheses.

(3) LOCATION IDENTIFIER

The location identifier is a three or four character FAA code followed by a four-character ICAO code assigned to airports. ICAO codes will only be published at joint civil/military, and military facilities. If two different military codes are assigned, both codes will be shown with the primary operating agency's code listed first. These identifiers are used by ATC in lieu of the airport name in flight plans, flight strips and other written records and computer operations. Zeros will appear with a slash to differentiate them from the letter "O".

(4) OPERATING AGENCY

Α

Airports within this directory are classified into two categories, Military/Federal Government and Civil airports open to the general public, plus selected private use airports. The operating agency is shown for military, private use and joint civil/military airports. The operating agency is shown by an abbreviation as listed below. When an organization is a tenant, the abbreviation is enclosed in parenthesis. No classification indicates the airport is open to the general public with no military tenant.

MC

Marine Corps

AFRC Air Force Reserve Command N Navv US Air Force Naval Air Facility ΔF NAF ANG Air National Guard NAS Naval Air Station AR US Army Reserve NASA National Air and Space Administration

ARNG US Army National Guard P US Civil Airport Wherein Permit Covers
CG US Coast Guard Use by Transient Military Aircraft
CIV/MIL Joint Use Civil/Military PVT Private Use Only (Closed to the Public)

DND Department of National Defense Canada

US Army

5 AIRPORT LOCATION

Airport location is expressed as distance and direction from the center of the associated city in nautical miles and cardinal points, e.g., 4 NE.

(6) TIME CONVERSION

Hours of operation of all facilities are expressed in Coordinated Universal Time (UTC) and shown as "Z" time. The directory indicates the number of hours to be subtracted from UTC to obtain local standard time and local daylight saving time UTC-5(-4DT). The symbol ‡ indicates that during periods of Daylight Saving Time effective hours will be one hour earlier than shown. In those areas where daylight saving time is not observed the (-4DT) and ‡ will not be shown. Daylight saving time is in effect from 0200 local time the second Sunday in March to 0200 local time the first Sunday in November. Canada and all U.S. Conterminous States observe daylight saving time except Arizona and Puerto Rico, and the Virgin Islands. If the state observes daylight saving time and the operating times are other than daylight saving times, the operating hours will include the dates, times and no ‡ symbol will be shown, i.e., April 15-Aug 31 0630-1700Z, Sep 1-Apr 14 0600-1700Z.

7 GEOGRAPHIC POSITION OF AIRPORT—AIRPORT REFERENCE POINT (ARP)

Positions are shown as hemisphere, degrees, minutes and hundredths of a minute and represent the approximate geometric center of all usable runway surfaces.

8 CHARTS

Charts refer to the Sectional Chart and Low and High Altitude Enroute Chart and panel on which the airport or facility is located. Helicopter Chart locations will be indicated as COPTER. IFR Gulf of Mexico West and IFR Gulf of Mexico Central will be depicted as GOMW and GOMC.

(9) INSTRUMENT APPROACH PROCEDURES, AIRPORT DIAGRAMS

IAP indicates an airport for which a prescribed (Public Use) FAA Instrument Approach Procedure has been published. DIAP indicates an airport for which a prescribed DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures. See the Special Notice Section of this directory, Civil Use of Military Fields and the Aeronautical Information Manual 5–4–5 Instrument Approach Procedure Charts for additional information. AD indicates an airport for which an airport diagram has been published. Airport diagrams are located in the back of each A/FD volume alphabetically by associated city and airport name.

10 AIRPORT SKETCH

The airport sketch, when provided, depicts the airport and related topographical information as seen from the air and should be used in conjunction with the text. It is intended as a guide for pilots in VFR conditions. Symbology that is not self-explanatory will be reflected in the sketch legend. The airport sketch will be oriented with True North at the top. Airport sketches will be added incrementally.

(11) ELEVATION

The highest point of an airport's usable runways measured in feet from mean sea level. When elevation is sea level it will be indicated as "00". When elevation is below sea level a minus "-" sign will precede the figure.

(12) ROTATING LIGHT BEACON

B indicates rotating beacon is available. Rotating beacons operate sunset to sunrise unless otherwise indicated in the AIRPORT REMARKS or MILITARY REMARKS segment of the airport entry.

(13) SERVICING—CIVIL

S1:	Minor airframe repairs.	S5:	Major airframe repairs.
S2:	Minor airframe and minor powerplant repairs.	S6:	Minor airframe and major powerplant repairs.
S3:	Major airframe and minor powerplant repairs.	S7:	Major powerplant repairs.
S4:	Major airframe and major powerplant repairs.	S8:	Minor powerplant repairs.

(14) FUEL

CODE	FUEL	CODE	FUEL
80	Grade 80 gasoline (Red)	B+	Jet B, Wide-cut, turbine fuel with FS-II*, FP**
100	Grade 100 gasoline (Green)		minus 50° C.
100LL	100LL gasoline (low lead) (Blue)	J4 (JP4)	(JP-4 military specification) FP** minus
115	Grade 115 gasoline (115/145 military		58° C.
	specification) (Purple)	J5 (JP5)	(JP-5 military specification) Kerosene with
Α	Jet A, Kerosene, without FS-II*, FP** minus		FS-11, FP** minus 46°C.
	40° C.	J8 (JP8)	(JP-8 military specification) Jet A-1, Kerosene
A+	Jet A, Kerosene, with FS-II*, FP** minus		with FS-II*, FP** minus 47°C.
	40°C.	J8+100	(JP-8 military specification) Jet A-1, Kerosene
A1	Jet A-1, Kerosene, without FS-II*, FP**		with FS-II*, FP** minus 47°C, with-fuel
	minus 47°C.		additive package that improves thermo
A1+	Jet A-1, Kerosene with FS-II*, FP** minus		stability characteristics of JP-8.
	47° C.	J	(Jet Fuel Type Unknown)
В	Jet B, Wide-cut, turbine fuel without FS-II*,	MOGAS	Automobile gasoline which is to be used
	FP** minus 50° C.		as aircraft fuel.

^{*(}Fuel System Icing Inhibitor)

NOTE: Certa

Certain automobile gasoline may be used in specific aircraft engines if a FAA supplemental type certificate has been obtained. Automobile gasoline, which is to be used in aircraft engines, will be identified as "MOGAS", however, the grade/type and other octane rating will not be published.

Data shown on fuel availability represents the most recent information the publisher has been able to acquire. Because of a variety of factors, the fuel listed may not always be obtainable by transient civil pilots. Confirmation of availability of fuel should be made directly with fuel suppliers at locations where refueling is planned.

15 OXYGEN—CIVIL

OX 1 High Pressure OX 3 High Pressure—Replacement Bottles
OX 2 Low Pressure OX 4 Low Pressure—Replacement Bottles

16 TRAFFIC PATTERN ALTITUDE

Traffic Pattern Altitude (TPA)—The first figure shown is TPA above mean sea level. The second figure in parentheses is TPA above airport elevation. Multiple TPA shall be shown as "TPA—See Remarks" and detailed information shall be shown in the Airport or Military Remarks Section. Traffic pattern data for USAF bases, USN facilities, and U.S. Army airports (including those on which ACC or U.S. Army is a tenant) that deviate from standard pattern altitudes shall be shown in Military Remarks.

^{**(}Freeze Point)

17

7 airport of entry. Landing rights, and customs user fee airports

U.S. CUSTOMS USER FEE AIRPORT—Private Aircraft operators are frequently required to pay the costs associated with customs processing.

AOE—Airport of Entry. A customs Airport of Entry where permission from U.S. Customs is not required to land. However, at least one hour advance notice of arrival is required.

LRA—Landing Rights Airport. Application for permission to land must be submitted in advance to U.S. Customs. At least one hour advance notice of arrival is required.

NOTE: Advance notice of arrival at both an AOE and LRA airport may be included in the flight plan when filed in Canada or Mexico. Where Flight Notification Service (ADCUS) is available the airport remark will indicate this service. This notice will also be treated as an application for permission to land in the case of an LRA. Although advance notice of arrival may be relayed to Customs through Mexico, Canada, and U.S. Communications facilities by flight plan, the aircraft operator is solely responsible for ensuring that Customs receives the notification. (See Customs, Immigration and Naturalization, Public Health and Agriculture Department requirements in the International Flight Information Manual for further details.)

US Customs Air and Sea Ports, Inspectors and Agents

Northeast Sector (New England and Atlantic States—ME to MD)	407-975-1740
Southeast Sector (Atlantic States—DC, WV, VA to FL)	407-975-1780
Central Sector (Interior of the US, including Gulf states—MS, AL, LA)	407-975-1760
Southwest East Sector (OK and eastern TX)	407-975-1840
Southwest West Sector (Western TX, NM and AZ)	407-975-1820
Pacific Sector (WA, OR, CA, HI and AK)	407-975-1800

(18) CERTIFICATED AIRPORT (14 CFR PART 139)

Airports serving Department of Transportation certified carriers and certified under 14 CFR part 139 are indicated by the Class and the ARFF Index; e.g. Class I, ARFF Index A, which relates to the availability of crash, fire, rescue equipment. Class I airports can have an ARFF Index A through E, depending on the aircraft length and scheduled departures. Class II, III, and IV will always carry an Index A.

14 CFR PART 139 CERTIFICATED AIRPORTS AIRPORT CLASSIFICATIONS

Type of Air Carrier Operation	Class I	Class II	Class III	Class IV
Scheduled Air Carrier Aircraft with 31 or more passenger seats	Х			
Unscheduled Air Carrier Aircraft with 31 or more passengers seats	Х	Х		Х
Scheduled Air Carrier Aircraft with 10 to 30 passenger seats	Х	Х	Х	

14 CFR-PART 139 CERTIFICATED AIRPORTS

INDICES AND AIRCRAFT RESCUE AND FIRE FIGHTING EQUIPMENT REQUIREMENTS

Airport Index	Required No. Vehicles	Aircraft Length	Scheduled Departures	Agent + Water for Foam
А	1	<90'	≥1	500#DC or HALON 1211 or 450#DC + 100 gal H₂O
В	1 or 2	≥90′, <126′	≥5	Index A + 1500 gal H ₂ O
		≥126′, <159′	<5	
С	2 or 3	≥126′, <159′	≥5	Index A + 3000 gal H ₂ O
		≥159′, <200′	<5	
D	3	≥159′, <200′		Index A + 4000 gal H ₂ O
		>200′	<5	
E	3	≥200′	≥5	Index A + 6000 gal H ₂ O

> Greater Than; < Less Than; ≥ Equal or Greater Than; ≤ Equal or Less Than; H₂O-Water; DC-Dry Chemical.

NOTE: The listing of ARFF index does not necessarily assure coverage for non-air carrier operations or at other than prescribed times for air carrier. ARFF Index Ltd.—indicates ARFF coverage may or may not be available, for information contact airport manager prior to flight.

19 NOTAM SERVICE

All public use landing areas are provided NOTAM "D" (distant dissemination) and NOTAM "L" (local dissemination) service. Airport NOTAM file identifier is shown for individual airports, e.g. "NOTAM FILE IAD". See AIM, Basic Flight Information and

ATC Procedures for detailed description of NOTAM's. Current NOTAMs are available from Flight Service Stations at 1–800–WX–BRIEF. Real time Military NOTAMs are available using the DoD Internet NOTAM Distribution System (DINS) www.notams.jcs.mil.

20 FAA INSPECTION

All airports not inspected by FAA will be identified by the note: Not insp. This indicates that the airport information has been provided by the owner or operator of the field.

21 RUNWAY DATA

Runway information is shown on two lines. That information common to the entire runway is shown on the first line while information concerning the runway ends is shown on the second or following line. Runway direction, surface, length, width, weight bearing capacity, lighting, and slope, when available are shown for each runway. Multiple runways are shown with the longest runway first. Direction, length, width, and lighting are shown for sea-lanes. The full dimensions of helipads are shown, e.g., 50X150. Runway data that requires clarification will be placed in the remarks section.

RUNWAY DESIGNATION

Runways are normally numbered in relation to their magnetic orientation rounded off to the nearest 10 degrees. Parallel runways can be designated L (left)/R (right)/C (center). Runways may be designated as Ultralight or assault strips. Assault | strips are shown by magnetic bearing.

RUNWAY DIMENSIONS

Runway length and width are shown in feet. Length shown is runway end to end including displaced thresholds, but excluding those areas designed as overruns.

RUNWAY SURFACE AND LENGTH

Runway lengths prefixed by the letter "H" indicate that the runways are hard surfaced (concrete, asphalt, or part asphalt-concrete). If the runway length is not prefixed, the surface is sod, clay, etc. The runway surface composition is indicated in parentheses after runway length as follows:

(AFSC)—Aggregate friction seal coat	(GRVL)—Gravel, or cinders	(PSP)—Pierced steel plank
(ASPH)—Asphalt	(MATS)—Pierced steel planking,	(RFSC)—Rubberized friction seal coat
(CONC)—Concrete	landing mats, membranes	(TURF)—Turf
(DIRT)—Dirt	(PEM)—Part concrete, part asphalt	(TRTD)—Treated
(GRVD)—Grooved	(PFC)—Porous friction courses	(WC)—Wire combed

RUNWAY WEIGHT BEARING CAPACITY

Runway strength data shown in this publication is derived from available information and is a realistic estimate of capability at an average level of activity. It is not intended as a maximum allowable weight or as an operating limitation. Many airport pavements are capable of supporting limited operations with gross weights in excess of the published figures. Permissible operating weights, insofar as runway strengths are concerned, are a matter of agreement between the owner and user. When desiring to operate into any airport at weights in excess of those published in the publication, users should contact the airport management for permission. Runway strength figures are shown in thousand of pounds, with the last three figures being omitted. Add 000 to figure following S, D, 2S, 2T, AUW, SWL, etc., for gross weight capacity. A blank space following the letter designator is used to indicate the runway can sustain aircraft with this type landing gear, although definite runway weight bearing capacity figures are not available, e.g., S, D. Applicable codes for typical gear configurations with S=Single, D=Dual, T=Triple and Q=Quadruple:

CURRENT	NEW	NEW DESCRIPTION
S	S	Single wheel type landing gear (DC3), (C47), (F15), etc.
D	D	Dual wheel type landing gear (BE1900), (B737), (A319), etc.
T	D	Dual wheel type landing gear (P3, C9).
ST	28	Two single wheels in tandem type landing gear (C130).
TRT	2T	Two triple wheels in tandem type landing gear (C17), etc.
DT	2D	Two dual wheels in tandem type landing gear (B707), etc.
TT	2D	Two dual wheels in tandem type landing gear (B757,
		KC135).
SBTT	2D/D1	Two dual wheels in tandem/dual wheel body gear type
		landing gear (KC10).
None	2D/2D1	Two dual wheels in tandem/two dual wheels in tandem body
		gear type landing gear (A340–600).
DDT	2D/2D2	Two dual wheels in tandem/two dual wheels in double
		tandem body gear type landing gear (B747, E4).
TTT	3D	Three dual wheels in tandem type landing gear (B777), etc.
TT	D2	Dual wheel gear two struts per side main gear type landing
		gear (B52).
TDT	C5	Complex dual wheel and quadruple wheel combination
		landing gear (C5).

AUW—All up weight. Maximum weight bearing capacity for any aircraft irrespective of landing gear configuration.

SWL—Single Wheel Loading. (This includes information submitted in terms of Equivalent Single Wheel Loading (ESWL) and Single Isolated Wheel Loading).

PSI—Pounds per square inch. PSI is the actual figure expressing maximum pounds per square inch runway will support, e.g., (SWL 000/PSI 535).

Omission of weight bearing capacity indicates information unknown.

The ACN/PCN System is the ICAO standard method of reporting pavement strength for pavements with bearing strengths greater than 12,500 pounds. The Pavement Classification Number (PCN) is established by an engineering assessment of the runway. The PCN is for use in conjunction with an Aircraft Classification Number (ACN). Consult the Aircraft Flight Manual, Flight Information Handbook, or other appropriate source for ACN tables or charts. Currently, ACN data may not be available for all aircraft. If an ACN table or chart is available, the ACN can be calculated by taking into account the aircraft weight, the pavement type, and the subgrade category. For runways that have been evaluated under the ACN/PCN system, the PCN will be shown as a five-part code (e.g. PCN 80 R/B/W/T). Details of the coded format are as follows:

- (1) The PCN NUMBER—The reported PCN indicates that an aircraft with an ACN equal or less than the reported PCN can operate on the pavement subject to any limitation on the tire pressure.
- (2) The type of pavement:
 - R Rigid
 - F Flexible
- (3) The pavement subgrade category:
 - A High
 - B Medium
 - C Low
 - D Ultra-low

- $\begin{tabular}{ll} (4) The maximum tire pressure authorized for the pavement: \\ \end{tabular}$
 - W High, no limit
 - X Medium, limited to 217 psi
 - Y Low, limited to 145 psi
- Z Very low, limited to 73 psi(5) Pavement evaluation method:
 - T Technical evaluation
 - U By experience of aircraft using the pavement

NOTE: Prior permission from the airport controlling authority is required when the ACN of the aircraft exceeds the published PCN or aircraft tire pressure exceeds the published limits.

RUNWAY LIGHTING

Lights are in operation sunset to sunrise. Lighting available by prior arrangement only or operating part of the night and/or pilot controlled lighting with specific operating hours are indicated under airport or military remarks. At USN/USMC facilities lights are available only during airport hours of operation. Since obstructions are usually lighted, obstruction lighting is not included in this code. Unlighted obstructions on or surrounding an airport will be noted in airport or military remarks. Runway lights nonstandard (NSTD) are systems for which the light fixtures are not FAA approved L-800 series: color, intensity, or spacing does not meet FAA standards. Nonstandard runway lights, VASI, or any other system not listed below will be shown in airport remarks or military service. Temporary, emergency or limited runway edge lighting such as flares, smudge pots, lanterns or portable runway lights will also be shown in airport remarks or military service. Types of lighting are shown with the runway or runway end they serve.

NSTD—Light system fails to meet FAA standards.

LIRL-Low Intensity Runway Lights.

MIRL—Medium Intensity Runway Lights.

HIRL—High Intensity Runway Lights.

RAIL—Runway Alignment Indicator Lights.

REIL—Runway End Identifier Lights.

CL—Centerline Lights.

TDZL-Touchdown Zone Lights.

ODALS-Omni Directional Approach Lighting System.

AF OVRN-Air Force Overrun 1000' Standard

Approach Lighting System.

LDIN-Lead-In Lighting System.

MALS-Medium Intensity Approach Lighting System.

MALSF—Medium Intensity Approach Lighting System with Sequenced Flashing Lights.

MALSR—Medium Intensity Approach Lighting System with Runway Alignment Indicator Lights.

SALS—Short Approach Lighting System.

SALSF—Short Approach Lighting System with Sequenced Flashing Lights.

SSALS—Simplified Short Approach Lighting System.

SSALF—Simplified Short Approach Lighting System with Sequenced Flashing Lights.

SSALR—Simplified Short Approach Lighting System with Runway Alignment Indicator Lights.

ALSAF—High Intensity Approach Lighting System with Sequenced Flashing Lights.

ALSF1—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category I, Configuration.

ALSF2—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category II, Configuration.

SF-Sequenced Flashing Lights.

OLS-Optical Landing System.

WAVE-OFF.

NOTE: Civil ALSF2 may be operated as SSALR during favorable weather conditions. When runway edge lights are positioned more than 10 feet from the edge of the usable runway surface a remark will be added in the "Remarks" portion of the airport entry. This is applicable to Air Force, Air National Guard and Air Force Reserve Bases, and those joint civil/military airfields on which they are tenants.

VISUAL GLIDESLOPE INDICATORS

APAP—A system of panels, which may or may not be lighted, us	ed for alignme	ent of approach path.			
PNIL APAP on left side of runway	PNIR	APAP on right side of runway			
PAPI—Precision Approach Path Indicator					
P2L 2-identical light units placed on left side of	P4L	4-identical light units placed on left side of			
runway		runway			
P2R 2-identical light units placed on right side of	P4R	4-identical light units placed on right side of			
runway		runway			
PVASI—Pulsating/steady burning visual approach slope indicator, normally a single light unit projecting two colors.					
PSIL PVASI on left side of runway	PSIR	PVASI on right side of runway			
SAVASI—Simplified Abbreviated Visual Approach Slope Indicator					

S2R

2-box SAVASI on right side of runway

TRCV—Tri-color visual approach slope indicator, normally a single light unit projecting three colors.

2-box SAVASI on left side of runway

S2L

TRIL	TRCV on left side of runway	TRIR	TRCV on right side of runway
VASI—Visua	l Approach Slope Indicator		
V2L	2-box VASI on left side of runway	V6L	6-box VASI on left side of runway
V2R	2-box VASI on right side of runway	V6R	6-box VASI on right side of runway
V4L	4-box VASI on left side of runway	V12	12-box VASI on both sides of runway
V4R	4-box VASI on right side of runway	V16	16-box VASI on both sides of runway

NOTE: Approach slope angle and threshold crossing height will be shown when available; i.e., -GA 3.5° TCH 37'.

PILOT CONTROL OF AIRPORT LIGHTING

Key Mike	Function
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity (Lower REIL or REIL-Off)
3 times within 5 seconds	Lowest intensity available
	(Lower REIL or REIL-Off)

Available systems will be indicated in the airport or military remarks, e.g., ACTIVATE HIRL Rwy 07–25, MALSR Rwy 07, and VASI Rwy 07—122.8.

Where the airport is not served by an instrument approach procedure and/or has an independent type system of different specification installed by the airport sponsor, descriptions of the type lights, method of control, and operating frequency will be explained in clear text. See AIM, "Basic Flight Information and ATC Procedures," for detailed description of pilot control of airport lighting.

RUNWAY SLOPE

When available, runway slope data will only be provided for those airports with an approved FAA instrument approach procedure. Runway slope will be shown only when it is 0.3 percent or greater. On runways less than 8000 feet, the direction of the slope up will be indicated, e.g., 0.3% up NW. On runways 8000 feet or greater, the slope will be shown (up or down) on the runway end line, e.g., RWY 13: 0.3% up., RWY 21: Pole. Rgt tfc. 0.4% down.

RUNWAY END DATA

Information pertaining to the runway approach end such as approach lights, touchdown zone lights, runway end identification lights, visual glideslope indicators, displaced thresholds, controlling obstruction, and right hand traffic pattern, will be shown on the specific runway end. "Rgt tfc"—Right traffic indicates right turns should be made on landing and takeoff for specified runway end.

LAND AND HOLD SHORT OPERATIONS (LAHSO)

LAHSO is an acronym for "Land and Hold Short Operations." These operations include landing and holding short of an intersection runway, an intersecting taxiway, or other predetermined points on the runway other than a runway or taxiway. Measured distance represents the available landing distance on the landing runway, in feet.

Specific questions regarding these distances should be referred to the air traffic manager of the facility concerned. The Aeronautical Information Manual contains specific details on hold–short operations and markings.

RUNWAY DECLARED DISTANCE INFORMATION

TORA—Take-off Run Available. The length of runway declared available and suitable for the ground run of an aeroplane take-off

TODA—Take-off Distance Available. The length of the take-off run available plus the length of the clearway, if provided.

ASDA—Accelerate-Stop Distance Available. The length of the take-off run available plus the length of the stopway, if provided. LDA—Landing Distance Available. The length of runway which is declared available and suitable for the ground run of an aeroplane landing.

(22) ARRESTING GEAR/SYSTEMS

Arresting gear is shown as it is located on the runway. The a–gear distance from the end of the appropriate runway (or into the overrun) is indicated in parentheses. A–Gear which has a bi–direction capability and can be utilized for emergency approach end engagement is indicated by a (B). The direction of engaging device is indicated by an arrow. Up to 15 minutes advance notice may be required for rigging A–Gear for approach and engagement. Airport listing may show availability of other than US Systems. This information is provided for emergency requirements only. Refer to current aircraft operating manuals for specific engagement weight and speed criteria based on aircraft structural restrictions and arresting system limitations.

Following is a list of current systems referenced in this publication identified by both Air Force and Navy terminology:

BI-DIRECTIONAL CABLE (B)

12

<u>TYPE</u> <u>DESCRIPTION</u>

BAK-9 Rotary friction brake.

BAK-12A Standard BAK-12 with 950 foot run out, 1-inch cable and 40,000 pound weight setting. Rotary

friction brake.

BAK-12B Extended BAK-12 with 1200 foot run, 1¼ inch Cable and 50,000 pounds weight setting. Rotary

friction brake.

E28 Rotary Hydraulic (Water Brake).
M21 Rotary Hydraulic (Water Brake) Mobile.

The following device is used in conjunction with some aircraft arresting systems:

BAK-14 A device that raises a hook cable out of a slot in the runway surface and is remotely positioned

for engagement by the tower on request. (In addition to personnel reaction time, the system

requires up to five seconds to fully raise the cable.)

H A device that raises a hook cable out of a slot in the runway surface and is remotely positioned

for engagement by the tower on request. (In addition to personnel reaction time, the system

requires up to one and one-half seconds to fully raise the cable.)

UNI-DIRECTIONAL CABLE

TYPE DESCRIPTION

MB60 Textile brake—an emergency one-time use, modular braking system employing the tearing of

specially woven textile straps to absorb the kinetic energy.

E5/E5-1/E5-3 Chain Type. At USN/USMC stations E-5 A-GEAR systems are rated, e.g., E-5 RATING-13R-1100

HW (DRY), 31L/R-1200 STD (WET). This rating is a function of the A-GEAR chain weight and length and is used to determine the maximum aircraft engaging speed. A dry rating applies to a stabilized surface (dry or wet) while a wet rating takes into account the amount (if any) of wet overrun that is not capable of withstanding the aircraft weight. These ratings are published under

Military Service.

FOREIGN CABLE

TYPE DESCRIPTION US EQUIVALENT

44B–3H Rotary Hydraulic) (Water Brake)

CHAG Chain E-5

UNI-DIRECTIONAL BARRIER

TYPE DESCRIPTION

MA-1A Web barrier between stanchions attached to a chain energy absorber.

BAK-15 Web barrier between stanchions attached to an energy absorber (water squeezer, rotary friction,

chain). Designed for wing engagement.

NOTE: Landing short of the runway threshold on a runway with a BAK–15 in the underrun is a significant hazard. The barrier in the down position still protrudes several inches above the underrun. Aircraft contact with the barrier short of the runway threshold can cause damage to the barrier and substantial damage to the aircraft.

OTHER

TYPE DESCRIPTION

EMAS Engineered Material Arresting System, located beyond the departure end of the runway, consisting of

high energy absorbing materials which will crush under the weight of an aircraft.

23 MILITARY SERVICE

Specific military services available at the airport are listed under this general heading. Remarks applicable to any military service are shown in the individual service listing.

24 JET AIRCRAFT STARTING UNITS (JASU)

The numeral preceding the type of unit indicates the number of units available. The absence of the numeral indicates ten or more units available. If the number of units is unknown, the number one will be shown. Absence of JASU designation indicates non-availability.

The following is a list of current JASU systems referenced in this publication:

USAF JASU (For variations in technical data, refer to T.O. 35–1–7.)

ELECTRICAL STARTING UNITS:

A/M32A-86 AC: 115/200v, 3 phase, 90 kva, 0.8 pf, 4 wire

DC: 28v, 1500 amp, 72 kw (with TR pack)

MC-1A AC: 115/208v, 400 cycle, 3 phase, 37.5 kva, 0.8 pf, 108 amp, 4 wire

DC: 28v, 500 amp, 14 kw

MD-3 AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire

DC: 28v. 1500 amp. 45 kw. split bus

MD-3A AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire

DC: 28v, 1500 amp, 45 kw, split bus

MD-3M AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire

DC: 28v, 500 amp, 15 kw

MD-4 AC: 120/208v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 175 amp, "WYE" neutral ground, 4 wire, 120v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 303 amp, "DELTA" 3 wire, 120v, 400 cycle, 1 phase, 62.5

kva. 0.8 pf. 520 amp. 2 wire

AIR STARTING UNITS

AM32–95 150 + / - 5 lb/min (2055 + / - 68 cfm) at 51 + / - 2 psia AM32A–95 150 + / - 5 lb/min @ 49 + / - 2 psia (35 + / - 2 psig)

LASS 150 +/- 5 lb/min @ 49 +/- 2 psia

MA-1A 82 lb/min (1123 cfm) at 130° air inlet temp, 45 psia (min) air outlet press

MC-1 15 cfm, 3500 psia MC-1A 15 cfm, 3500 psia MC-2A 15 cfm, 200 psia

MC-11 8,000 cu in cap, 4000 psig, 15 cfm

COMBINED AIR AND ELECTRICAL STARTING UNITS:

AGPU AC: 115/200v, 400 cycle, 3 phase, 30 kw gen

DC: 28v, 700 amp

AIR: 60 lb/min @ 40 psig @ sea level

AM32A-60* AIR: 120 + -4 lb/min (1644 + -55 cfm) at 49 + -2 psia

AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire, 120v, 1 phase, 25 kva

DC: 28v, 500 amp, 15 kw

AM32A-60A AIR: 150 +/- 5 lb/min (2055 +/- 68 cfm at 51 +/- psia

AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw

AM32A-60B* AIR: 130 lb/min, 50 psia

AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire

DC: 28v, 200 amp, 5.6 kw

*NOTE: During combined air and electrical loads, the pneumatic circuitry takes preference and will limit the amount of electrical power available.

USN JASU

ELECTRICAL STARTING UNITS:

NC-8A/A1 DC: 500 amp constant, 750 amp intermittent, 28v;

AC: 60 kva @ .8 pf, 115/200v, 3 phase, 400 Hz.

NC-10A/A1/B/C

DC: 750 amp constant, 1000 amp intermittent, 28v:

AC: 90 kva, 115/200v, 3 phase, 400 Hz.

AIR STARTING UNITS:

GTC-85/GTE-85 120 lbs/min @ 45 psi. MSU-200NAV/A/U47A-5 204 lbs/min @ 56 psia.

WELLS AIR START 180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. Simultaneous multiple start capability.

SYSTEM

COMBINED AIR AND ELECTRICAL STARTING UNITS:

NCPP-105/RCPT 180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. 700 amp, 28v DC. 120/208v, 400 Hz AC,

30 kva.

JASU (ARMY)

59B2–1B 28v, 7.5 kw, 280 amp.

OTHER JASU

ELECTRICAL STARTING UNITS (DND):

CE12 AC 115/200v, 140 kva, 400 Hz, 3 phase CE13 AC 115/200v, 60 kva, 400 Hz, 3 phase

CE14 AC/DC 1.15/200v, 140 kva, 400 Hz, 3 phase, 28vDC, 1500 amp
CE15 DC 22-35v, 500 amp continuous 1.100 amp intermittent
CE16 DC 22-35v, 500 amp continuous 1.100 amp intermittent soft start

AIR STARTING UNITS (DND):

CA2 ASA 45.5 psig, 116.4 lb/min COMBINED AIR AND ELECTRICAL STARTING UNITS (DND)

CEA1 AC 120/208v, 60 kva, 400 Hz, 3 phase DC 28v, 75 amp

AIR 112.5 lb/min, 47 psig

ELECTRICAL STARTING UNITS (OTHER)

C-26 28v 45kw 115-200v 15kw 380-800 Hz 1 phase 2 wire

C-26-B, C-26-C 28v 45kw: Split Bus: 115-200v 15kw 380-800 Hz 1 phase 2 wire

E3 DC 28v/10kw

AIR STARTING UNITS (OTHER):

A4 40 psi/2 lb/sec (LPAS Mk12, Mk12L, Mk12A, Mk1, Mk2B)

MA-1 150 Air HP, 115 lb/min 50 psia MA-2 250 Air HP, 150 lb/min 75 psia

CARTRIDGE:

MXU-4A USAF



Fuel available through US Military Base supply, DESC Into-Plane Contracts and/or reciprocal agreement is listed first and is followed by (Mil). At commercial airports where Into-Plane contracts are in place, the name of the refueling agent is shown. Military fuel should be used first if it is available. When military fuel cannot be obtained but Into-Plane contract fuel is available, Government aircraft must refuel with the contract fuel and applicable refueling agent to avoid any breach in contract terms and conditions. Fuel not available through the above is shown preceded by NC (no contract). When fuel is obtained from NC sources, local purchase procedures must be followed. The US Military Aircraft Identaplates DD Form 1896 (Jet Fuel), DD Form 1897 (Avgas) and AF Form 1245 (Avgas) are used at military installations only. The US Government Aviation Into-Plane Reimbursement (AIR) Card (currently issued by AVCARD) is the instrument to be used to obtain fuel under a DESC Into-Plane Contract and for NC purchases if the refueling agent at the commercial airport accepts the AVCARD. A current list of contract fuel locations is available online at www.desc.dla.mil/Static/ProductsAndServices.asp; click on the Commercial Airports button.

See legend item 14 for fuel code and description.

26 SUPPORTING FLUIDS AND SYSTEMS—MILITARY

ADI

Anti-Detonation Injection Fluid—Reciprocating Engine Aircraft.

W Water Thrust Augmentation—Jet Aircraft.

WAI Water-Alcohol Injection Type, Thrust Augmentation—Jet Aircraft.

SP Single Point Refueling.

PRESAIR Air Compressors rated 3,000 PSI or more.

De-Ice Anti-icing/De-icing/Defrosting Fluid (MIL-A-8243).

OXYGEN:

LPOX Low pressure oxygen servicing.
HPOX High pressure oxygen servicing.
LHOX Low and high pressure oxygen servicing.

LOX Liquid oxygen servicing.

OXRB Oxygen replacement bottles. (Maintained primarily at Naval stations for use in acft where oxygen can be

replenished only by replacement of cylinders.)

OX Indicates oxygen servicing when type of servicing is unknown.

NOTE: Combinations of above items is used to indicate complete oxygen servicing available;

LHOXRB Low and high pressure oxygen servicing and replacement bottles;

LPOXRB Low pressure oxygen replacement bottles only, etc.

NOTE: Aircraft will be serviced with oxygen procured under military specifications only. Aircraft will not be serviced with medical oxygen.

NITROGEN:

CODE

LPNIT — Low pressure nitrogen servicing.
HPNIT — High pressure nitrogen servicing.

LHNIT — Low and high pressure nitrogen servicing.

GRADE TYPE

27 OIL—MILITARY

US AVIATION OILS (MIL SPECS):

OODL	anne, in E
0-113	1065, Reciprocating Engine Oil (MIL-L-6082)
0-117	1100, Reciprocating Engine Oil (MIL-L-6082)
0-117+	1100, 0-117 plus cyclohexanone (MIL-L-6082)
0-123	1065, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type III)
0-128	1100, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type II)
0-132	1005, Jet Engine Oil (MIL-L-6081)
0-133	1010, Jet Engine Oil (MIL-L-6081)
0-147	None, MIL-L-6085A Lubricating Oil, Instrument, Synthetic
0-148	None, MIL-L-7808 (Synthetic Base) Turbine Engine Oil
0-149	None, Aircraft Turbine Engine Synthetic, 7.5c St
0-155	None, MIL-L-6086C, Aircraft, Medium Grade
0-156	None MIL -I -23699 (Synthetic Base) Turboprop and Turboshaft Engine

O-156 None, MIL-L-23699 (Synthetic Base), Turboprop and Turboshaft Engines

JOAP/SOAP Joint Oil Analysis Program, JOAP support is furnished during normal duty hours, or

Joint Oil Analysis Program. JOAP support is furnished during normal duty hours, other times on request. (JOAP and SOAP programs provide essentially the same service, JOAP is now the standard joint service

supported program.)

28 TRANSIENT ALERT (TRAN ALERT)—MILITARY

Tran Alert service is considered to include all services required for normal aircraft turn-around, e.g., servicing (fuel, oil, oxygen, etc.), debriefing to determine requirements for maintenance, minor maintenance, inspection and parking assistance of transient aircraft. Drag chute repack, specialized maintenance, or extensive repairs will be provided within the capabilities and priorities of the base. Delays can be anticipated after normal duty hours/holidays/weekends regardless of the hours of transient maintenance operation. Pilots should not expect aircraft to be serviced for TURN-AROUNDS during time periods when servicing or maintenance manpower is not available. In the case of airports not operated exclusively by US military, the servicing indicated by the remarks will not always be available for US military

aircraft. When transient alert services are not shown, facilities are unknown. NO PRIORITY BASIS—means that transient alert services will be provided only after all the requirements for mission/tactical assigned aircraft have been accomplished.

29 AIRPORT REMARKS

The Attendance Schedule is the months, days and hours the airport is actually attended. Airport attendance does not mean watchman duties or telephone accessibility, but rather an attendant or operator on duty to provide at least minimum services (e.g., repairs, fuel, transportation).

Airport Remarks have been grouped in order of applicability. Airport remarks are limited to those items of information that are determined essential for operational use, i.e., conditions of a permanent or indefinite nature and conditions that will remain in effect for more than 30 days concerning aeronautical facilities, services, maintenance available, procedures or hazards, knowledge of which is essential for safe and efficient operation of aircraft. Information concerning permanent closing of a runway or taxiway will not be shown. A note "See Special Notices" shall be applied within this remarks section when a special notice applicable to the entry is contained in the Special Notices section of this publication.

Parachute Jumping indicates parachute jumping areas associated with the airport. See Parachute Jumping Area section of this publication for additional Information.

Landing Fee indicates landing charges for private or non-revenue producing aircraft. In addition, fees may be charged for planes that remain over a couple of hours and buy no services, or at major airline terminals for all aircraft.

Note: Unless otherwise stated, remarks including runway ends refer to the runway's approach end.

30 MILITARY REMARKS

Military Remarks published at a joint Civil/Military facility are remarks that are applicable to the Military. At Military Facilities all remarks will be published under the heading Military Remarks. Remarks contained in this section may not be applicable to civil users. The first group of remarks is applicable to the primary operator of the airport. Remarks applicable to a tenant on the airport are shown preceded by the tenant organization, i.e., (A) (AF) (N) (ANG), etc. Military airports operate 24 hours unless otherwise specified. Airport operating hours are listed first (airport operating hours will only be listed if they are different than the airport attended hours or if the attended hours are unavailable) followed by pertinent remarks in order of applicability. Remarks will include information on restrictions, hazards, traffic pattern, noise abatement, customs/agriculture/immigration, and miscellaneous information applicable to the Military.

Type of restrictions:

CLOSED: When designated closed, the airport is restricted from use by all aircraft unless stated otherwise. Any closure applying to specific type of aircraft or operation will be so stated. USN/USMC/USAF airports are considered closed during non-operating hours. Closed airports may be utilized during an emergency provided there is a safe landing area.

OFFICIAL BUSINESS ONLY: The airfield is closed to all transient military aircraft for obtaining routine services such as fueling, passenger drop off or pickup, practice approaches, parking, etc. The airfield may be used by aircraws and aircraft if official government business (including civilian) must be conducted on or near the airfield and prior permission is received from the airfield manager.

AF OFFICIAL BUSINESS ONLY OR NAVY OFFICIAL BUSINESS ONLY: Indicates that the restriction applies only to service indicated.

PRIOR PERMISSION REQUIRED (PPR): Airport is closed to transient aircraft unless approval for operation is obtained from the appropriate commander through Chief, Airfield Management or Airfield Operations Officer. Official Business or PPR does not preclude the use of US Military airports as an alternate for IFR flights. If a non-US military airport is used as a weather alternate and requires a PPR, the PPR must be requested and confirmed before the flight departs. The purpose of PPR is to control volume and flow of traffic rather than to prohibit it. Prior permission is required for all aircraft requiring transient alert service outside the published transient alert duty hours. All aircraft carrying hazardous materials must obtain prior permission as outlined in AFJI 11–204, AR 95–27, OPNAVINST 3710.7.

Note: OFFICIAL BUSINESS ONLY AND PPR restrictions are not applicable to Special Air Mission (SAM) or Special Air Resource (SPAR) aircraft providing person or persons on aboard are designated Code 6 or higher as explained in AFJMAN 11–213, AR 95–11, OPNAVINST 3722–8J. Official Business Only or PPR do not preclude the use of the airport as an alternate for IFR flights.

31 WEATHER DATA SOURCES

Weather data sources will be listed alphabetically followed by their assigned frequencies and/or telephone number and hours of operation.

ASOS—Automated Surface Observing System. Reports the same as an AWOS-3 plus precipitation identification and intensity, and freezing rain occurrence (future enhancement).

AWOS-Automated Weather Observing System

AWOS-A—reports altimeter setting (all other information is advisory only).

AWOS-1—reports altimeter setting, wind data and usually temperature, dewpoint and density altitude.

AWOS-2-reports the same as AWOS-1 plus visibility.

AWOS-3—reports the same as AWOS-1 plus visibility and cloud/ceiling data.

See AIM, Basic Flight Information and ATC Procedures for detailed description of AWOS.

HIWAS—See RADIO AIDS TO NAVIGATION

LAWRS—Limited Aviation Weather Reporting Station where observers report cloud height, weather, obstructions to vision, temperature and dewpoint (in most cases), surface wind, altimeter and pertinent remarks.

LLWAS—indicates a Low Level Wind Shear Alert System consisting of a center field and several field perimeter anemometers. SAWRS—identifies airports that have a Supplemental Aviation Weather Reporting Station available to pilots for current weather information.

SWSL—Supplemental Weather Service Location providing current local weather information via radio and telephone.

TDWR—indicates airports that have Terminal Doppler Weather Radar.

WSP—indicates airports that have Weather System Processor.

When the automated weather source is broadcast over an associated airport NAVAID frequency (see NAVAID line), it shall be indicated by a bold ASOS, AWOS, or HIWAS followed by the frequency, identifier and phone number, if available.



Airport terminal control facilities and radio communications associated with the airport shall be shown. When the call sign is not the same as the airport name the call sign will be shown. Frequencies shall normally be shown in descending order with the primary frequency listed first. Frequencies will be listed, together with sectorization indicated by outbound radials, and hours of operation. Communications will be listed in sequence as follows:

Single Frequency Approach (SFA), Common Traffic Advisory Frequency (CTAF), Automatic Terminal Information Service (ATIS) and Aeronautical Advisory Stations (UNICOM) or (AUNICOM) along with their frequency is shown, where available, on the line following the heading "COMMUNICATIONS." When the CTAF and UNICOM frequencies are the same, the frequency will be shown as CTAF/UNICOM 122.8.

The FSS telephone nationwide is toll free 1–800–WX–BRIEF (1–800–992–7433). When the FSS is located on the field it will be indicated as "on arpt". Frequencies available at the FSS will follow in descending order. Remote Communications Outlet (RCO) providing service to the airport followed by the frequency and FSS RADIO name will be shown when available.

FSS's provide information on airport conditions, radio aids and other facilities, and process flight plans. Airport Advisory Service (AAS) is provided on the CTAF by FSS's for select non-tower airports or airports where the tower is not in operation.

(See AIM, Para 4-1-9 Traffic Advisory Practices at Airports Without Operating Control Towers or AC 90-42C.)

Aviation weather briefing service is provided by FSS specialists. Flight and weather briefing services are also available by calling the telephone numbers listed.

Remote Communications Outlet (RCO)—An unmanned air/ground communications facility that is remotely controlled and provides UHF or VHF communications capability to extend the service range of an FSS.

Civil Communications Frequencies-Civil communications frequencies used in the FSS air/ground system are operated on 122.0, 122.2, 123.6; emergency 121.5; plus receive-only on 122.1.

- a. 122.0 is assigned as the Enroute Flight Advisory Service frequency at selected FSS RADIO outlets.
- b. 122.2 is assigned as a common enroute frequency.
- c. 123.6 is assigned as the airport advisory frequency at select non-tower locations. At airports with a tower, FSS may provide airport advisories on the tower frequency when tower is closed.
- d. 122.1 is the primary receive-only frequency at VOR's.
- e. Some FSS's are assigned 50 kHz frequencies in the 122–126 MHz band (eg. 122.45). Pilots using the FSS A/G system should refer to this directory or appropriate charts to determine frequencies available at the FSS or remoted facility through which they wish to communicate.

Emergency frequency 121.5 and 243.0 are available at all Flight Service Stations, most Towers, Approach Control and RADAR facilities.

Frequencies published followed by the letter "T" or "R", indicate that the facility will only transmit or receive respectively on that frequency. All radio aids to navigation (NAVAID) frequencies are transmit only.

TERMINAL SERVICES

SFA—Single Frequency Approach.

CTAF—A program designed to get all vehicles and aircraft at airports without an operating control tower on a common frequency.

ATIS—A continuous broadcast of recorded non-control information in selected terminal areas.

D-ATIS—Digital ATIS provides ATIS information in text form outside the standard reception range of conventional ATIS via landline & data link communications and voice message within range of existing transmitters.

AUNICOM—Automated UNICOM is a computerized, command response system that provides automated weather, radio check capability and airport advisory information selected from an automated menu by microphone clicks.

UNICOM—A non-government air/ground radio communications facility which may provide airport information.

PTD-Pilot to Dispatcher.

APP CON—Approach Control. The symbol (R) indicates radar approach control.

TOWER—Control tower.

GCA—Ground Control Approach System.

GND CON-Ground Control.

GCO—Ground Communication Outlet—An unstaffed, remotely controlled, ground/ground communications facility. Pilots at uncontrolled airports may contact ATC and FSS via VHF to a telephone connection to obtain an instrument clearance or close a VFR or IFR flight plan. They may also get an updated weather briefing prior to takeoff. Pilots will use four "key clicks" on the

VHF radio to contact the appropriate ATC facility or six "key clicks" to contact the FSS. The GCO system is intended to be used only on the ground.

DEP CON—Departure Control. The symbol (R) indicates radar departure control.

CLNC DEL-Clearance Delivery.

PRE TAXI CLNC-Pre taxi clearance.

VFR ADVSY SVC—VFR Advisory Service. Service provided by Non-Radar Approach Control.

Advisory Service for VFR aircraft (upon a workload basis) ctc APP CON.

COMD POST—Command Post followed by the operator call sign in parenthesis.

PMSV—Pilot-to-Metro Service call sign, frequency and hours of operation, when full service is other than continuous.

PMSV installations at which weather observation service is available shall be indicated, following the frequency and/or

hours of operation as "Wx obsn svc 1900–0000Z‡" or "other times" may be used when no specific time is given. PMSV facilities manned by forecasters are considered "Full Service". PMSV facilities manned by weather observers are listed as "Limited Service".

OPS—Operations followed by the operator call sign in parenthesis.

CON

RANGE

FLT FLW-Flight Following

MEDIVAC

NOTE: Communication frequencies followed by the letter "X" indicate frequency available on request.

33 AIRSPACE

Information concerning Class B, C, and part-time D and E surface area airspace shall be published with effective times.

Class D and E surface area airspace that is continuous as established by Rulemaking Docket will not be shown.

CLASS B—Radar Sequencing and Separation Service for all aircraft in CLASS B airspace.

CLASS C—Separation between IFR and VFR aircraft and sequencing of VFR arrivals to the primary airport.

TRSA—Radar Sequencing and Separation Service for participating VFR Aircraft within a Terminal Radar Service Area.

Class C, D, and E airspace described in this publication is that airspace usually consisting of a 5 NM radius core surface area that begins at the surface and extends upward to an altitude above the airport elevation (charted in MSL for Class C and Class D). Class E surface airspace normally extends from the surface up to but not including the overlying controlled airspace.

When part-time Class C or Class D airspace defaults to Class E, the core surface area becomes Class E. This will be formatted as:

AIRSPACE: CLASS C svc "times" ctc APP CON other times CLASS E:

0

AIRSPACE: CLASS D svc "times" other times CLASS E.

When a part-time Class C, Class D or Class E surface area defaults to Class G, the core surface area becomes Class G up to, but not including, the overlying controlled airspace. Normally, the overlying controlled airspace is Class E airspace beginning at either 700' or 1200' AGL. This will be formatted as:

 $\textbf{AIRSPACE: CLASS C} \text{ svc ''times'' ctc } \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL \& abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL \& abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL & abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL & abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL & abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL & abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS C, with CLASS E 700' (or 1200') AGL & abv: } \textbf{AIRSPACE: CLASS C, with C, with Class C, with C, with$

0

AIRSPACE: CLASS D svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv:

AI

AIRSPACE: CLASS E svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv.

NOTE: AIRSPACE SVC "TIMES" INCLUDE ALL ASSOCIATED ARRIVAL EXTENSIONS. Surface area arrival extensions for instrument approach procedures become part of the primary core surface area. These extensions may be either Class D or Class E airspace and are effective concurrent with the times of the primary core surface area. For example, when a part-time Class C, Class D or Class E surface area defaults to Class G, the associated arrival extensions will default to Class G at the same time. When a part-time Class C or Class D surface area defaults to Class E, the arrival extensions will remain in effect as Class E airspace.

NOTE: CLASS E AIRSPACE EXTENDING UPWARD FROM 700 FEET OR MORE ABOVE THE SURFACE, DESIGNATED IN CONJUNCTION WITH AN AIRPORT WITH AN APPROVED INSTRUMENT PROCEDURE.


Class E 700′ AGL (shown as magenta vignette on sectional charts) and 1200′ AGL (blue vignette) areas are designated when necessary to provide controlled airspace for transitioning to/from the terminal and enroute environments. Unless otherwise specified, these 700′/1200′ AGL Class E airspace areas remain in effect continuously, regardless of airport operating hours or surface area status. These transition areas should not be confused with surface areas or arrival extensions.

(See Chapter 3, AIRSPACE, in the Aeronautical Information Manual for further details)



The Airport/Facility Directory lists, by facility name, all Radio Aids to Navigation that appear on National Aeronautical Charting Office Visual or IFR Aeronautical Charts and those upon which the FAA has approved an Instrument Approach Procedure, with exception of selected TACANs. Military TACAN information will be published for Military facilities contained in this publication. All VOR, VORTAC, TACAN, ILS and MLS equipment in the National Airspace System has an automatic monitoring and shutdown feature in the event of malfunction. Unmonitored, as used in this publication, for any navigational aid, means that monitoring personnel cannot observe the malfunction or shutdown signal. The NAVAID NOTAM file identifier will be shown as "NOTAM FILE IAD" and will be listed on the Radio Aids to Navigation line. When two or more NAVAIDS are listed and the NOTAM file identifier is different from that shown on the Radio Aids to Navigation line, it will be shown with the NAVAID listing. NOTAM file identifiers for ILSs and its components (e.g., NDB (LOM) are the same as the associated airports and are not repeated. Automated Surface Observing System (ASOS), Automated Weather Observing System (AWOS), and Hazardous Inflight Weather Advisory Service (HIWAS) will be shown when this service is broadcast over selected NAVAIDs.

NAVAID information is tabulated as indicated in the following sample:



Restriction within the normal altitude/range of the navigational aid (See primary alphabetical listing for restrictions on VORTAC and VOR/DME).

Note: Those DME channel numbers with a (Y) suffix require TACAN to be placed in the "Y" mode to receive distance information

HIWAS—Hazardous Inflight Weather Advisory Service is a continuous broadcast of inflight weather advisories including summarized SIGMETs, convective SIGMETs, AIRMETs and urgent PIREPs. HIWAS is presently broadcast over selected VOR's and will be implemented throughout the conterminous U.S.

ASR/PAR—Indicates that Surveillance (ASR) or Precision (PAR) radar instrument approach minimums are published in the U.S. Terminal Procedures. Only part-time hours of operation will be shown.

RADIO CLASS DESIGNATIONS

VOR/DME/TACAN Standard Service Volume (SSV) Classifications

SSV Class	Altitudes	Distance
		(NM)
(T) Terminal	1000' to 12,000'	25
(L) Low Altitude	1000' to 18,000'	40
(H) High Altitude	1000' to 14,500'	40
	14,500' to 18,000'	100
	18,000' to 45,000'	130
	45.000' to 60.000'	100

NOTE: Additionally, (H) facilities provide (L) and (T) service volume and (L) facilities provide (T) service. Altitudes are with respect to the station's site elevation. Coverage is not available in a cone of airspace directly above the facility.

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE

The term VOR is, operationally, a general term covering the VHF omnidirectional bearing type of facility without regard to the fact that the power, the frequency protected service volume, the equipment configuration, and operational requirements may vary between facilities at different locations.

*	
AB	Automatic Weather Broadcast.
DF	Direction Finding Service.
DME	UHF standard (TACAN compatible) distance measuring equipment.
DME(Y)	UHF standard (TACAN compatible) distance measuring equipment that require TACAN to be placed in the "Y" mode to receive DME.
GS	Glide slope.
Н	Non-directional radio beacon (homing), power 50 watts to less than 2,000 watts (50 NM at all altitudes).
HH	Non-directional radio beacon (homing), power 2,000 watts or more (75 NM at all altitudes).
H-SAB	Non-directional radio beacons providing automatic transcribed weather service.
ILS	Instrument Landing System (voice, where available, on localizer channel).
IM	Inner marker.
ISMLS	Interim Standard Microwave Landing System.
LDA	Localizer Directional Aid.
LMM	Compass locator station when installed at middle marker site (15 NM at all altitudes).
LOM	Compass locator station when installed at outer marker site (15 NM at all altitudes).
MH	Non-directional radio beacon (homing) power less than 50 watts (25 NM at all altitudes).
MLS	Microwave Landing System.
MM	Middle marker.
OM	Outer marker.
S	Simultaneous range homing signal and/or voice.
SABH	Non-directional radio beacon not authorized for IFR or ATC. Provides automatic weather broadcasts.
SDF	Simplified Direction Facility.
TACAN	UHF navigational facility-omnidirectional course and distance information.
VOR	VHF navigational facility-omnidirectional course only.
VOR/DME	Collocated VOR navigational facility and UHF standard distance measuring equipment.
VORTAC	Collocated VOR and TACAN navigational facilities.
W	
Z	VHF station location marker at a LF radio facility.
	·

ILS FACILITY PEFORMANCE CLASSIFICATION CODES

Codes define the ability of an ILS to support autoland operations. The two portions of the code represent Official Category and farthest point along a Category I, II, or III approach that the Localizer meets Category III structure tolerances.

Official Category: I, II, or III; the lowest minima on published or unpublished procedures supported by the ILS.

Farthest point of satisfactory Category III Localizer performance for Category I, II, or III approaches: A-4 NM prior to runway threshold, B-3500 ft prior to runway threshold, C-glide angle dependent but generally 750–1000 ft prior to threshold, T-runway threshold, D-3000 ft after runway threshold, and E-2000 ft prior to stop end of runway.

ILS information is tabulated as indicated in the following sample:



FREQUENCY PAIRING PLAN AND MLS CHANNELING

I REGULTOT I AIRTIG I EAR ARD MES CHARRELING								
MLS	VHF	TACAN	MLS	VHF	TACAN	MLS	VHF	TACAN
CHANNEL	FREQUENCY	CHANNEL	CHANNEL	FREQUENCY	CHANNEL	CHANNEL	FREQUENCY	CHANNEL
500	108.10	18X	568	109.45	31Y	636	114.15	88Y
502	108.30	20X	570	109.55	32Y	638	114.25	89Y
504	108.50	22X	572	109.65	33Y	640	114.35	90Y
506	108.70	24X	574	109.75	34Y	642	114.45	91Y
508	108.90	26X	576	109.85	35Y	644	114.55	92Y
510	109.10	28X	578	109.95	36Y	646	114.65	93Y
512	109.30	30X	580	110.05	37Y	648	114.75	94Y
514	109.50	32X	582	110.15	38Y	650	114.85	95Y
516	109.70	34X	584	110.25	39Y	652	114.95	96Y
518	109.90	36X	586	110.35	40Y	654	115.05	97Y
520	110.10	38X	588	110.45	41Y	656	115.15	98Y
522	110.30	40X	590	110.55	42Y	658	115.25	99Y
524	110.50	42X	592	110.65	43Y	660	115.35	100Y
526	110.70	44X	594	110.75	44Y	662	115.45	101Y
528	110.90	46X	596	110.85	45Y	664	115.55	102Y
530	111.10	48X	598	110.95	46Y	666	115.65	103Y
532	111.30	50X	600	111.05	47Y	668	115.75	104Y
534	111.50	52X	602	111.15	48Y	670	115.85	105Y
536	111.70	54X	604	111.25	49Y	672	115.95	106Y
538	111.90	56X	606	111.35	50Y	674	116.05	107Y
540	108.05	17Y	608	111.45	51Y	676	116.15	108Y
542	108.15	18Y	610	111.55	52Y	678	116.25	109Y
544	108.25	19Y	612	111.65	53Y	680	116.35	110Y
546	108.35	20Y	614	111.75	54Y	682	116.45	111Y
548	108.45	21Y	616	111.85	55Y	684	116.55	112Y
550	108.55	22Y	618	111.95	56Y	686	116.65	113Y
552	108.65	23Y	620	113.35	80Y	688	116.75	114Y
554	108.75	24Y	622	113.45	81Y	690	116.85	115Y
556	108.85	25Y	624	113.55	82Y	692	116.95	116Y
558	108.95	26Y	626	113.65	83Y	694	117.05	117Y
560	109.05	27Y	628	113.75	84Y	696	117.15	118Y
562	109.15	28Y	630	113.85	85Y	698	117.25	119Y
564	109.25	29Y	632	113.95	86Y			
566	109.35	30Y	634	114.05	87Y			

FREQUENCY PAIRING PLAN AND MLS CHANNELING

The following is a list of paired VOR/ILS VHF frequencies with TACAN channels and MLS channels.

TACAN	VHF	MLS	TACAN	VHF	MLS	TACAN	VHF	MLS
CHANNEL	FREQUENCY	CHANNEL	CHANNEL	FREQUENCY	CHANNEL	CHANNEL	FREQUENCY	CHANNEL
2X	134.5	-	19Y	108.25	544	25X	108.80	-
2Y	134.55	-	20X	108.30	502	25Y	108.85	556
11X	135.4	-	20Y	108.35	546	26X	108.90	508
11Y	135.45	-	21X	108.40	-	26Y	108.95	558
12X	135.5	-	21Y	108.45	548	27X	109.00	-
12Y	135.55	-	22X	108.50	504	27Y	109.05	560
17X	108.00	-	22Y	108.55	550	28X	109.10	510
17Y	108.05	540	23X	108.60	-	28Y	109.15	562
18X	108.10	500	23Y	108.65	552	29X	109.20	-
18Y	108.15	542	24X	108.70	506	29Y	109.25	564
19X	108.20	-	24Y	108.75	554	30X	109.30	512

TACAN Channel	VHF Frequency	MLS Channel	TACAN Channel	VHF Frequency	MLS Channel	TACAN Channel	VHF Frequency	MLS Channel
30Y	109.35	566	63X	133.60	-	95Y	114.85	650
31X	109.40	-	63Y	133.65	-	96X	114.90	-
31Y	109.45	568	64X	133.70	-	96Y	114.95	652
32X	109.50	514	64Y	133.75	-	97X	115.00	-
32Y	109.55	570	65X	133.80	-	97Y	115.05	654
33X	109.60	-	65Y	133.85	-	98X	115.10	-
33Y	109.65	572	66X	133.90	-	98Y	115.15	656
34X	109.70	516	66Y	133.95	-	99X	115.20	-
34Y	109.75	574	67X	134.00	-	99Y	115.25	658
35X	109.80	-	67Y	134.05	-	100X	115.30	-
35Y	109.85	576	68X	134.10	-	100Y	115.35	660
36X	109.90	518	68Y	134.15	-	101X	115.40	-
36Y	109.95	578	69X	134.20	-	101Y	115.45	662
37X	110.00	-	69Y	134.25	_	102X	115.50	_
37Y	110.05	580	70X	112.30	_	102Y	115.55	664
38X	110.10	520	70Y	112.35	-	103X	115.60	-
38Y	110.15	582	71X	112.40	_	103Y	115.65	666
39X	110.20	-	71Y	112.45		104X	115.70	-
39Y	110.25	584	72X	112.50		104X	115.75	668
40X	110.20	522	72Y	112.55		105X	115.80	-
40X 40Y	110.35	586	73X	112.60	-	105X	115.85	670
41X	110.33	360	73X 73Y	112.65	-	106X	115.85	670
41X 41Y	110.45	588	74X	112.00	-	106X	115.95	672
					-			- 072
42X	110.50	524	74Y	112.75	-	107X	116.00	
42Y	110.55	590	75X	112.80	-	107Y	116.05	674
43X	110.60	-	75Y	112.85	-	108X	116.10	-
43Y	110.65	592	76X	112.90	-	108Y	116.15	676
44X	110.70	526	76Y	112.95	-	109X	116.20	- 070
44Y	110.75	594	77X	113.00	-	109Y	116.25	678
45X	110.80		77Y	113.05	-	110X	116.30	
45Y	110.85	596	78X	113.10	-	110Y	116.35	680
46X	110.90	528	78Y	113.15	-	111X	116.40	
46Y	110.95	598	79X	113.20	-	111Y	116.45	682
47X	111.00	-	79Y	113.25	-	112X	116.50	-
47Y	111.05	600	80X	113.30	-	112Y	116.55	684
48X	111.10	530	80Y	113.35	620	113X	116.60	-
48Y	111.15	602	81X	113.40	-	113Y	116.65	686
49X	111.20	-	81Y	113.45	622	114X	116.70	-
49Y	111.25	604	82X	113.50	-	114Y	116.75	688
50X	111.30	532	82Y	113.55	624	115X	116.80	-
50Y	111.35	606	83X	113.60	-	115Y	116.85	690
51X	111.40	-	83Y	113.65	626	116X	116.90	-
51Y	111.45	608	84X	113.70	-	116Y	116.95	692
52X	111.50	534	84Y	113.75	628	117X	117.00	-
52Y	111.55	610	85X	113.80	-	117Y	117.05	694
53X	111.60	-	85Y	113.85	630	118X	117.10	-
53Y	111.65	612	86X	113.90	-	118Y	117.15	696
54X	111.70	536	86Y	113.95	632	119X	117.20	-
54Y	111.75	614	87X	114.00	-	119Y	117.25	698
55X	111.80	-	87Y	114.05	634	120X	117.30	-
55Y	111.85	616	88X	114.10	-	120Y	117.35	-
56X	111.90	538	88Y	114.15	636	121X	117.40	-
56Y	111.95	618	89X	114.20	-	121Y	117.45	-
57X	112.00	-	89Y	114.25	638	122X	117.50	_
57Y	112.05	-	90X	114.30	-	122Y	117.55	-
58X	112.10	-	90Y	114.35	640	123X	117.60	_
58Y	112.15	-	91X	114.40		123Y	117.65	
59X	112.20		91Y	114.45	642	124X	117.70	
59Y	112.25	_	92X	114.50	U-12	124X	117.75	-
60X	133.30	-	92Y	114.55	644	125X	117.73	-
60X	133.35	-	93X	114.60	0-+	125X 125Y	117.85	-
61X	133.40	-	93X 93Y	114.65	646	126X	117.90	-
61Y	133.40	-			040	126X 126Y		-
		-	94X	114.70	649	1201	117.95	-
62X 62Y	133.50 133.55	-	94Y 95X	114.75 114.80	648			
U∠ĭ	133.33	-	ADY	114.80	-			

35 COMM/NAV/WEATHER REMARKS:

These remarks consist of pertinent information affecting the current status of communications, NAVAIDs and weather.

AIKEN MUNI (AIK) 6 N UTC-5(-4DT) N33°38.96′ W81°41.10′ 528 B S2 FUEL 100LL, JET A NOTAM FILE AND RWY 07-25: H5500X100 (ASPH-AFSC) S-22, D-65, ST-82 MIRL 0.4% up SW RWY 07: PAPI(P2L)-GA 3.0° TCH 22'.

CHARL OTTE H-9B, 12F, L-24I ΙΔΡ

RWY 25: ODALS. REIL. PAPI(P2L)-GA 3.0° TCH 26'.

RWY 01-19: H3800X75 (ASPH-AFSC) S-22 MIRL 0.9% up S RWY N1. Tree RWY 19: Tree.

AIRPORT REMARKS: Attended 1100-2300Z‡. ACTIVATE MIRL Rwy 07-25 and ODALS Rwy 25-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.025 (803) 643-8664. COMMUNICATIONS: CTAF/UNICOM 122.8


RCO 122.45 (ANDERSON RADIO)

- R AUGUSTA APP/DEP CON 119.15 (1145-0400Z‡)
- (R) COLUMBIA APP/DEP CON 124.15 (0400-1145Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND

COLLIERS (H) VORTAC 113.9 IRO Chan 86 N33°42.44' W82°09.72' 102° 24.1 NM to fld. 428/04W.

NDB (MHW) 347 AIK N33°39.11′ W81°40.62′ Unmonitored 2300-1300Z‡.



ALCOT N34°10.44′ W79°51.15′ NOTAM FILE FLO. NDB (LOM) 335 FL 089° 6.4 NM to Florence Rgnl. CHARLOTTE

ALLENDALE CO (88J) 2 SE UTC-5(-4DT) N32°59.71′ W81°16.21′

161 B FUEL 100LL, JET A NOTAM FILE AND

CHARL OTTE H-9B, 12F, L-24I

RWY 17-35: H5005X75 (ASPH) S-26, D-34 MIRL

RWY 17: PAPI(P2L)—GA 3.0°TCH 26'. Tree. RWY 35: PAPI(P2L)-GA 3.0°TCH 26'. Tree.

AIRPORT REMARKS: Attended 1300-2200Z‡. For fuel or svc after hrs call 803-584-2060. 5' drainage structure located 1220' from Rwy 17 thld and 75' left. ACTIVATE MIRL Rwy 17-35 and PAPI Rwy 17 and Rwy 35-CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 116.7T (ANDERSON RADIO)

R JAX CENTER APP/DEP CON 132.5

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

VANCE (L) VORTAC 110.4 VAN Chan 41 N33°28.49′ W80°26.92′ 241° 50.4 NM to fld. 140/06W.

(L) VOR 116.7 ALD N33°00.75' W81°17.53' 134° 1.5 NM to fld.

VOR unusable:

217°-314° blo 3000′ 360°-035° blo 3000'

036°-134° blo 6000' 315°-325° byd 10 NM blo 3000' 135°-145° byd 10 NM blo 6000' 326°-341° blo 3000′

146°-216° blo 6000' 342°-359° ANDERSON RGNL (AND) 3 SW UTC-5(-4DT) N34°29.68′ W82°42.56′ ATI ANTA 782 B S4 FUEL 100LL, JET A OX 4 Class I, ARFF Index A NOTAM FILE AND H-9B, 12F, L-25C RWY 05-23: H6002X150 (ASPH) S-50.5, D-67.5, ST-85 ΙΔΡ HIRL RWY 05: MALSR. PAPI(P4L). Trees. RWY 23: SAVASI(S2L)—GA 3.0°TCH 30'. Trees. RWY 17-35: H4996X150 (ASPH) S-16.5, D-23 0.9% up N RWY 17: Trees. RWY 35: Trees. AIRPORT REMARKS: Attended 1230-0030Z‡. Arpt unattended Thanksgiving, Christmas and New Years Day. After hours, 100LL fuel avbl by self-service. CLOSED to unscheduled air carrier ops with more than 30 passenger seats except 24 hr PPR call arpt manager 864-260-4163. Rwy 17-35 not avbl for air carrier use. Rwy 17-35 widespread cracks. Wildlife on and invof arpt, more active at dusk and dawn, Profile of Rwy 05-23 restricts visibility from thId Rwy 05 to thId Rwy 23. Twy Igts from apron to Rwy 05 only. ACTIVATE HIRL Rwy 05-23, MALSR Rwv 05-CTAF. WEATHER DATA SOURCES: ASOS 120.675 (864) 226-9522. COMMUNICATIONS: CTAF 123.6 UNICOM 122.95 RCO 123.6 122.2 (ANDERSON RADIO) R GREER APP/DEP CON 118.8 (1100-0445Z‡) ATLANTA CENTER APP/DEP CON 127.5 (0445-1100Z‡) RADIO AIDS TO NAVIGATION: NOTAM FILE AND. VHF/DF ctc FSS. ELECTRIC CITY (L) VORTACW 108.6 ELW Chan 23 N34°25.15′ W82°47.08′ 040° 5.9 NM to fld. 740/00E. ILS 111.9 I-AND Rwy 05. Class IB. COMM/NAV/WEATHER REMARKS: Ctc Anderson Radio for airport advisory service on 123.6.

HELIPAD H1: H50X50 (CONC) S-30
HELIPAD H2: H50X50 (CONC) S-30
HELIPAT REMARKS: Helicopters with skids are restricted to land on helipads or grassed areas. ACTIVATE perimeter

at Robert F. Swinnie. Unusable byd 20 NM.

ANDREWS N33°27.09′ W079°31.64′ NOTAM FILE AND.

CHARLOTTE 1-241

ANDREWS

ROBERT F SWINNIE (PHH) 2 E UTC-5(-4DT) N33°27.10′ W79°31.57′ 26 B NOTAM FILE AND

CHARLOTTE L-241

RWY 18-36: H3001X60 (ASPH) S-11, D-22 MIRL 0.3% up S RWY 18: VASI(V2L)—GA 3.0° TCH 38'. Tree.

RWY 36: VASI(V2L)-GA 3.0° TCH 34'.

AIRPORT REMARKS: Unattended. Rwy 18-36 MIRL OTS indef.

COMMUNICATIONS: CTAF 122.9

lgts H1 and H2-CTAF.

NDB (MHW) 255 PHH


(R) MYRTLE BEACH APP/DEP CON 127.4 (1100-0400Z‡)

JAX CENTER APP/DEP CON 128.7 (0400-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE CHS.

CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66′ W80°02.27′ 043° 42.2 NM to fld. 39/05W. HIWAS.

ANDREWS NDB (MHW) 255 PHH N33°27.09' W079°31.64' at fld. Unusable byd 20 NM. NOTAM FILE AND.



ASHLY N32°58.58′ W80°05.85′ NOTAM FILE CHS.

NDB (HW/LOM) 329 CH 153° 5.5 NM to Charleston AFB/Intl.

CHARLOTTE H-9C. L-23A. 241 BAMBERG CO (99N) 5 W UTC-5(-4DT) N33°18.27′ W81°06.51′ CHARLOTTE
231 B NOTAM FILE AND L-24I
RWY 05-23: H3603X60 (ASPH) S-30 D-60 MIRL
RWY 05: PAPI(P2L)—GA 3.0° TCH 40′. Tree.

RWY 23: PAPI(P2L)—GA 3.0° TCH 40′. Pole.


AIRPORT REMARKS: Unattended. MIRL Rwy 05–23 opr dusk-0300Z‡,

after 0300Z‡ ACTIVATE MIRL and PAPI Rwy 05–23—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE OGB.

EDISTO (T) VORW/DME 111.4 EDS Chan 51 N33°27.34′ W80°51.51′ 239° 15.5 NM to fld. 189/05W.



BARNWELL RGNL (BNL) 1 NW UTC-5(-4DT) N33°15.48′ W81°23.28′

246 B S4 FUEL 100LL, JET A NOTAM FILE AND

CHARLOTTE H-9B, 12F, L-24I

RWY 05-23: H4835X70 (ASPH) S-12

RWY 17-35: H5119X100 (ASPH) S-20, D-60 MIRL

RWY 17: ODALS. REIL. PAPI(P2L)-GA 3.0° TCH 52'. Tree. Rgt tfc.

RWY 35: PAPI(P2L)-GA 3.0° TCH 45'. Tree.

AIRPORT REMARKS: Attended 1400–2200Z‡. Self svc fuel and 93 octane avbl with credit card. Parachute Jumping. Rwv 05–23 payement cracked with grass growing through producing loose stones.

WEATHER DATA SOURCES: AWOS-3 119.775 (803) 259-4536.

COMMUNICATIONS: CTAF/UNICOM 122.8

JACKSONVILLE CENTER APP/DEP CON 132.5

RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

COLUMBIA (H) VORTAC 114.7 CAE Chan 94 N33°51.44′ W81°03.24′ 207° 39.6 NM to fld. 400/02W.

BEAUFORT CO (ARW) 3 SE UTC-5(-4DT) N32°24.73′ W80°38.06′ 10 B **FUEL** 100LL, JET A TPA—1010(1000) NOTAM FILE AND

CHARLOTTE L-24H

RWY 07-25: H3434X75 (ASPH) S-12.5 MIRL

RWY 07: PAPI(P2L)—GA 3.45° TCH 29'. Rgt tfc.

RWY 25: REIL. PAPI(P2L)—GA 3.0° TCH 21'.

AIRPORT REMARKS: Attended 1200–0000Z‡. Self svc fuel avbl 24 hrs.

Parachute Jumping. Deer, seagulls and geese on and invof arpt.

Rwy 25 has 5' bushes 100' from thid. MIRL Rwy 07–25 preset low ints, to increase ints—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.675 (843) 524-1000.

COMMUNICATIONS: CTAF/UNICOM 122.7


R BEAUFORT APP/DEP CON 118.45 Mon-Thur (1200-0400Z‡), Fri (1200-2300Z‡), Clsd holidays.

JACKSONVILLE CENTER APP/DEP CON 120.85 Mon-Thur (0400-1200Z‡), Fri-Sun (2300-1200Z‡).

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV.

SAVANNAH (H) VORTAC 115.95 SAV Chan 106(Y) N32°08.78′ W81°11.95′ 067° 32.8 NM to fld. 9/6W. **HIWAS**.

ASR (Mon-Fri 1100-0500Z‡, Sat 1300-2100Z‡, Sun 2000-0400Z‡)



```
BEAUFORT MCAS (MERRITT FLD)
                                 (NBC)(KNBC) MC
                                                       3 NW UTC-5(-4DT)
                                                                                                      CHARL OTTE
      N32°28 84' W80°43 16'
                                                                                                 H-9B. 12F. L-24I
  37 B TPA—See Remarks Class I, ARFF Index Ltd.
                                                                                                       ΠΙΔΡ ΔΠ
                                                        NOTAM FILE AND Not insp.
  RWY 05-23: H12202X200 (PFM) PCN 59 R/C/W/T
                                                     HIRI
                                   RWY 23: ALSF1. PAPI(P4L).
    RWY 05: SALSE, PAPI(P4L).
                                 PCN 64 R/D/W/T HIRL
  RWY 14-32: H7999X200 (PEM)
    RWY 14: PAPI (P4R)—GA 3.0° TCH 40'.
                                              RWY 32: PAPI (P4R)-GA 3.0° TCH 40'.
  RWY 10-28: H6425X150 (ASPH)
  RWY 18-36: H3941X150 (ASPH)
  ARRESTING GEAR/SYSTEM
    RWY 05 HOOK E28(B) (2050')
                                                                                    HOOK E28(B) (1900') RWY 23
    RWY 14 HOOK E28(B) (1250')
                                                                                    HOOK E28(B) (1248') RWY 32
  MILITARY SERVICE: A-GEAR E-28 on all rwys and in raised position except on ldg rwy.
                                                                                 FIIFL 15
                                                                                           TRAN ALERT Tran syc
    avbl 1200-2300Z‡ Mon-Fri only CLOSED natl hol. (See RSTD for additional tran acft info). Tran acft expect truck
    refuel. Tran acft maint unavbl. Tran aviation ordnance svc avbl. Lavatory svc unavbl. Jasu, fluid, and oil unavbl.
  MILITARY REMARKS: Opr Mon-Thu 1200-0400Z‡, Fri 1200-2300Z‡, CLOSED holidays, Other times open by NOTAM
    for special ops only. RSTD Rwy 10-28 and Rwy 18-36 CLOSED until further notice. Due to limited tran svc avbl.
    Prior ntc all inbound tran acft to include AMC, JOSAC, alternate afld and diverts. Prior ntc approval good for +/-
    1 hr of coordinated time. Ctc Base OPS DSN 335-7301/2/3/ C843-228-7301/2/3. Fax DSN 335-7874,
    C843-228-7874. Heavy acft rstd from use of VIP line. CAUTION Severe bird activity Oct-Apr. Wildlife on rwy during
    periods of darkness. Check ATIS for bird aircraft strike hazard updates. IFC PAT TPA—Overhead 1500(1463).
    conventional 800(763), helicopter call entering Class D Airspace blo 800(763). Multiple apch Rwy 32 not
    authorized. Reduced rwy separation standard in effect USN/USMC acft. Touch and go duty rwy only. CSTMS/AG/IMG
    Ltd CSTMS/AG avbl mil acft only, 24 hr prior notice rgr, Ctc Customs DSN 335-6161, C843-228-6161, MISC All
    acft with passenger, cargo, VIP ctc PTD 20 min prior to landing. ALCE team require for all AMC mission.
  COMMUNICATIONS: SFA ATIS 256.15 (Mon-Thu 1200-04007±, Fri 1200-23007±, clsd Sat-Sun and holidays.)
 R APP/DEP CON 123.7 328.425 (3000' and blo) 118.45 292.125 (abv 3000') (Mon-Thu 1200-0400Z‡,
      Fri 1200-2300Z‡), other times ctc
 (R) JACKSONVILLE CENTER APP/DEP CON 120.85 322.5
    TOWER 119.05 342.875 363.15(Mon-Thu 1200-0400Z‡, Fri 1200-2300Z‡, clsd Sat-Sun and holidays,)
      GND CON/CLNC DEL 128.15 348.625 (Mon-Thu 1200-0400Z‡. Fri 1200-2300Z‡, clsd Sat-Sun and holidays)
      PMSV METRO 264.5 (Mon-Thu 1200-0400Z‡, Fri 1200-2300Z‡, clsd holidays)
                                                                                  BASE OPS 281 8
  AIRSPACE: CLASS D svc Mon-Thu 1200-0400Z‡, Fri 1200-2300Z‡, clsd holidays, other times Class E.
  RADIO AIDS TO NAVIGATION: NOTAM FILE AND.
               Chan 42 NBC (110.5) N32°28,74′ W80°43,04′ at fld, 49/5W, TACAN unusable 300°-010° bvd
```

ASR/PAR COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima

BENNETTSVILLE N34°37.21′ W79°43.99′ NOTAM FILE AND. NDB (MHW) 230 BES at Marlboro Co. Jetport-H.E. Avent Fld.

CHARL OTTE L-24J, 25E, 35A, 36E

BENNETTSVILLE

(I) TACAN

MARLBORO CO JETPORT-H.E. AVENT FLD (BBP) 3 W UTC-5(-4DT) N34°37.30′ W79°44.06′ CHARLOTTE B FUEL 100, JET A NOTAM FILE AND H-9C, 12G, L-24J, 25E, 35A, 36E RWY 06-24: H5003X74 (ASPH) S-28 D-43 DT-70 MIRI IAP RWY 06: REIL. PAPI(P2L)-GA 3.0° TCH 40'. Tree.

30 NM blo 5,000'. Unavbl Mon-Fri 0400-1200Z‡ and all day weekends except when afld is open by NOTAM.

AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z±. Sun 1800-2200Z±, For svc Sun call FBO 843-454-2303, For fuel after hrs call 843-862-4359. For FBO call 843-479-4797.

WEATHER DATA SOURCES: AWOS-3 123.825 (843) 479-5817.

COMMUNICATIONS: CTAF/UNICOM 122.8

FLORENCE APP/DEP CON 118.6 (1130-0300Z‡) JAX CENTER APP/DEP CON 133.45 (0300-1130Z‡)

RWY 24: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Tree.

RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.

FLORENCE (H) VORTAC 115.2 FLO Chan 99 N34°13.98' W79°39.43' 354° 23.6 NM to fld. 110/03W. HIWAS. BENNETTSVILLE NDB (MHW) 230

BES N34°37.21′ W79°43.99′ at fld. NOTAM FILE AND.

G.

BERKELEY CO (See MONCKS CORNER)

BISHOPVILLE

LEE CO-BUTTERS FLD (52J) 2 N UTC-5(-4DT) N34°14.67′ W80°14.16′

CHARLOTTE L-24J. 25E. 36E

211 NOTAM FILE AND RWY 06-24: H3200X60 (ASPH) AIRPORT REMARKS: Unattended.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

CHESTERFIELD (L) VOR/DME 108.2 CTF Chan 19 N34°39.03′ W80°16.50′ 178° 24.4 NM to fld. 560/03W.

BRANHAMS (See DARLINGTON)

CALAB N33°53.12′ W78°37.80′ NOTAM FILE CRE.

NDB (LOM) 267 CR 233° 6.4 NM to Grand Strand.

CHARLOTTE

CALHOUN FALLS

HESTER MEML (ØA2) 1 E UTC-5(-4DT) N34°05.42′ W82°34.07′

ATLANTA

CHARL OTTE

H-9B. 12G. L-24J. 25D

517 NOTAM FILE AND

RWY 10-28: H3917X60 (ASPH) S-12.5 LIRL

RWY 10: Tree. RWY 28: Tree.

AIRPORT REMARKS: Unattended. Remote controlled acft invof arpt. Rwy 10–28 and apron cracking badly. Grass coming up thru cracks.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

ELECTRIC CITY (L) VORTACW 108.6 ELW Chan 23 N34°25.15′ W82°47.08′ 151° 22.5 NM to fld. 740/00E.

CAMDEN

WOODWARD FLD (CDN) 3 NE UTC-5(-4DT) N34°17.02′ W80°33.89′

302 B S4 FUEL 100LL. JET A OX 4 NOTAM FILE AND

RWY 06-24: H5000X100 (ASPH) S-30, D-55, DT-90 MIRL

RWY 06: REIL. PAPI(P2L)—GA 3.0° TCH 31'. Tree.

RWY 24: REIL. PAPI(P2L)—GA 3.0° TCH 28'. Tree.

RWY 14-32: H2998X100 (ASPH) S-30, D-55, DT-90

RWY 14: Tree. RWY 32: Tree.

AIRPORT REMARKS: Attended 1300–2300Z‡. For after hrs svc Sat–Sun, call 803–260–1128 or 803–446–0214. Aerobatic box overhead arpt up to 4000' during dalgt hrs. MIRL Rwy 06–24 preset low ints; to increase ints and ACTIVATE REIL Rwy 06 and Rwy 24–CTAF.

WEATHER DATA SOURCES: AWOS-3 119.975 (803) 424-1979.


COMMUNICATIONS: CTAF/UNICOM 123.0

R SHAW APP/DEP CON 125.4 (1200-0430Z‡)

JAX CENTER APP/DEP CON 124.7 (0430-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

CHESTERFIELD (L) VOR/DME 108.2 CTF Chan 19 N34°39.03′ W80°16.50′ 216° 26.3 NM to fld. 560/03W.



CHARLESTON

```
CHARLESTON AFB/INTL (CHS)(KCHS) CIV/MIL 9 NW UTC-5(-4DT) N32°53.92′ W80°02.43′ CHARLOTTE

46 B S4 FUEL 100, JET A1+ 0X 1 TPA—See Remarks LRA

H-9C, 12F, L-24I

Class I, ARFF Index C NOTAM FILE CHS

IAP, AD
```

RWY 15-33: H9001X200 (CONC-GRVD) S-125, D-275, DT-350, DDT-775 PCN 55 R/A/W/T HIRL CL RWY 15: ALSF2. TDZL. PAPI(P4L)—GA 3.0°.

RWY 33: MALSR. PAPI(P4L)—GA 3.0° TCH 46'.

RWY 03-21: H7000X150 (CONC-GRVD) S-125, D-275, DT-350, DDT-775 PCN 66 R/B/W/T HIRL 0.3% up NE

RWY 03: REIL. PAPI(P4L)—GA 3.0°. TCH 50'. RWY 21: REIL. PAPI(P4L)—GA 3.0°. TCH 50'.

LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 03	15-33	5550
RWY 15	03-21	5700
RWY 33	03-21	2900
RESTING GEAR/S	YSTEM	

RWY 15 ← BAK-12A(B) (1250')

BAK-12A(B) (1460') → RWY 33

MILITARY SERVICE: KCHS mil provides no security and no acft svcs at FBO's and commercial terminal. LGT: Afid rotating bcn not visible from northwest. A-GEAR Rwy 15–33 BAK 12A rqr 1hr prior notice. JASU 8(MD–3M) 2(MA–1A) (M32A–60) (M32A–60A) FUEL J8 (FBO's, C843–746–7600; C843–414–9200). (NC–10LL, A1+) All acft requiring fuel, please have in your possession the white DD form 1896 fuel card, US government air card or your base billing information. FLUID SOAP—Routine SOAP samples not avbl; SP PRESAIR LHOX LOX UIL Non–detergent oil not avbl for piston acft. 0–128–133–148(Mil).

AIRPORT REMARKS: Attended continuously. Rwy 03–21 CLOSED monthly 2nd Thu 1330–2200Z‡. Rwy 15–33 CLOSED last Thu of each month 1330–2200Z‡. Intensive heavy military jets and other miscellaneous acft executing numerous cargo and personnel drops, high speed low–level formation flights and miscellaneous air-to–ground ops. No student solo touch and go Idg allowed. PPR for parking of general aviation acft on terminal ramp ctc 843–767–1100. Parking on terminal apron restricted to commercial air carrier and acft for customs clearance by prior arrangement only. Railroad cars frequently parked at approach end of Rwy 21. Railroad cars 25' AGL and 1000' from Rwy 21 thld. Gravel piles, up to 50' AGL located 1000' from Rwy 21 thld. Flight Notification Service (ADCUS) avbl.

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remark, RSTD All acft must ctc Palmetto OPS prior to entering military ramp for parking assignment. Rwy condition reading not avbl. Intersection twy on mil ramp in front of spot 29-34 clsd to through tfc. All inbound VIP Code 7 or higher, passenger, cargo acft must ctc Palmetto OPS no later than 30 min prior to ldg. AMC acft ops rstd during Bird Watch condition moderate (tkf or ldg permission only when dep/arr route avoid identification bird activity, no local IFR/VFR tfc pattern activity) and severe (tkf and Idg prohibited without OG/CC approval), ctc Palmetto OPS for current Bird Watch condition. Non-AMC aircrews requesting Remain Overnight svc ctc Comd Post (Palmetto OPS)DSN 673-8400, C843-963-8400 prior arrival. Terminal apron restricted to commercial air carrier and acft for Customs clearance by PPR. Request C-5 and B-747 acft taxi with outboard engines at idle. CAUTION Military ramp acft contact CHS ground control for engine start and taxi. Rwy 15-33 1000' overruns has frangible raised apch lgts. Rwy 15-33 raised apch lgts in overruns. Wingtip clearance lines on mil ramp inter-twy 115' from centerline. Depart Rwy 03 apch Rwy 21 train cars (20' AGL) frequently parked 1200' from rwy end. Twy D wingtip clnc line 161' from twy centerline. Rwy 15-33 no rwy end lgt. Rwy 15-33 1' raised thId lgt. Twy going into Military Aero Club ramp unlighted. TFC PAT TPA—Rectangular 1200 (1154), overhead 1700 (1654), light acft 700 (654), C5A 2000 (1954). NS ABTMT Practice circle approach prohibited 0200-1100Z‡. MISC Temporary storage of classified materials: up to Secret at Base Ops and Top Secret at Comd Post. Rwy condition reading not avbl. Base OPS DSN 673-3024, C843-963-3024. If civil side of arpt is final destination, acft commander will so indicate on DD 175. Dangerous cargo acft ctc PTD primary, Palmetto OPS secondary. All AMC mission acft ctc Palmetto OPS when within radio range. Airfield surface wx observations taken in accordance with FAA criteria, not Air Force criteria. Req wx forecast for Mil opr using the ICAO ident KIGC. Mil wx advisory/warning avbl on request via Metro. LLWAS. Mil wx clsd Mon-Fri, 0100-0800Z‡, clsd Sat, Sun and hol. Hol Wx briefings for tran aircrews byd normal opr hr avbl via 26 OWS/Barksdale AFB, DSN 781-3952/3949/1212; C318-456-3949/1212. Military Aero Club acft ctc CHS ground control prior to taxi.

WEATHER DATA SOURCES: ASOS (843) 554-9862. HIWAS 113.5 CHS. LLWAS.

COMMUNICATIONS: ATIS 124.75 UNICOM 122.95 PTD 372.2

RCO 122.1R 113.5T (ANDERSON RADIO)

RCO 113.5T 122.2 122.5 (ANDERSON RADIO)

(R) APP CON 120.7 306.925 (151°-330°) 135.8 379.925 (331°-150°) 119.3 284.0 317.45

R DEP CON 120.7 306.925 (151°-330°) 135.8 379.925 (331°-150°)

TOWER 126.0 239.0 GND CON 121.9 348.6 CLNC DEL 127.325 291.65

PALMETTO OPS 134.1 349.4 (Have quick timing avbl 255.5) PMSV METRO 233.95

AIRSPACE: CLASS C svc continuous ctc APP CON RADIO AIDS TO NAVIGATION: NOTAM FILE CHS.

(H) VORTAC 113.5 CHS Chan 82 N32°53.66′ W80°02.27′ at fld. 39/05W. HIWAS.

ASHLY NDB (HW/LOM) 329 CH N32°58.58′ W80°05.85′ 153° 5.5 NM to fld.

ILS 109.7 I-CHS Rwy 15. Class IIE. LOM ASHLY NDB.

ILS 108.9 I—CCI Rwy 33. Class ID. ILS/LOC unusable byd 20° right of course.

CHARLESTON EXECUTIVE (JZI) 6 SW UTC-5(-4DT) N32°42.05′ W80°00.18′ CHARLOTTE 17 B S2 FUEL 100LL, JET A NOTAM FILE AND H-9C, 12F, L-24I RWY 09-27: H5000X150 (CONC) S-45, D-56 HIRL ΙΔΡ RWY 09: PAPI(P4L)—GA 3.0° TCH 49'. Tree. RWY 27: PAPI(P4L)-GA 3.0° TCH 43'. RWY 04-22: H4313X150 (CONC) S-45, D-56 MIRL AIRPORT REMARKS: Attended 1100-0300Z‡. Arpt CLOSED to single-wheel acft with published maximum tkf weight over 45,000 lbs and dual wheel acft with published maximum tkf weight over 56,000 lbs. Deer and birds on and invof arpt. Uneven/broken pavement on Rwy 09-27. Rwy 09-27 pavement showing extensive wear and deterioration. ACTIVATE MIRL Rwy 04-22 and HIRL Rwy 09-27-CTAF. WEATHER DATA SOURCES: AWOS-3 123.775 (843) 559-3123 HIWAS 113.5 CHS. COMMUNICATIONS: CTAF/UNICOM 122.8 R APP/DEP CON 120.7 CLNC DEL 127.15 RADIO AIDS TO NAVIGATION: NOTAM FILE CHS. CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66' W80°02.27' 176° 11.7 NM to fld. 39/05W.

CHERAW MUNI/LYNCH BELLINGER FLD (COW) 3 NW UTC-5(-4DT) N34°42.77′ W79°57.42′ CHARLOTTE 239 B S4 FUEL 100LL JET A NOTAM FILE AND H-9B, 12G, L-24J, 25E, 35A, 36E MIRL 1.0% up W

RWY 08-26: H5000X75 (ASPH-PFC) S-30, D-48 RWY 08: REIL. PAPI(P2L)-GA 3.45° TCH 33'. Pole.

RWY 26: REIL. PAPI(P2L)—GA 3.0° TCH 26'. Pole.

AIRPORT REMARKS: Attended Mon-Sat 1300-2300Z±. Sun

1800-2200Z‡. MIRL Rwy 08-26 preset low ints, to increase ints ACTIVATE MIRL Rwy 08-26-CTAF.

Rwv 09

WEATHER DATA SOURCES: AWOS-3 118.175 (843) 537-3301.

COMMUNICATIONS: CTAF/UNICOM 122 8

ILS/DME 110.7 I-ETI Chan 44

FLORENCE APP/DEP CON 118.6 (1130-0300Z±)

IAX CENTER APP/DEP CON 133 45 (0300-11307+)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

CHESTERFIELD (L) VOR/DME 108.2 CTF Chan 19 N34°39 03' W80°16.50' 080° 16.2 NM to fld. 560/03W

257° 4.8 NDB (MHW) 409 COW N34°44.51′ W79°51.94′ NM to fld

IAP €3 63 Œ a O *G***** **(3** ß Œ Λ ~ €3 Park *(*3 . Resident**i**a €3 €3 Residential æ ß Area

CHARL OTTE

H-9B, 12G, L-24J, 25D, 36E

CHESTER CATAWBA RGNL (DCM) 5 N UTC-5(-4DT) N34°47.36′ W81°11.75′ 656 B FUEL 100LL, JET A NOTAM FILE AND

S-30, D-44 MIRL 0.4% up N RWY 17-35: H5000X100 (ASPH)

RWY 17: PAPI(P2L)-GA 3.1° TCH 34'. Tree. Rgt tfc.

RWY 35: PAPI(P2L)—GA 3.0° TCH 33'. Tree.

RWY 05-23: H4998X100 (ASPH) S-4, D-12 0.4% up SW RWY 05: Tree. Rgt tfc. RWY 23: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2300Z‡, Sat 1300-0100Z‡, Sun 1800-0100Z‡. Parachute Jumping. Rwy 05-23 severely aged and cracked. Grass beginning to grow through cracks. Rwy 23 dirt access road 0' from thld. ACTIVATE

MIRL Rwy 17-35 and PAPI Rwy 17 and Rwy 35-CTAF. WEATHER DATA SOURCES: AWOS-3 120.975 (803) 385-2011.

COMMUNICATIONS: CTAF/UNICOM 122.7


R CHARLOTTE APP/DEP CON 120.05

RADIO AIDS TO NAVIGATION: NOTAM FILE CLT.

CHARLOTTE (L) VORW/DME 115.0 CLT Chan 97 N35°11.42' 212° 26.9 NM to fld. 732/05W. HIWAS. W80°57 11'

FORT MILL (L) VORTAC 112.4 FML Chan 71 N34°59.34' 227° 16.9 NM to fld. 645/02W. NOTAM FILE W80°57.29' AND. SHUTDOWN.

NDB (MHW) 220 DCM N34°47.21′ W81°12.07′ at fld. NOTAM FILE AND.



CHESTERFIELD N34°39.03′ W80°16.50′ NOTAM FILE AND.

CHARL OTTE

(L) VOR/DME 108.2 CTF Chan 19 080° 16.1 NM to Cheraw Muni/Lynch Bellinger Fld. 560/03W. L-24J, 25E, 36E RC0 122.05R 108.2T (ANDERSON RADIO)

CLEMSON N34°40.43′ W82°53.21′ NOTAM FILE CEU.

NDB (MHW) 257 CEU at Oconee County Rgnl.

ATLANTA L-25C

ATLANTA

L-25C

CLEMSON

OCONEE COUNTY RGNL (CEU) 3 W UTC-5(-4DT) N34°40.32′ W82°53.21′

892 B S4 **FUEL** 100LL, JET A NOTAM FILE CEU

RWY 07-25: H4400X100 (ASPH) S-26 MIRL

RWY 07: REIL. PAPI(P2L)—GA 3.0° TCH 35'. Tree. Rgt tfc.

RWY 25: REIL. PAPI(P2L)—GA 3.0° TCH 35'. Tree.

AIRPORT REMARKS: Attended Mon-Sat 1300-0000Z‡. Parachute

Jumping. No line of sight between rwy ends. Acft may be operating

from private arpt 1 NM W-NW of arpt. MIRL Rwy 07–25 high ints OTS indef. ACTIVATE MIRL Rwy 07–25—CTAF.

WEATHER DATA SOURCES: ASOS 119.275 (864) 882-0144.

COMMUNICATIONS: CTAF/UNICOM 122.7


R GREER APP/DEP CON 118.8 (1100-0445Z‡)

ATLANTA CENTER APP/DEP CON 134.8 (0445-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

FOOTHILLS (H) VORTAC 113.4 ODF Chan 81 N34°41.75′ W83°17.86′ 094° 20.4 NM to fld. 1700/00E.

CLEMSON NDB (MHW) 257 CEU N34°40.43′ W82°53.21′ fld. NOTAM FILE CEU.



CLIO CROP CARE (9W9) 2 SE UTC-5(-4DT) N34°33.69′ W79°32.29′

CHARLOTTE

192 TPA-792(600) NOTAM FILE AND

RWY 05-23: 2598X125 (TURF)

RWY 05: Tree. RWY 23: Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300Z‡-dusk, Sat 1300-1700Z‡.

COMMUNICATIONS: CTAF 122.9

COLLIERS N33°42.44′ W82°09.72′ NOTAM FILE AND.

ATLANTA

(H) VORTAC 113.9 IRQ Chan 86 161° 15.7 NM to Daniel Fld, GA. 428/04W. RCO 122.1R 113.9T (ANDERSON RADIO)

H-9B, L-241

COLUMBIA

COLUMBIA METROPOLITAN (CAE) 5 SW UTC-5(-4DT) N33°56.33′ W81°07.17′

236 B S4 FUEL 100LL, JET A OX 1, 3 TPA—See Remarks LRA Class I, ARFF Index C NOTAM FILE CAE

CHARLOTTE H-9B. 12G. L-241 IAP, AD

RWY 11-29: H8601X150 (ASPH-GRVD) S-72, D-225, ST-175, DT-409. DDT-700 HIRL CL

RWY 11: ALSF2. TDZL. PAPI(P4L)-GA 3.0° TCH 72'.

RWY 29: MALSR. PAPI(P4L)-GA 3.0° TCH 78'. 0.5% up.

RWY 05-23: H8001X150 (ASPH-CONC-GRVD) S-100, D-200.

ST-175, DT-355, DDT-675 HIRL

RWY 05: MALSR. PAPI(P4R)-GA 3.0° TCH 60'. 0.4% down.

RWY 23: REIL. VASI(V4L)-GA 3.0° TCH 54'. Thid dspicd 1000'.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-8001 TODA-8001 ASDA-7001 LDA-7001 RWY 11: TORA-8601 TODA-8601 ASDA-8601 LDA-8601 RWY 23: TORA-8001 TODA-8001 ASDA-8001 LDA-7001 RWY 29: TORA-8601 TODA-8601 ASDA-8601 LDA-8601

AIRPORT REMARKS: Attended continuously. Acft ldg with explosives obtain PPR from arpt ops 803-822-5050, All 180° turns on

grooved surfaces prohibited. Surface Touchdown rwy visual range avbl Rwy 05-23. Touchdown, midpoint and rollout rwy visual range avbl Rwy 11. Touchdown, midfield and rollout rwy visual range avbl



WEATHER DATA SOURCES: ASOS (803) 822-4168

COMMUNICATIONS: ATIS 120.15 **IINICOM** 122 95

RCO 122.65 (ANDERSON RADIO)

RCO 122.1R 114.7T (ANDERSON RADIO)

R APP/DEP CON 124.15 (110°-289°) 133.4 (290°-109°)

TOWER 119.5 **CLNC DEL** 119.75 GND CON 121.9

AIRSPACE: CLASS C svc continuous ctc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

(H) VORTAC 114.7 CAE Chan 94 N33°51.44′ W81°03.24′ 328° 5.9 NM to fld. 400/02W.

VOR portion unusable:

327°-073° byd 10 NM blo 4000'.

MURRY NDB (LOM) 362 CA N33°58.03′ W81°14.68′ 112° 6.5 NM to fld. LOM unmonitored.

ILS 110.3 I-CAE Rwy 11. Class IIIE. LOM MURRY NDB. LOM unmonitored.

ILS 108.3 I-VYK Rwy 29. Class IB. MM OTS indef.

. .

IL\$ 108.95 I-GJC Rwy 05. . . .

HELIPAD H1: H50X50 (CONC) PERIMETER LGTS

JIM HAMILTON L.B. OWENS (CUB) 2 S UTC-5(-4DT) N33°58.23′ W80°59.72′ 193 B S4 FUEL 100LL, JET A OX 3, 4 TPA-1000(807) NOTAM FILE CUB RWY 13-31: H5002X75 (ASPH) S-20, D-40 MIRL

H-9B, 12G, L-24I ΙΔΡ

CHARLOTTE

CHARLOTTE

RWY 13: REIL. PAPI(P2L)-GA 4.0° TCH 70'. Tree. Rgt tfc.

RWY 31: REIL. PAPI(P2R)—GA 3.0° TCH 45'. Thid dsplcd 391'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 13: TORA-4999 TODA-4999 ASDA-4999 IDA-4999 TORA-4999 TODA-4999 ASDA-4999 LDA-4599 RWY 31:


AIRPORT REMARKS: Attended 1100-0300Z‡. For svc after hrs call 803-771-7915. Railroad switching yard parallel to Rwy 13-31. Rwy 13 is designated calm wind rwy. Avoid noise sensitive area N of arpt blo 1500'. No Northbound departure turns either rwy blo 1500'. ACTIVATE MIRL Rwy 13-31 and REIL Rwy 13 and

31-CTAF. WEATHER DATA SOURCES: ASOS 119.675 (803) 929-0665 COMMUNICATIONS: CTAF/UNICOM 122.8

R COLUMBIA APP/DEP CON 133.4 CLNC DEL 124.4 RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

COLUMBIA (H) VORTAC 114.7 CAE Chan 94 N33°51.44' W81°03.24' 025° 7.4 NM to fld. 400/02W.

ILS/DME 110.9 I-CUB Chan 46 Rwv 31. LOC only. ASR



CONWAY-HORRY CO (HYW) 3 W UTC-5(-4DT) N33°49.71' W79°07.33' 35 B S4 FUEL 100LL, JET A, A+ TPA-1035(1000) NOTAM FILE AND

RWY 04-22: H4401X75 (ASPH) S-12.5, D-20 MIRL RWY 04: PAPI(P2L)—GA 4.0°TCH 39'. Tree. Rgt tfc.

RWY 22: PAPI(P2L)-GA 4.0°TCH 36'. Tree.

AIRPORT REMARKS: Attended 1100-0100Z±, MIRL Rwv 04-22, PAPI Rwv 04 and Rwy 22 opr dusk-0500Z‡, after 0500Z‡ ACTIVATE-CTAF. WEATHER DATA SOURCES: AWOS-3 119.525 (843) 397-8046.


COMMUNICATIONS: CTAF/UNICOM 122.7

(R) MYRTLE BEACH APP/DEP CON 127.4 (1100-0400Z‡)

JAX CENTER APP/DEP CON 128.7 (0400-1100Z±) RADIO AIDS TO NAVIGATION: NOTAM FILE CRE.

GRAND STRAND (L) VORTAC 117.6 CRE Chan 123 N33°48.83' W78°43.47' 276° 19.9 NM to fld. 20/03W.

HORRY NDB (MHW) 370 HYW N33°49.40′ W79°07.69′ at fld. NOTAM FILE AND. NDB unmonitored.



CORONACA N34°15.22′ W82°05.17′ NOTAM FILE GRD. NDB (MHW) 239 GIW 269° 3.6 NM to Greenwood Co.

ATLANTA L-241

DARLINGTON

BRANHAMS (6J7) 3 SW UTC-5(-4DT) N34°16.93′ W79°55.72′

CHARLOTTE

165 B S2 NOTAM FILE AND

RWY 16-34: 3200X100 (TURF) LIRL

RWY 16: VASI(V2L). Trees. Rgt tfc. RWY 34: VASI(V2L)-GA 4.0° TCH 45'. Road.

AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z‡, Sat-Sun on call. On call phone 803-467-6941. Rwy 16-34 slightly bumpy in some areas. Arpt rotating bcn OTS indef. ACTIVATE LIRL Rwy 16-34, VASI Rwy 34-CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

CHARLOTTE

H-9C, 12G, L-24J, 25E, 36E

DARLINGTON CO JETPORT (UDG) 9 N UTC-5(-4DT) N34°26.96′ W79°53.40′

192 B S5 FUEL 100LL, JET A NOTAM FILE UDG RWY 05-23: H5500X100 (ASPH) S-25 MIRL

RWY 05: ODALS. REIL. PAPI(P2L)-GA 3.0° TCH 52'.

RWY 23: REIL. PAPI(P2L)—GA 3.0° TCH 55'. Tree.

RWY 10-28: H4947X150 (ASPH) S-25

RWY 10. Tree RWY 28: Tree RWY 16-34: H4751X150 (ASPH) S-25

RWY 16. Tree RWY 34: Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡, After hrs svc call 843-393-9928. Rwy 10-28 markings are not visible through grass growing through cracks in pavement. Rwy 34 grass has rwy markings obscured. Rwy 16-34 has severe cracking with grass growing through cracks entire rwy. Twy Igts opr and MIRL Rwy 05-23 are preset on low ints dusk-0400Z‡, to increase ints ACTIVATE-CTAF, After 0400Z ACTIVATE MIRL Rwv 05-23, REIL Rwy 05 and Rwy 23 and twy Igts-CTAF.

WEATHER DATA SOURCES: AWOS-3 119.925 (843) 393-8220.

COMMUNICATIONS: CTAF/UNICOM 123.0

FLORENCE APP/DEP CON 118.6 (1130-0300Z‡) CLNC DEL 118.55

JAX CENTER APP/DEP CON 133.45 (0300-1130Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.

FLORENCE (H) VORTAC 115.2 FLO Chan 99 N34°13.98′ W79°39.43′ 321° 17.4 NM to fld. 110/03W.

NDB (MHW) 245 UDG N34°26.60′ W79°53.24′ at fld. NOTAM FILE AND. NDB unmonitored.

DILLON CO (DLC) 3 N UTC-5(-4DT) N34°26.94′ W79°22.12′

133 B NOTAM FILE AND

RWY 07-25: H3000X60 (ASPH-AFSC) S-10 MIRL 0.5% up W

RWY 07: Pole. RWY 25: Tree.

AIRPORT REMARKS: Unattended. Rwy 07-25 has cracks, spalling and


grass growing thru cracks. COMMUNICATIONS: CTAF/UNICOM 122.8


FLORENCE APP/DEP CON 118.6 (1130-0300Z±)

JAX CENTER APP/DEP CON 133.45 (0300-1130Z‡) RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.

FLORENCE (H) VORTAC 115.2 FLO Chan 99 N34°13.98' W79°39.43' 051° 19.3 NM to fld. 110/03W. HIWAS.

NDB (MHW) 274 DLC N34°27.01′ W79°22.13′ at fld. NOTAM FILE AND.





DONALDSON CENTER (See GREENVILLE)

NDB (MHW) 365 DYB at Summerville.

DORCHESTER N33°03.68′W80°16.64′ NOTAM FILE AND.

CHARL OTTE L-241

CHARLOTTE

DYANA N34°41.46′ W82°26.62′ NOTAM FILE ANB.

NDB (MHW/LOM) 338 GY 044° 5.2 NM to Donaldson Center. Unmonitored 0200-1200Z‡.

ATLANTA L-24J, 25C

EDGEFIELD CO (See TRENTON)

EDISTO N33°27.34′ W80°51.51′ NOTAM FILE OGB.

CHARLOTTE

(T) VORW/DME 111.4 EDS Chan 51 at Orangeburg Muni. 189/05W. VOR/DME unusable blo 3000'.

1-241

ELECTRIC CITY N34°25.15′ W82°47.08′ NOTAM FILE AND.

(L) VORTACW 108.6 ELW Chan 23 040° 5.9 NM to Anderson Rgnl. 740/00E.

ATLANTA L-25C

ENOREE N34°18.69′ W81°38.16′ NOTAM FILE AND. CHARL OTTE NDB (MHW) 278 EOE at Newberry County. NDB unmonitored. 1-241 **EVANS** N33°51.36′ W79°45.95′ CHARL OTTE NOTAM FILE AND. NDB (MHW) 420 CFY at Lake City Muni CJ Evans Fld. L-241. 36E FAIRFIELD CO (See WINNSBORO) FAIRMONT N34°54.14′ W81°59.09′ NOTAM FILE AND. CHARLOTTE NDB (HW) 248 FRT 065° 1.6 NM to Spartanburg Downtown Meml. I-241 25C FAIRVIEW (See LANDRUM) FLORENCE RGNL (FLO) 3 E UTC-5(-4DT) N34°11.12′ W79°43.43′ CHARLOTTE 146 B S4 FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE FLO H-9C. 12G. L-24J. 36E RWY 09-27: H6502X148 (ASPH-GRVD) S-52, D-77, ST-98, DT-135 HIRL 0.4% up W IAP. AD RWY 09: MALSR, PAPI(P4L)-GA 3.0°TCH 58'. RWY 27: PAPI(P4L)-GA 3.0°TCH 46'. Trees. ଫଫ RWY 01-19: H6000X147 (ASPH) S-65, D-100, ST-127 MIRL 0.5% up N 49 RWY 01: PAPI(P4L)-GA 3.0°TCH 57'. Tree. RWY 19: PAPI(P4L)-GA 3.0°TCH 42', Trees. AIRPORT REMARKS: Attended 1130-0300Z‡. 12 hr PPR for unscheduled 3/3 air carrier ops with more than 30 passenger seats, ctc arpt 2 manager at 843-669-5001. 442' lighted crane 2 miles NW of 6502 X 148 arpt. When twr clsd ACTIVATE HIRL Rwy 09-27; PAPI Rwy 01, Rwy 03 C3 43 19, Rwy 09 and Rwy 27; MALSR Rwy 09 and twy Igts-CTAF. (3 WEATHER DATA SOURCES: ASOS (843) 665-1306. X 0009 HIWAS 115.2 FLO. LAWRS. COMMUNICATIONS: CTAF 125.1 ATIS 123.625 UNICOM 122.95 RCO 122.6 (ANDERSON RADIO) €3 RCO 122.1R 115.2T (ANDERSON RADIO) R FLORENCE APP/DEP CON 118.6 (256°-074°) 135.25 (075°-255°) (1130-0300Z±) JAX CENTER APP/DEP CON 133.45 (0300-1130Z‡) TOWER 125.1 (1130-0300Z‡) GND CON 121.9 CLNC DEL 121.9 AIRSPACE: CLASS D svc 1130-0300Z‡ other times CLASS E. RADIO AIDS TO NAVIGATION: NOTAM FILE FLO. Chan 99 N34°13.98′ W79°39.43′ 232° 4.4 NM to fld. 110/03W. HIWAS. (H) VORTAC 115.2 FLO VOR portion unusable: 089°-125° byd 30 NM blo 3000'. 126°-194° byd 10 NM. 195°-223° byd 10 NM blo 4000'. DME unusable: 200°-025° byd 30 NM blo 4000' ALCOT NDB (LOM) 335 FL N34°10.44′ W79°51.15′ 089° 6.4 NM to fld. IIS 109 1 I-FLO Rwy 09. Class IB. LOM ALCOT NDB. BC unusable. ASR (1130-0300Z‡)

COMM/NAY/WEATHER REMARKS: Frequency 121.5 monitored by Anderson Radio when FLO twr clsd.

RCO 122.1R 112.4T (ANDERSON RADIO)

 FORT MILL
 N34°59.34′ W80°57.29′
 NOTAM FILE AND.
 CHARLOTTE

 (L) YORTAC 112.4
 FML
 Chan 71
 271° 5.1 NM to Rock Hill York Co/Bryant fld. 645/02W.
 L-250, 36E

 VOR portion unusable 115°-123° byd 30 NM blo 3000′. SHUTDOWN.
 SHUTDOWN.
 CHARLOTTE

CHARL OTTE

H-9C, 12G, L-24I

GEORGETOWN CO (GGE) 3 S UTC-5(-4DT) N33°18.70′ W79°19.18′ 39 B S4 FUEL 100LL, JET A NOTAM FILE AND RWY 05-23: H5000X100 (ASPH) S-30, D-60 RWY 05: PAPI(P2L)-GA 3.0° TCH 31'. Tree. RWY 23: PAPI(P2L)-GA 3.0° TCH 32'. Tree. RWY 11-29: H4539X150 (ASPH) S-20, D-30 MIRL 0.3% up W RWY 11. Tree RWY 29. Tree AIRPORT REMARKS: Attended 1200-0200Z‡. Rwy 11-29 CLOSED to acft 12,500 lbs and over. Rwy 11 65' trees 1500' from thid. Rwy 11-29 entire runway is severely cracking and grass is growing through cracks. WEATHER DATA SOURCES: AWOS-3 118,275 (843) 527-3851. COMMUNICATIONS: CTAF/UNICOM 123.0 (R) MYRTLE BEACH APP/DEP CON 127.4 (1100-0400Z‡) JAX CENTER APP/DEP CON 128.7 (0400-1100Z‡) MYRTLE BEACH CLNC DEL 119.7 (Key mike 4 times to activate Clnc GCO 119.7 (MYRTLE BEACH CLNC) RADIO AIDS TO NAVIGATION: NOTAM FILE CHS. CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66'

ΙΔΡ O G **3** m 0 0 03 03 (3 €3 €3 ′ଫ ଫ Œ €3 €3 ¢ **(3** Œ Ø €3 C3 C3 a G G Ø Œ €3 a Ø ● 4539 X 150 ¢3 0 ß 63 €3 €3 ദേദ €3 Œ ß **43**

GRAND STRAND (See NORTH MYRTLE BEACH)

GRANITEVILLE

TWIN LAKES (S17) 4 NW UTC-5(-4DT) N33°38.74′ W81°52.02′

W80°02.27' 060° 44.0 NM to fld. 39/05W. HIWAS. GGE N33°18.93′ W79°19.47′

NOTAM FILE AND. Unmonitored 0200-1200Z‡.

540 B NOTAM FILE AND

RWY 06-24: H4000X60 (ASPH) S-12.5


RWY 06: Thid dspicd 390'. Tree. RWY 24: Thid dsplcd 421'. Fence.

AIRPORT REMARKS: Unattended. CLOSED to acft with maximum gross weight 10,000 lbs and above. No parking for transient acft.

ACTIVATE rotating beacon-CTAF. **COMMUNICATIONS: CTAF 122.9**

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

COLLIERS (H) VORTAC 113.9 IRQ Chan 86 N33°42.44' W82°09.72' 108° 15.2 NM to fld. 428/04 W.



CHARLOTTE

GREEN SEA (S79) 4 NW UTC-5(-4DT) N34°11.13′ W79°01.24′

95 NOTAM FILE AND

RWY 09-27: 3600X100 (TURF)

RWY Ng. Tree RWY 27: Tree.

AIRPORT REMARKS: Unattended. Parachute Jumping. Remote controlled acft invof arpt. Rwy 09 rwy edge marked with white cones

COMMUNICATIONS: CTAF 122.9

GREENVILLE

DONALDSON CENTER (GYH) 6 S UTC-5(-4DT) N34°45.50′ W82°22.59′

955 B S4 FUEL 100LL, JET A OX 1 TPA—1755 (800) Class IV, ARFF Index A H-9B, 126, L-24J, 25C
NOTAM FILE GYH

RWY 05-23: H8000X150 (CONC-GRVD) S-30, D-120, ST-152, DT-200 HIRL

RWY 05: MALSR. PAPI(P4L)—GA 3.22°TCH 60'. Rgt tfc. 0.3% down.

RWY 23: PAPI(P4L)—GA 4.14° TCH 80'.Trees. 0.6% up.

AIRPORT REMARKS: Attended 1100–0000Z‡. CLOSED to air carrier opr with more than 30 passenger seats except 24 hr PPR call arpt manager 864–277–3152. When twr CLOSED use frequency 125.95 for clearance delivery. ACTIVATE HIRL Rwy 05–23 and PAPI Rwys 05 and 23. MALSR Rwy 05—CTAF.

WEATHER DATA SOURCES: AWOS-3 127.325 (864) 277-5674.
COMMUNICATIONS: CTAF 133.325 UNICOM 122.7

- (R) GREER APP/DEP CON 118.8 (1100-0445Z±)
- R ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z±)

TOWER 133.325 (1200-0200Z‡)

GND CON 121.4 CLNC DEL 121.4 CLNC DEL 125.95 (when twr clsd)

AIRSPACE: CLASS D svc 1200-0200Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

 SPARTANBURG (H) VORTAC 115.7
 SPA Chan 104 N35°02.02′ W81°55.62′ 235° 27.6 NM to fld. 910/02W.

 DYANA NDB (MHW/LDM) 338
 GY
 N34°41.46′ W82°26.62′ 044° 5.2 NM to fld. Unmonitored 0200–12002‡.

 LS/DME 108.3
 I-GYH
 Chan 20
 Rwy 05. Class IA.

 LOC/GS unmonitored 0200–12002‡.
 MM 0TS indef.

ATLANTA

ΔΤΙ ΔΝΤΔ

ATLANTA

H-9B, 12F, L-24I

GREENVILLE DOWNTOWN (GMU) 3 E UTC-5(-4DT) N34°50.88′ W82°21.00′

1048 B S4 FUEL 100LL, JET A OX 3, 4 TPA—See Remarks NOTAM FILE GMU H-9B, 12G, L-24J, 25C RWY 01-19: H5393X100 (ASPH-GRVD) S-44, D-60, DT-95 HIRL 1.1% up N IAP. AD

RWY 01: REIL. MALSF. PAPI(P4L) TCH 35'. Tree.

RWY 19: REIL. PAPI(P4L) TCH 30'. Tree. Rgt tfc.

RWY 10-28: H3998X80 (ASPH) S-20 MIRL 0.5% up E RWY 10: Thid dspicd 265'. Tree.

RWY 28: REIL. PAPI(P2L)—GA 3.0° TCH 40'. Thid dsplcd 270'. Tree.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 10: TORA-3998 TODA-3998 ASDA-3728 LDA-3463 RWY 28-TORA-3998 TODA-3998 ASDA-3733 LDA-3463


ARRESTING GEAR/SYSTEM

RWY 01: EMAS 157'X113'

AIRPORT REMARKS: Attended Mon-Fri 1000-0300Z±, Sat-Sun

1100-1300Z[±], CAUTION—Aircraft operating in Airport Traffic Area south thru east be alert for jet and conventional tfc descending on Greenville-Spartanburg localizer course. Acft inbound from the SSW or on ILS Rwy 01 apch, be alert for tfc 4.5 miles S opr in the Donaldson Center arpt tfc pattern at 1800 ft or below.

TPA-1848(800) for light aircraft, 2048(1000) for heavy aircraft. No acft permitted on Twy C or Twy D when acft greater than



000000

12,500 lbs is operating on Rwy 10-28. Rwy 10-28 restricted to small acft less than 12,500 lbs when acft is operating on Twy C or Twy D. When twr clsd ACTIVATE HIRL Rwy 01-19, REIL Rwy 01, Rwy 19 and perimeter lights H1 and H2-CTAF.

WEATHER DATA SOURCES: ASOS 127.075 (864) 239-0014, LAWRS.

COMMUNICATIONS: CTAF 119.9 UNICOM 122.95

R GREER APP/DEP CON 118.8 (1100-0445Z‡) ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z‡)

TOWER 119.9 (1200-0300Z±) GND CON 121.25

AIRSPACE: CLASS D svc 1200-0300Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

SPARTANBURG (H) VORTAC 115.7 SPA Chan 104 N35°02.02′ W81°55.62′ 244° 23.6 NM to fld. 910/02W. JUDKY NDB (LOM) 521 GM N34°46.81′ W82°20.99′ 005° 4.1 NM to fld.

IIS 109 7 I_GMII Rwy 01. Class IB. LOM JUDKY NDB. GS unusable blo 1216' MSL. (ILS unmonitored when twr closed)

ASR (1130-0500Z‡)

. HELIPAD H1: H50X50 (CONC) HELIPAD H2: H50X50 (CONC)

HELIPORT REMARKS: No overnight parking on helipads. ACTIVATE perimeter lgts H1 and H2—CTAF.

GREENVILLE-SPARTANBURG INTL-ROGER MILLIKEN (See GREER)

GREENWOOD CO (GRD) 3 N UTC-5(-4DT) N34°14.92′ W82°09.55

631 B S8 FUEL 100LL, JET A NOTAM FILE GRD

RWY 09-27: H5003X100 (ASPH) S-30, D-57,5 MIRL

RWY 09: REIL. PAPI(P2L)-GA 3.0° TCH 52'. Tree. RWY 27: ODALS, REIL, PAPI(P2L)-GA 3.0° TCH 52'.

AIRPORT REMARKS: Attended Mon-Sat 1300-23007† Sun

1600-2200Z‡. Taxiway A parallel to Rwy 09-27 grade extreme with dropoffs each side of taxiway. MIRL Rwy 09-27 preset on med ints dusk-0400Z‡; to increase ints and ACTIVATE REIL Rwys 09 and 27-CTAF; After 0400Z‡ ACTIVATE MIRL Rwy 09-27 and REIL Rwys 09 and 27 and ODALS Rwy 27-CTAF.

WEATHER DATA SOURCES: ASOS 121.125 (864) 388-9115.

COMMUNICATIONS: CTAF/UNICOM 122.8

RCO 122.1R 115.5T (ANDERSON RADIO)

RCO 122.625 (ANDERSON RADIO)

GREER APP/DEP CON 120.6 (1100-0445Z±)


ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE GRD.

(H) VORTAC 115.5 GRD Chan 102 N34°15 09′ W82°09 25′ at fld. 630/01W.

CORONACA NDB (MHW) 239 GIW N34°15.22′ W82°05.17′

269° 3 6 NM to fld



GREER

GREENVILLE-SPARTANBURG INTL-ROGER MILLIKEN (GSP) 3 S UTC-5(-4DT)

N34°53.74′ W82°13.13′

ΔΤΙ ΔΝΤΔ H-9B. 12G. L-24J. 25C

964 B S4 FUEL 100LL, JET A OX 2, 4 LRA Class I, ARFF Index C ΙΔΡ ΔΠ

RWY 04-22: H11000X150 (ASPH-CONC-GRVD) S-100, D-210, ST-175, DT-625, DDT-975 HIRL CL RWY 04: ALSF2. TDZL. Rgt tfc. RWY 22: MALSR. VASI(V4R)-GA 3.0° TCH 51'.

AIRPORT REMARKS: Attended continuously. Fuel icing inhibitor avbl. Rwy 04 and Rwy 22 touchdown, midpoint and rollout RVR avbl. Rwv 04 ALSF2 Step 3 only avbl 0445-1100Z±. When twr is clsd ACTIVATE HIRL Rwv 04-22 and MALSR Rwy 22-CTAF. Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS (864) 879-0614. LLWAS

COMMUNICATIONS: CTAF 120.1 ATIS 134.25 UNICOM 122.95

GREER RCO 122.65 122.2 (ANDERSON RADIO)

R GREER APP/DEP CON 118.8 (West) 119.4 (East) 120.6 (1100-0445Z‡)

ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z±)

GREER TOWER 120.1 (1100-0445Z±) GND CON 121.9

AIRSPACE: CLASS C svc 1100-0445Z‡ ctc APP CON other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

SPARTANBURG (H) VORTAC 115.7 SPA Chan 104 N35°02.02' W81°55.62' 242° 16.6 NM to fld. 910/02W. GREER NDB (LOM) 287 GS N34°48.93′ W82°16.81′ 038° 5.7 NM to fld. (Unmonitored when twr clsd).

ILS 109.3 I-GSP Rwy 04. Class IIIE. LOM GREER NDB.

IIS 110 7 I_I M I Rwy 22. Class IB. (LOC course width 4.25°). ILS unusable 0445-1100Z‡.

ASR (1100-0445Z±)

NOTAM FILE GSP

GREER N34°48.93′ W82°16.81′ NOTAM FILE GSP.

ATI ANTA L-24J, 25C

NDB (LOM) 287 GS 038° 5.7 NM to Greenville-Spartanburg Intl.-Roger Milliken. (Unmonitored when twr clsd).

RCO 122.65 122.2 (ANDERSON RADIO) at Greenville-Spartansburg Intl.-Roger Milliken.

HAMPTON-VARNVILLE (3JØ) 1 E UTC-5(-4DT) N32°52.06′ W81°04.99′ CHARLOTTE

L-241

113 NOTAM FILE AND

RWY 11-29: H3580X60 (ASPH)

RWY 11: Tree.

RWY 29. Tree


AIRPORT REMARKS: Unattended, Marked water tank approximately 680' from Rwy 29.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV.

SAVANNAH (H) VORTAC 115.95 SAV Chan 106(Y) N32°08.78' W81°11.95′ 014° 43.6 NM to fld. 9/6W.

HIWAS.



CHARL OTTE

H-9B, 12G, L-24J, 25E, 36E

HARTSVILLE RGNL (HVS) 3 NW UTC-5(-4DT) N34°24.19′ W80°07.15′

364 B FUEL 100LL, JET A NOTAM FILE AND RWY 03-21: H5000X75 (ASPH) S-30 MIRL 0.4% up NE

RWY 03: PAPI (P2L)—GA 3.0°TCH 28'. Tree. Rgt tfc.

RWY 21: PAPI(P2L)—GA 3.0° TCH 23'. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡, Sat-Sun 1400-2200Z‡. +300′ antenna 2.5 miles SW of arpt. MIRL Rwy 03-21 preset on low ints dusk-0200Z‡; to increase ints ACTIVATE—CTAF. After 0200Z‡ ACTIVATE MIRL—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.225 (843) 339-9625.


COMMUNICATIONS: CTAF/UNICOM 122.8

R SHAW APP/DEP CON 125.4 (1200-0430Z‡)

JAX CENTER APP/DEP CON 124.7 (0430-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

CHESTERFIELD (L) VOR/DME 108.2 CTF Chan 19 N34°39.03′



HEMINGWAY-STUCKEY (38J) 3 SW UTC-5(-4DT) N33°43.72′ W79°30.96′ 54 NOTAM FILE AND

CHARLOTTE L-241, 36E

RWY 11–29: H3386X50 (ASPH) S–8

RWY 11: Tree. RWY 29: Tree.


AIRPORT REMARKS: Unattended. Arpt CLOSED except with PPR. Call 843–933–0016 for PPR. Rwy 29 75' trees 200' from thid across entire apch. Rwy 11 15' dirt road 40' from thid. Rwy 11–29 cracked with grass growth. Rwy 11–29 pavement is cracking badly and has grass growing through cracks.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.

FLORENCE (H) VORTAC 115.2 FLO Chan 99 N34°13.98′ W79°39.43′ 170° 31 NM to fld. 110/03W. HIWAS. STUCKEY NDB (MHW) 236 HEK N33°43.71′ W79°31.50′

fld. NOTAM FILE AND. Out of svc indefinitely.



HESTER MEML (See CALHOUN FALLS)

HILTON HEAD ISLAND

HILTON HEAD (HXD) 3 E UTC-5(-4DT) N32°13.46′ W80°41.85′ 19 B FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE AND RWY 03-21: H4300X100 (ASPH-GRVD) S-55, D-75, ST-94

RWY 03: REIL. PAPI(P4L)—GA 3.3° TCH 40'. Thid dsplcd 299'. Tree. RWY 21: REIL. PAPI(P4R)—GA 3.0° TCH 40'. Thid dsplcd 300'. Tree.

AIRPORT REMARKS: Attended 1100-0300Z‡. Deer on and invof arpt. Birds on and invof arpt. Parasail ops within 3 NM radius of SAV 009°/15NM, surface to 1500' during dalgt hrs.CLOSED to unscheduled air carrier ops with more than 30 passenger seats except 24 hr PPR call arpt manager 843-689-5400. Noise abatement procedures in effect—ctc arpt manager

843-689-5400. Transient parking ramp not visible from twr. Non-std separation between rwy and general aviation Twy A. ACTIVATE MIRL Rwy 03-21 and REIL Rwy 03 and Rwy 21-CTAF. NOTE: See Special Notices-VFR Arrivals, VFR Departures.

WEATHER DATA SOURCES: AWOS-3 121.4 (843) 342-5072, LAWRS.

COMMUNICATIONS: CTAF 118.975 ATIS 121 4 RCO 122.55 (ANDERSON RADIO)

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV.

R SAVANNAH APP/DEP CON 125.3 (1100-0500Z‡) CLNC DEL 121.1 JACKSONVILLE CENTER APP/DEP CON 120.85 (0500-1100Z±)

TOWER 118.975 (1100-0100Z‡) GND CON 121.1 AIRSPACE: CLASS D svc 1100-0100Z tother times CLASS G.

SAVANNAH (H) VORTAC 115.95 SAV Chan 106(Y) N32°08.78' W81°11.95' 085° 26 NM to fld. 9/6W. HIWAS

ILS/DME 111.3 I-HXD Chan 50 Rwy 21. Localizer only.

HOLLY HILL (5J5) 2 SE UTC-5(-4DT) N33°18.06′ W80°23.64′

96 NOTAM FILE AND

RWY 04-22: 2900X150 (TURF)

RWY 04: Trees. RWY 22: Tree.

AIRPORT REMARKS: Unattended. **COMMUNICATIONS: CTAF 122.9**

HORRY N33°49.40′ W79°07.69′ NOTAM FILE AND.

NDB (MHW) 370 HYW at Conway-Horry Co. NDB unmonitored.

HUGGINS MEML (See TIMMONSVILLE)


JIM HAMILTON L.B. OWENS (See COLUMBIA)

JUDKY N34°46.81′ W82°20.99′ NOTAM FILE GMU

NDB (LOM) 521 GM 005° 4.1 NM to Greenville Downtown.

KINGSTREE N33°43.07′ W79°51.30′ NOTAM FILE AND.

CHARLOTTE L-241 NDB (MHW) 404 CKI at Williamsburg Rgnl. NDB Unmonitored.



CHARLOTTE

CHARLOTTE

CHARLOTTE

L-241. 35A

ATLANTA

I-24H

KINGSTREE

WILLIAMSBURG RGNL (CKI) 3 W UTC-5(-4DT) N33°43.03′ W79°51.42′

67 B FUEL 100LL NOTAM FILE AND

RWY 14-32: H5000X75 (ASPH) S-30, D-45 MIRL

RWY 14: PAPI(P2L)—GA 3.0° TCH 40'. Tree.

RWY 32: PAPI(P2L)-GA 3.0° TCH 40'. Tree.

AIRPORT REMARKS: Unattended. Arpt bcn ots indef. ACTIVATE MIRL Rwy 14–32 and PAPI Rwys 14 and 32—CTAF.

WEATHER DATA SOURCES: AWOS-3 124.775 (843) 382-3000.

COMMUNICATIONS: CTAF/UNICOM 122.7

R MYRTLE BEACH APP/DEP CON 127.4 (1100-0400Z‡)


JAX CENTER APP/DEP CON 127.95 (0400-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

 $\label{eq:VANCE (L) VORTAC 110.4} \quad \text{VAN} \quad \text{Chan 41} \quad \text{N33}^{\circ} 28.49'$

W80°26.92' 070° 33 NM to fld. 140/06W.

KINGSTREE NDB (MHW) 404 CKI N33°43.07′ W79°51.30′ at fld. NDB Unmonitored.



KIRK AIR BASE (See LANCASTER)

LAKE CITY MUNI CJ EVANS FLD (51J) 2 SW UTC-5(-4DT) N33°51.22′ W79°46.09′

CHARLOTTE L-241, 36E

ΙΔΡ

80 B S4 FUEL 100LL NOTAM FILE AND RWY 01-19: H3700X75 (ASPH) S-10 MIRL RWY 01: VASI(V2L)—GA 3.0° TCH 25'. Tree.

RWY 19: VASI(V2L)—GA 3.0° TCH 25'. Tree.

AIRPORT REMARKS: Unattended. Rwy 01–19 cracking badly with grass growing thru cracks. ACTIVATE MIRL Rwy 01–19—CTAF.

COMMUNICATIONS: CTAF 122.9

R FLORENCE APP/DEP CON 135.25 (1130-0300Z‡)

R) JAX CENTER APP/DEP CON 133.45 (0300-1130Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.

FLORENCE (H) VORTAC 115.2 FLO Chan 99 N34°13.98′ W79°39.43′ 197° 23.4 NM to fld. 110/03W. HIWAS.

EVANS NDB (MHW) 420 CFY N33°51.36′ W79°45.95′ at fld. NOTAM FILE AND.

LAKE KEOWEE N34°48.67′ W82°42.21′ NOTAM FILE AND.

ATLANTA L-25C

NDB (MHW) 408 LQK at Pickens Co.

LANCASTER

KIRK AIR BASE (T73) 5 SE UTC-5(-4DT) N34°40.46′ W80°40.94′

CHARLOTTE

578 S4 NOTAM FILE AND

RWY 15-33: H2600X40 (ASPH) S-8 LIRL

RWY 15: Tree. RWY 33: Tree.

AIRPORT REMARKS: Attended $1300-2330Z^{\ddagger}$. Rwy 15 has 30' drop at thid. Rwy 33 has 10' drop at thid. For LIRL Rwy 15-33 call 803-286-8800.

COMMUNICATIONS: CTAF 122.9

550

WATERWAY 05-23: 4400X300 (WATER)

WATERWAY 16-34: 3000X300 (WATER)

WATERWAY 11-29: 2245X600 (WATER)

SEAPLANE REMARKS: Waterways 05–23 and 11–29 and 16–34–Water lanes are not marked–lengths change with water levels—ctc arpt manager and check NOTAM's.

SE, 17 DEC 2009 to 11 FEB 2010

CHARLOTTE H-9C, 12G, L-24I LANCASTER CO-MC WHIRTER FLD (LKR) 4 W UTC-5(-4DT) N34°43.38′ W80°51.28′ CHARLOTTE

486 B S4 FUEL 100LL, JET A NOTAM FILE AND

RWY 06-24: H6004X100 (ASPH) S-19, D-28 MIRL 0.4% up NE

RWY 06: PAPI(P2L)—GA 3.0°TCH 47'. Thid dsplcd 105'. Tree.

RWY 24: PAPI(P2L)-GA 3.0°TCH 43'. Tree.

AIRPORT REMARKS: Attended 1400-2300Z‡. For after hrs fuel call 803-493-3226. Deer on and invof arpt. ACTIVATE MIRL Rwy 06-24-CTAF

WEATHER DATA SOURCES: AWOS-3 120.825 (803) 286-6444.

COMMUNICATIONS: CTAF/UNICOM 122.725

R CHARLOTTE APP/DEP CON 120.05


GCO 121.725 (CHARLOTTE APCH)

RADIO AIDS TO NAVIGATION: NOTAM FILE CLT.

CHARLOTTE (L) VORW/DME 115.0 CLT Chan 97 N35°11.42' W80°57.11′ 175° 28.4 NM to fld. 732/05W. HIWAS.

FORT MILL (L) VORTAC 112.4 FML Chan 71 N34°59.34' W80°57.29' 165° 16.7 NM to fld. 645/02W. NOTAM FILE AND SHUTDOWN

NDB (MHW) 400 LKR N34°43.43′ W80°51.49′ NOTAM FILE AND.



H-9B, 12G, L-24J, 25D, 36E

LANDRUM

FAIRVIEW (33A) 3 SE UTC-5(-4DT) N35°09.44′ W82°07.34′

ATLANTA

CHARL OTTE

1046 B NOTAM FILE AND

RWY 14-32: H2770X30 (ASPH) S-6.5 LIRL

RWY 14: Tree. Rgt tfc. RWY 32: Tree.

AIRPORT REMARKS: Unattended, Rwy 14-32 centerline markings NSTD size and separation. Twy markings are of wrong color, Rwy 14-32 is very bumpy with excessive patches along entire surface length, ACTIVATE LIRL Rwy 14-32-CTAF.

COMMUNICATIONS: CTAF 122.9

LAURENS CO (LUX) 3 E UTC-5(-4DT) N34°30.42′ W81°56.83′

697 B S4 FUEL 100LL TPA-1500 (803) NOTAM FILE AND

RWY 08-26: H3898X75 (ASPH) S-9 MIRL RWY 08: PAPI(P2L)-GA 3.0° TCH 41'. Tree.

RWY 26: PAPI(P2L)-GA 3.0° TCH 40'. Tree.

AIRPORT REMARKS: Attended Mon-Sat 1500-2300Z‡, Sun

1800-2300Z‡. ACTIVATE MIRL Rwy 08-26-CTAF.

WEATHER DATA SOURCES: AWOS-3 123.975 (864) 682-3639.


COMMUNICATIONS: CTAF/UNICOM 122.8

GREER APP/DEP CON 120.6 (1100-0445Z±)

ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE GRD.

GREENWOOD (H) VORTAC 115.5 GRD Chan 102 N34°15.09' W82°09.25' 035° 18.4 NM to fld. 630/01W.



LEE CO (See BISHOPVILLE)

LEXINGTON CO AT PELION (See PELION)

CHARLOTTE

L-24J. 35A

LORIS

TWIN CITY (5J9) 3 NE UTC-5(-4DT) N34°05.31′ W78°51.90′

99 B S4 NOTAM FILE AND

RWY 08-26: H3694X60 (ASPH-AFSC) S_8 LIRI

RWY 08: Thid dsplcd 200'. Tree.

RWY 26: SAVASI(S2L)-GA 3.5°TCH 34'. Tree.

AIRPORT REMARKS: Unattended. Parachute Jumping. Birds on and invof arpt. For svc call 843-756-7404. Rwy 26; 3 ft ditch 40 ft rgt/left of centerline end of thid, 30' P-line 180' left.


COMMUNICATIONS: CTAF 122.9

R MYRTLE BEACH APP/DEP CON 119.2 (1100-0400Z‡)

JAX CENTER APP/DEP CON 128.7 (0400-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE CRE.

GRAND STRAND (L) VORTAC 117.6 CRE Chan 123 N33°48.83' W78°43.47' 340° 17.9 NM to fld. 20/03W.



LOWCOUNTRY RGNL (See WALTERBORO)

MANNING N33°35.29′ W80°12.37′ NOTAM FILE AND.

NDB (MHW) 381 MNI at Santee Cooper Rgnl. Unmonitored.

CHARLOTTE L-241

CHARLOTTE

MANNING

SANTEE COOPER RGNL (MNI) 7 S UTC-5(-4DT) N33°35.23′ W80°12.52′

103 B S2 FUEL 100LL NOTAM FILE AND

RWY 02-20: H3602X75 (ASPH) S-30 MIRL

RWY 02: PAPI(P2L)-GA 4.0°TCH 25'. Tree.

RWY 20: PAPI(P2L)-GA 4.0°TCH 25'. Tree. AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡. Self svc fuel avbl 24 hrs with credit card. Vehicles opr adjacent to Rwy 02-20 and cross at midfield periodically. Glider ops on and invof arpt. MIRL preset on low ints dusk-0400Z‡, to increase ints ACTIVATE-CTAF. After 0400Z + ACTIVATE-CTAF.

WEATHER DATA SOURCES: AWOS-3 120.175 (803) 478-6060.

COMMUNICATIONS: CTAF/UNICOM 122.8

R SHAW APP/DEP CON 125.4 (1200-0430Z‡)


JAX CENTER APP/DEP CON 124.7 (0430-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

VANCE (L) VORTAC 110.4 VAN Chan 41 N33°28.49' W80°26.92' 067° 13.8 NM to fld. 140/06W.

MANNING NDB (MHW) 381 MNI N33°35.29′ W80°12.37′

fld. Unmonitored.



MARION CO (MAO) 3 E UTC-5(-4DT) N34°10.87′ W79°20.08′

92 B **FUEL** 100LL, JET A NOTAM FILE AND

RWY 04-22: H4503X100 (ASPH) S-26, D-34 MIRL

RWY 04: Rgt tfc.

RWY 22: Tree. Rgt tfc.

AIRPORT REMARKS: Attended 1200–2200Z‡. For fuel after hrs call 843–526–1409 Mon–Sun; call either 843–423–7325 or

843–464–0401. Student training on and invof arpt. **WEATHER DATA SOURCES:** AWOS–3 119.875 (843) 423–4231.


COMMUNICATIONS: CTAF/UNICOM 122.8

 $\textbf{FLORENCE APP/DEP CON}~135.25~(1130-0300Z\ddagger)$

JAX CENTER APP/DEP CON 133.45 (0300-1130Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE FLO.

FLORENCE (H) VORTAC 115.2 FLO Chan 99 N34°13.98′ W79°39.43′ 104° 16.3 NM to fld. 110/03W. HIWAS. NDB (MHW) 388 MAO N34°11.11′ W79°19.99′ at fld NOTAM FILE AND.



CHARL OTTE

ATLANTA

MARLBORO CO JETPORT-H.E. AVENT FLD (See BENNETTSVILLE)

McCORMICK CO (S19) 1 SE UTC-5(-4DT) N33°54.49′ W82°16.02′

459 B NOTAM FILE AND

RWY 18-36: H3598X75 (ASPH) S-12.5 MIRL


RWY 18: Tree. RWY 36: Tree.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 18–36 and rotating bcn—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GRD.

GREENWOOD (H) VORTAC 115.5 GRD Chan 102 N34°15.09′ W82°09.25′ 196° 21.3 NM to fld. 630/01W.



MC ENTIRE JNGB (MMT) AF (ANG ARNG) 10 E UTC-5(-4DT) N33°55.13' W80°48.04' CHARL OTTE 254 B TPA—See Remarks Class I, ARFF Index A NOTAM FILE AND Not insp. H-9B. 12G. L-241 RWY 14-32: H9009X150 (PEM) PCN 37 F/A/W/T HIRL DIAP. AD RWY 32: ALSF1. PAPI(P4L). RWY 14. PAPI(P4I) RWY 05-23: H2033X90 (ASPH) PCN 46 R/B/W/T MIRL ARRESTING GEAR/SYSTEM RWY 14 BAK-14 BAK-12A(B) (1061') BAK-14 BAK-12A(B) (1500') RWY 32 MILITARY SERVICE: LGT Rotating bon and rwy lgt opr Mon-Fri SS-0400Z± except holidays, ACTIVATE MIRL Rwy A-GEAR BAK-12A cable raised by BAK-14 device on request to twr. Departure end cable will be raised for all tail hook equipped acft. JASU 1(A/M32A-86) 9(AM32A-60A) FLUID SP LPOX LOX FUEL J8 DoD cost accounting code number rgr from other military svc for refueling. OIL 0-133-148-156 SOAP TRAN ALERT Svc avbl Mon-Fri 1300-2000Z‡ except holidays. MILITARY REMARKS: Opr Mon-Fri 1300-0400Z‡ except holidays, Sat-Sun 1300-2100Z‡. See FLIP AP/1

Supplementary Arpt Remark. **RST0** PPR 48 hr notice rqr, ctc ANG OPS DSN 583–8231, C803–647–8231, fax DSN 583–8641, C803–647–8641. Rwy 05–23 is copter only. **CAUTION** Possible crosswind hazard due to rwy environment and affect on wind equipment causing wind to be slightly greater than measured. See AP/1 for weather observation limitations. Remain blo 1000' until dep end of rwy or unless twr clears. BASH Phase 1 April thru October. BASH Phase 2 November thru March. Aircraft sunshades 742' W of Rwy 14–32. **TFC PAT** TPA—Overhead 1500(1246), helicopter/rectangular 1000(746). **MISC** Wx observation visibility is limited from ⁵/₈ mile south to ¹/₄10 mile west northwest. Rwy 05–23 is helicopter only. First 2000' Rwy 32 is concrete, remaining 7009' is asphalt. Tran parking extremely ltd. Fleet svc not avbl without prior coordination. Limited fire protection avbl from 2000–1130Z‡. Twy widths are as follows: Twy J, B, C, D, E are 50', Twy A is 98', Twy F is 95', Twy G is 147', Twy H is 75', Twy M and Twy L are 40'wide. Heavy active till park at north or south end of rwy, ctc Base OPS or LGX. Tran acft expect progressive taxi instructions. **ARN6** PPR for Army, AR, ARNG R/W acft only, DSN 583–1814. Opr Mon–Fri 1300–2100Z‡ except holidays. Fuel not avbl for tran acft.

COMMUNICATIONS: SFA CTAF 132.4 PTD 298.3

- R SHAW APP/DEP CON 125.4 285.4 (1200-0430Z‡)
- R JACKSONVILLE CENTER APP/DEP CON 124.7 269.55 (0430-1200Z‡)

TOWER 132.4 253.5 (Mon–Fri 1300–0400Z‡ except holidays, Sat–Sun 1300–2100Z‡) GND CON 127.625 226.675 PMSV METRO 342.5 Ctc Shaw AFB METRO—Remote briefing svc avbl 26 OWS Barksdale AFB DSN 781–4775 C318–456–4775. ARNG OPS PTD 246.7 41.30

AIRSPACE: CLASS D svc Mon-Fri 1300-0400Z‡ except holidays, Sat-Sun 1300-2100Z‡ other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE MMT.

- (T) VORTACW 113.2 MMT Chan 79 N33°55.45′ W80°48.14′ at fld. 249/5W. Unmonitored Mon-Fri 0400-1300Z‡ except holidays, Sat-Sun 2100-1300Z‡. No NOTAM MP Mon 1300-1700Z‡.

 NDB (MHW) 427 MMT N33°56.14′ W80°47.94′ at fld. Unmonitored Mon-Fri 0400-1300Z‡ except
- holidays, Sat-Sun 2100-1300Z‡.

IL\$ 111.1 I-MMT Rwy 32. Unmonitored Mon-Fri 0400-1300Z‡ except holidays, Sat-Sun 2100-1300Z‡. No NOTAM MP Mon 1300-1700Z‡.

ASR/PAR

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

MERRITT FLD (See BEAUFORT MCAS)

 MONCKS CORNER
 N33°11.46′ W80°02.01′
 NOTAM FILE AND.

 NDB (MHW) 354
 MKS
 at Berkeley Co.

CHARLOTTE L-241

```
MONCKS CORNER
```

BERKELEY CO (MKS) 1 SW UTC-5(-4DT) N33°11.13′ W80°02.18′

73 B S4 FUEL 100LL, JET A NOTAM FILE AND

RWY 05-23: H4351X75 (ASPH) S-26, D-38

RWY 05: PAPI(P2L)-GA 3.0°TCH 46', Tree.

RWY 23: PAPI(P2L)-GA 3.0°TCH 43'. Tree.

AIRPORT REMARKS: Attended 1300-2300Z‡.

ACTIVATE MIRL Rwy 05-23-CTAF.

WEATHER DATA SOURCES: AWOS-3 119.175 (843) 761-1486.

COMMUNICATIONS: CTAF/UNICOM 123.05

(R) CHARLESTON APP/DEP CON 135.8


RADIO AIDS TO NAVIGATION: NOTAM FILE CHS

CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66'

W80°02.27' 005° 17.4 NM to fld. 39/05W.

MONCKS CORNER NDB (MHW) 354 MKS N33°11 46' W80°02 01'

at fld. NOTAM FILE AND.



MT PLEASANT RGNL—FAISON FLD (LRO) 9 NE GMT-5(-4DT) N32°53.87′ W79°46.97′

S-12.5 MIRL

B FUEL 100LL, JET A TPA-1000(988) NOTAM FILE AND

CHARL OTTE L-241 IΛP

CHARL OTTE

1-241

RWY 17-35: H3700X75 (ASPH) RWY 17: PAPI(P4L)-GA 4.0° TCH 27'. Tree.

RWY 35: PAPI (P4L)-GA 4.0° TCH 27'. Rgt tfc.

AIRPORT REMARKS: Attended 1100-0100Z‡. Deer and birds on and invof arpt. Two 2000' towers approximately 4-6 miles E of arpt. ACTIVATE MIRL Rwy 17-35-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.625 (843) 849-0438.

COMMUNICATIONS: CTAF/UNICOM 122.7

CHARLESTON APP/DEP CON 135.8

NDB (LOM) 362 CA

RADIO AIDS TO NAVIGATION: NOTAM FILE CHS.

CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66′ W80°02.27′ 094° 12.9 NM to fld. 39/05W. HIWAS

MURRY N33°58.03′ W81°14.68′ NOTAM FILE CAE.

112° 6.5 NM to Columbia Metropolitan. LOM unmonitored.

CHARL OTTE 1-241

MYRTLE BEACH INTL (MYR) 3 SW UTC-5(-4DT) N33°40.79′ W78°55.70′

CHARLOTTE

S4 FUEL 100LL, JET A Class I, ARFF Index C NOTAM FILE AND RWY 18-36: H9503X150 (ASPH-CONC-GRVD) S-50, D-175, ST-175, SBTT-436, DT-325, H-9C, 12G, L-24I, 35B IAP. AD

TDT-643, DDT-650 PCN 27 F/A/X/T HIRL

RWY 18: MALSR. PAPI(P4L). P-line. Rgt tfc. RWY 36: MALSF. PAPI(P4L). Trees.

AIRPORT REMARKS: Attended 1100-0400Z‡. Gulls on and invof arpt. Rwy 18-36 concrete first 1000' both ends. No approval required for pushback at terminal gates; push is at pilots discretion; remain clear of twys. U.S. customs user fee arpt. U.S. Customs svc avbl Mon-Fri 1300-2200Z‡, other times PPR and fee charged. Arpt lgts opr dusk-0500Z±. When twr clsd ACTIVATE HIRL Rwv 18-36—CTAF. Rwv 18 touchdown and rollout runway visual range avbl. Rwy 36 touchdown and rollout runway visual range avbl.

WEATHER DATA SOURCES: AWOS-3 124.5 (843) 238-0335. LAWRS.

COMMUNICATIONS: CTAF 128.45 ATIS 123.925 UNICOM 122.95

R APP/DEP CON 127.4 (171°-321°) 119.2 (322°-170°) (1100-0400Z‡)

JAX CENTER APP/DEP CON 128.7 (0400-1100Z±)

TOWER 128.45 (1100-0400Z‡) GND CON 120.3 **CLNC DEL** 132.175

AIRSPACE: CLASS C svc 1100-0400Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE CRE.

GRAND STRAND (L) VORTAC 117.6 CRE Chan 123 N33°48.83′ W78°43.47′ 235° 13 NM to fld. 20/03W.

ILS 109.5 I-MYR Rwy 18. GS unusable for coupled apphs blo 350', MM OTS indef.

II\$ 111 9 I_BSO Rwy 36. Class IF


1-241

ΙΔΡ

CHARL OTTE

570 B S4 FUEL 100LL NOTAM FILE AND RWY 04-22: H4000X75 (ASPH) D-30 MIRL 0.9% up NE RWY 04: PAPI(P2L)-GA 3.15° TCH 42'. RWY 22: PAPI(P2L)-GA 3.15°TCH 43'. Rgt tfc. AIRPORT REMARKS: Unattended. Fuel self-serve. Deer on invof arpt. ACTIVATE PAPI Rwy 04 and Rwy 22 and MIRL Rwy 04-22-CTAF. n WEATHER DATA SOURCES: AWOS-3 124.275 (803) 276-2419. a COMMUNICATIONS: CTAF/UNICOM 122.8 63 COLUMBIA APP/DEP CON 133 4 RADIO AIDS TO NAVIGATION: NOTAM FILE GRD. GREENWOOD (H) VORTAC 115.5 GRD Chan 102 N34°15.09' W82°09.25′ 083° 25.8 NM to fld. 630/01W. ENOREE NDB (MHW) 278 EOE N34°18.69' W81°38.16' at fld

NEWBERRY COUNTY (EOE) 3 N UTC-5(-4DT) N34°18.56′ W81°38.44′



 NORTH AF AUX
 (XNO)(KXNO)
 AF
 2 NE
 UTC-5(-4DT)
 N33°36.57′ W81°04.87′
 CHARLOTTE

 321
 B
 NOTAM FILE AND
 Not insp.
 H-9B, 12F, L-24I

 RWY 06-24: H10003X150 (ASPH-GRVD)
 PCN 60 F/A/W/T
 HIRL
 IAP, DIAP

RWY 06: Thid dspicd 1000'. **RWY 24:** Thid dspicd 1000'. **RWY 05-23:** H3493X90 (ASPH-GRVD) PCN 97 F/B/W/T

NOTAM FILE AND, NDB unmonitored.

MILITARY SERVICE: LGT ACTIVATE HIRL Rwy 06-24-131.1. Rotating bon off during lgt out training.

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Rmk. RSTD Rwy 05-23 CLOSED 1300-1500Z‡ monthly 3rd Thu. Rwy 06-24 CLOSED 1601-2100Z‡ monthly 3rd Thu. Rwy 06 and Rwy 24 takeoff distance avbl 9000', landing distance avbl 8000'. Rwy condition reading not avbl. Twy D clsd during box-in-one ops to Rwy 23. Opr rstd during Bird Watch Condition MODERATE (tkf or ldg permission only when dep/arr route avoid ident bird act, no local IFR/VFR tfc pattern activity) and SEVERE (tkf and ldg prohibited without OG/CC approval), ctc twr for current Bird Watch Condition. Minimum 2 week prior coordinate rgr for all users. Point of ctc is Charleston AFB, 437 OSS/OSO, DSN 673-5554, C843-963-5554. All aircrews will ctc North Drop Zone on 118.15 235.775 prior to 5 NM to DZ. This airspace is subject to be rstd by NOTAM. Rwy 06-24, no 180° star turns on asphalt, conduct all turns on concrete ends. IFR opr limited to 1 acft on app/dep at a time. CAUTION Intense heavy Mil jet and miscellaneous acft executing numerous cargo and personnel drops, hi-speed lo-level formation flt, and air/land opr. Rwy 06-24 NW tree line 750' from rwy centerline. Rwy 06-24 large ditch 350' from rwy centerline at midfield on NW side rwy. Intense gnd training on reservation. Rwy 05-23 used as Idg zone 3500' x 90'. Rwy condition reading not avbl. IFC PAT TPA-Rectangular 1300(979), Overhead 1800(1479). NS ABTMT Overflight of North, SC prohibited. MISC Twr limited to advisory svc only. VFR only. Cancel IFR clnc with Columbia APP prior to opr at North AF Aux. Alfd surface observations are derived from non-augmented ASOS. Local PMSV unavbl, contact Charleston METRO-233.95.

WEATHER DATA SOURCES: ASOS 118.525.
COMMUNICATIONS: CTAF 118.15 235.775
COLUMBIA APP/DEP 124.15 338.2

TWR 118.15 235.775 GND 118.15 235.775 COLUMBIA CLNC DEL 120.475

AIRSPACE: CLASS D Effective by NOTAM.

RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

COLUMBIA (H) VORTAC 114.7 CAE Chan 94 N33°51.44′ W81°03.23′ 187° 14.9 NM to fld. 400/02W.

COMM/NAV/WEATHER REMARKS: Mobile Microwave Landing System VMC only.

NORTH MYRTLE BEACH

GRAND STRAND (CRE) 1 NW UTC-5(-4DT) N33°48.71′ W78°43.44′

32 B S4 FUEL 100LL, JET A NOTAM FILE AND

RWY 05-23: H5997X100 (ASPH) S-30, D-60 HIRL

CHARLOTTE H-9C, L-35A IAP AD

RWY 05: REIL. PAPI (P2L)-GA 3.0° TCH 40'. Tree.

RWY 23: MALSR. Tree. PAPI (P2L)-GA 2.98° TCH 55'. Rgt tfc.

AIRPORT REMARKS: Attended 1200–0300Z‡. Gulls on and invof arpt. Extensive banner tow ops from arpt along coastline 10 NM NE to 20 SW. After 0500Z‡ ACTIVATE HIRL Rwy 05–23, REIL Rwy 05, and MALSR Rwy 23—CTAF.

WEATHER DATA SOURCES: ASOS (843) 361-2802.

COMMUNICATIONS: CTAF 124.6 ATIS 119.625 UNICOM 122.95

RCO 122.1R 117.6T (ANDERSON RADIO)

RCO 123.6 (ANDERSON RADIO)

R MYRTLE BEACH APP/DEP CON 119.2 (1100-0400Z‡) JAX CENTER APP/DEP CON 128.7 (0400-1100Z‡)

STRAND TOWER 124.6 (1200-0200Z±) GND CON 121.8

AIRSPACE: CLASS D svc 1200-0200Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE CRE.

(L) VORTAC 117.6 CRE Chan 123 N33°48.83′ W78°43.47′ at fld. 20/03W. DME unusable 294°-010° bvd 20 NM. VOR portion unusable 303°-312°.

CALAB NDB (LOM) 267 CR N33°53.12′ W78°37.80′ 233° 6.4 NM to fld

ILS 111.7 I-CRE Rwy 23. LOM CALAB NDB. BC unusable.

OCONEE COUNTY RGNL (See CLEMSON)

ORANGEBURG

DRY SWAMP (1DS) 6 S UTC-5(-4DT) N33°23.27′ W80°54.67′

CHARLOTTE

CHARLOTTE

H-9B. 12F. L-24I

180 S4 FUEL 100LL NOTAM FILE AND

RWY 02-20: 2900X60 (TURF)

RWY 02: Thid dspicd 900'. Tree. RWY 20: Thid dspicd 900'. Tree.

AIRPORT REMARKS: Attended 1300-2200Z‡. Glider ops on and invof arpt.

COMMUNICATIONS: CTAF 122.9

ORANGEBURG MUNI (OGB) 2 S UTC-5(-4DT) N33°27.42′ W80°51.56′

195 B FUEL 100LL, JET A NOTAM FILE OGB

RWY 17-35: H5399X100 (ASPH) S-30, D-72 MIRL

RWY 17: ODALS. REIL. PAPI(P2L)—GA 3.0° TCH 42'. Tree.

RWY 35: ODALS. PAPI(P2L)—GA 3.0° TCH 42'.

RWY 05-23: H4508X100 (ASPH) S-30, D-50 MIRL 0.6% up NE RWY 05: VASI(V4L)—GA 3.0° TCH 20′. Tree. Rgt tfc.

RWY 23: Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡, Sat 1400-2100Z‡ clsd Sun. ACTIVATE MIRL Rwy 05-23, Rwy 17-35, ODALS Rwy 17, Rwy 35 and REIL Rwy 05 and Rwy 17—CTAF. VASI Rwy 05 and PAPI Rwy 17 and Rwy 35 opr continuously.

WEATHER DATA SOURCES: ASOS 118.525 (803) 536-3901.

COMMUNICATIONS: CTAF/UNICOM 122.7

R COLUMBIA APP/DEP CON 124.15

RADIO AIDS TO NAVIGATION: NOTAM FILE OGB.

EDISTO (T) VORW/DME 111.4 EDS Chan 51 N33°27.34′ W80°51.51′ at fld. 189/05W.

W80°51.51° at fid. 189/05W.

NDB (MHW) 226 OYI N33°25.09′ W80°54.35′ 050° 3.3 NM to fld.

CHARL OTTE

CHARLOTTE

L-241

L-24J, 25D, 36E

 PAGELAND
 (PYG)
 3 SE
 UTC-5(-4DT)
 N34°44.53′ W80°20.71′

 575
 B
 NOTAM FILE AND
 N

RWY 05: REIL. Tree. RWY 23: REIL. Tree.

AIRPORT REMARKS: Unattended.
COMMUNICATIONS: CTAF 122.9

CHARLOTTE APP/DEP CON 120.05


RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

CHESTERFIELD (L) VOR/DME 108.2 CTF Chan 19 N34°39.03′

W80°16.50′ 331° 6.5 NM to fld. 560/03W.

NDB (MHW) 270 PYG N34°44.70′ W80°20.29′ at fld.

Unusable byd 15 NM. NDB unmonitored.



PELION

LEXINGTON CO AT PELION (6JØ) 2 N UTC-5(-4DT) N33°47.68' W81°14.75'

452 B **FUEL**: 100LL NOTAM FILE AND

RWY 18-36: H4335X60 (ASPH) S-12.5 RWY 36: PAPI (P2R)—GA 3.0° TCH 40'.


AIRPORT REMARKS: Unattended. Self svc fuel avbl with credit card. P-line 800' from thId Rwy 36 end marked with red balls. Access into terminal building, use the key pad and enter the UNICOM freq followed by the '#' button. Pilot controlled lighting OTS indef. Arpt lighting on continuous from 2300Z‡ until 0300Z‡, after 0300Z‡ until dawn, ACTIVATED with pilot controlled lighting. ACTIVATE MIRL Rwy 18–36 PAPI Rwy 36—CTAF. PAPI Rwy 36 on during davlight.

COMMUNICATIONS: CTAF/UNICOM 122.8

R COLUMBIA APP/DEP CON 124.15

RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

COLUMBIA (H) VORTAC 114.7 CAE Chan 94 N33°51.44′ W81°03.24′ 251° 10.3 NM to fld. 400/02W.



PICKENS CO (LQK) 4 S UTC-5(-4DT) N34°48.60′ W82°42.17′
1013 B S1 FUEL 100LL, JET A NOTAM FILE AND
RWY 05-23: H5002X100 (ASPH) S-35, D-65 MIRL 1.0% up NE
RWY 05: PAPI(P2L)—GA 3.0° TCH 26′.
RWY 23: PAPI(P2L)—GA 3.0° TCH 26′.

AIRPORT REMARKS: Attended 1300–2200Z‡. Noise abatement procedure in effect, phone 864–843–5803. ACTIVATE MIRL Rwy 05–23—CTAF

WEATHER DATA SOURCES: AWOS-3 120.0 (864) 843-5801.

COMMUNICATIONS: CTAF/UNICOM 122.8

R GREER APP/DEP CON 118.8 (1100-0445Z‡)


ATLANTA CENTER APP/DEP CON 134.8 (0445-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

ELECTRIC CITY (L) VORTACW 108.6 ELW Chan 23 N34°25.15′ W82°47.08′ 010° 23.8 NM to fld. 740/00E.

LAKE KEOWEE NDB (MHW) 408 LQK N34°48.67′ W82°42.21′ at fld

COMM/NAV/WEATHER REMARKS: AWOS wind unreliable.



RALLY N34°53.40′ W81°04.85′ NOTAM FILE AND.

NDB (MHW/LOM) 227 UZ 016° 6 NM to Rock Hill (York Co) Bryant Fld.

CHARLOTTE L-24J, 25D, 36E

CHARLOTTE

ATI ANTA

IΔP

H-9B, 12G, L-25C

RIDGELAND (3J1) 1 NW UTC-5(-4DT) N32°29.56′ W80°59.54′ 79 B S4 **FUEL** 80. 100LL NOTAM FILE AND


RWY 03-21: H2692X70 (ASPH) S-12.5 MIRL

RWY 03: PAPI(P2L)—GA 3.25° TCH 45'. Tree. RWY 21: Tree. AIRPORT REMARKS: Attended 1400Z‡-Dusk. Glider ops invof arpt. Rwy 03 20' drop at end of payement.

COMMUNICATIONS: CTAF/UNICOM 122.7

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV.

SAVANNAH (H) VORTAC 115.95 SAV Chan 106(Y) N32°08.78′ W81°11.95′ 033° 23.3 NM to fld. 9/6W. HIWAS.



ROBERT F SWINNIE (See ANDREWS)

ROCK HILL (YORK CO) BRYANT FLD (UZA) 4 NW UTC-5(-4DT) N34°59.27′ W81°03.43′ CHARLOTTE
666 B S4 FUEL 100LL, JET A 0X 3 NOTAM FILE UZA H-9B, 126, L-25D, 36E
RWY 02-20: H5500X100 (ASPH) S-30, D-60 MIRL
RWY 02: MALSR. PAPI(P2L)—GA 3.0° TCH 35′. Tree. RWY 20: PAPI(P2L)—GA 3.0° TCH 39′. Tree.

AIRPORT REMARKS: Attended 1300-0100Z‡. MIRL Rwy 02-20 and MALSR Rwy 02 preset med ints dusk-0400Z‡; to increase ints and ACTIVATE after 0400Z‡—CTAF.

WEATHER DATA SOURCES: ASOS 120.775 (803) 981-9388.

COMMUNICATIONS: CTAF/UNICOM 123.05

R CHARLOTTE APP/DEP CON 120.05 CLNC DEL 126.85

RADIO AIDS TO NAVIGATION: NOTAM FILE CLT.

CHARLOTTE (L) VORW/DME 115.0 CLT Chan 97 N35°11.42′ W80°57.11′ 208° 13.2 NM to fld. 732/05W.

FORT MILL (L) VORTAC 112.4 FML Chan 71 N34°59.34′ W80°57.29′ 271° 5.1 NM to fld. 650/02W. NOTAM FILE AND. SHUTDOWN.


RALLY NDB (MHW/LOM) 227 UZ N34°53.40′ W81°04.85′ 016° 6 NM to fld. NOTAM FILE AND. IL\$ 108.5 I–UZA Rwv 02. Class IA. LOM RALLY NDB.

SE, 17 DEC 2009 to 11 FEB 2010

L-241

CHARL OTTE

CHARLOTTE




AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡, Sat

1300–1700Z‡. 30' drop off N end of Rwy 01. ACTIVATE MIRL Rwy 01–19 and PAPI Rwy 19—CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE GRD.

GREENWOOD (H) VORTAC 115.5 GRD Chan 102 N34°15.09′ W82°09.25′ 138° 26.5 NM to fld. 630/01W.



SANTEE COOPER RGNL (See MANNING)

```
SHAW AFR
             (SSC)(KSSC) AF
                                 6 NW
                                         UTC-5(-4DT) N33°58.36′ W80°28.23′
                                                                                                      CHARL OTTE
  241 B TPA—See Remarks
                                  Class I, ARFF Index Ltd. NOTAM FILE AND Not insp.
                                                                                                 H-9B. 12G. L-24I
  RWY 04L-22R: H10016X150 (CONC) PCN 51 R/B/W/T HIRL
                                                                                                        ΠΙΔΡ ΔΠ
                                    RWY 22R: ALSF1. PAPI(P4L).
    RWY N4I · ALSE1 PAPI(P4I)
  RWY 04R-22L: H8001X150 (CONC)
                                     PCN 34 R/C/W/T HIRL
    RWY 04R: SALSE, PAPI(P4L).
                                     RWY 22L: ALSF1. PAPI(P4L).
  ARRESTING GEAR/SYSTEM
    RWY 04L ← HOOK BAK-12B(B) (45' OVRN) HOOK BAK-12B(B) (1457')
                                              HOOK BAK-12B(B) (1447') HOOK BAK-12B(B) (45' OVRN) → RWY 22R
    RWY 04R ← HOOK E5 (75' OVRN) HOOK BAK-12B(B) (1203')
                                                       HOOK BAK-12B(B) (1202') HOOK E5 (74' OVRN) → RWY 22L
  MILITARY SERVICE: LGT All rwy thid lgt gated.
                                           A-GEAR Normal BAK-12 configuration: Rwy 04R-22L; apch down, dep
    up. Rwy 04L-22R: Rwy 22R dep up at all times, when Rwy 22R is active, both dep and apch up. Call twr for
    other configurations, BAK-12B apch end avbl 20 min prior notice.
                                                                    JASU 2(M32A-60) 2(A/M32A-86)
                   FLUID SOAP SP PRESAIR LPOX LOX, LOX-24 hours prior notification required.
    0-128-133-148
                        TRANS ALERT No fleet service avbl. Expect 2-3 hr syc/refuel delays weekends, holidays and
    peak periods; Itd maintenance. Concurrent refueling not avbl. No de-ice svc avbl. Tran acft will retain drag
    chutes to park. Tran Alert svc avbl Mon-Fri 1230-0030Z‡, Sat-Sun 1500-2000Z‡; not avbl holidays. Tran alert
    after hrs support is not authorized unless supporting higher HQ directed missions.
  MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remark. RSTD All civilian acft rgr 20 FW approval
    (C803-895-2356) and an approved civil acft ldg permit prior to executing practice apch. Taxilane A. South of
    Twy B closed to all acft except 20 FW mission approved acft. ACC quiet hr in effect 0330-1100Z‡. PPR, 24 hr
    prior notice rgr, ctc Base OPS. Tran acft contact Base OPS PTD prior to arrival to confirm svc rgr. DSN
    965-2356, C803-895-2357, fax 2360, Issued PPR valid 1 hr +/- ETA, early/late arr/dep must re-coordinate.
    Tran acft ctc twr prior to exiting rwy. CAUTION Tran pilots will not climb above 1000' on dep during VFR conditions
    until clear of arpt boundary unless specifically cleared to do so by ATC. Specific taxi instructions for heavy acft
    ctc GND (may rqr back taxiing on rwy to appropriate ladder twy). Uncontrolled vehicle traffic on twy and apron.
    Acft with wingspan larger than 180' must use wing walkers when taxiing on Twy B centerline, 45' obstruction
    located 140' south two centerline, IFT PAT TPA—Rectangular 1741(1500), overhead 2241(2000), CSTMS/AG/IMG 24
    hr prior notice rgr for CSTMS and AG. MISC ACC RSRS applied to ACC acft only. Wx observation surface visibility
    ltd 1/16 SM SW-NE. Augmented/backed up AN/FMO-19 AMOS in use when rgr during opr hr and for resource
    protection
  COMMUNICATIONS: SEA
                      ATIS 132.125 270.1 PTD 139.6 372.2
 (R) APP/DEP CON 125.4 285.4 (1200-0430Z‡)
 (R) JACKSONVILLE CENTER APP/DEP CON 124.7 269.55 (0430-1200Z‡)
    TOWER 126.65 254.25 GND CON 126.1 275.8 CLNC DEL 121.8 289.4
    COMD POST (RAYMOND 26) 381.3 PMSV METRO 342.5 (Rdo svc unavbl until further notice. Forecaster avbl
      Mon-Fri 1000-1800Z‡, clsd hol, ctc DSN 965-2362, C803-895-2362. Opr hrs may vary with local flying
      schedule. After hrs remote and tran aircrew WX briefing call 26 OWS Barksdale AFB DSN 781-4775.)
  AIRSPACE: CLASS C svc 1200-0430Z‡ other times CLASS D.
  RADIO AIDS TO NAVIGATION: NOTAM FILE AND.
    (L) TACAN
               Chan 38 SSC (110.1) N33°58.67′ W80°27.97′
                                                                 at fld. 241/5W. No NOTAM MP Fri
      1100-1300Z‡ (1500/3+1).
     TACAN unusable:
       126-184° bvd 10 NM blo 4.000'
                                                                    261°-345° byd 10 NM blo 4,000'
       150°-175° byd 25 NM blo 5,000′
                                                                    295°-325° byd 25 NM blo 5,000'
                                      No NOTAM MP Mon-Thu 1100-1300Z‡ (1500/3+1).
    ILS 110.1
                I-SSC
                          Rwv 04L.
    IIS 108 7
                I-JWU
                          Rwv 22R.
                                      No NOTAM MP Mon-Thu 1100-1300Z‡ (1500/3+1).
  COMM/NAV/WEATHER REMARKS: Radar No NOTAM MP Tue-Fri daily 0400-1100Z± (1500/3+1).
```

SPARTANBURG DOWNTOWN MEML (SPA) 3 SW UTC-5(-4DT) N34°54.94′ W81°57.39′ CHARL OTTE 801 B S4 FUEL 100LL, JET A TPA-See Remarks NOTAM FILE SPA H-9B, 12G, L-24J, 25C RWY 05-23: H5202X100 (ASPH) S-30, D-45 HIRL ĮΔP RWY 05: MALSR. VASI(V4L)-GA 3.0°TCH 59'. Tree. RWY 23: VASI(V4L)-GA 3.0°TCH 57'. Tree. AIRPORT REMARKS: Attended Mon-Fri 1200-0100Z‡, Sat-Sun Residentia 1300-0100Z‡. For fuel after hrs call 864-574-8552. TPA-1601(800) for piston acft and 2101(1300) for turboprop acft with (3 small jets. ACTIVATE Rotating Beacon—CTAF. ACTIVATE HIRL Rwy 0 00 05-23 and MALSR Rwy 05-CTAF. a WEATHER DATA SOURCES: AWOS-3 133.925 (864) 587-2529. COMMUNICATIONS: CTAF/UNICOM 123.0 Industria RCO 122.1R 115.7T (ANDERSON RADIO) Park 8 (R) GREER APP/DEP CON 119.4 (1100-0445Z‡) **CLNC DEL** 120.55 ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z±) AIRSPACE: CLASS E svc 1100-2300Z tother times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE AND. (H) VORTAC 115.7 SPA Chan 104 N35°02.02' W81°55.62' 194° 7.2 NM to fld. 910/02W. €3 VORTAC unusable: 351°-099° below 15,000'. FAIRMONT NDB (HW) 248 FRT N34°54.14′ W81°59.09′ a ß 1.6 NM to fld. ILS 109.1 I-SPA Rwy 05. LOC and outer marker unmonitored.

STUCKEY N33°43.71′ W79°31.50′ NOTAM FILE AND.

NDB (MHW) 236 HEK at Hemingway-Stuckey. OTS indef.

CHARLOTTE L-241. 36E

 SUMMERVILLE
 (DYB)
 5 NW
 UTC - 5(-4DT)
 N33°03.81′ W80°16.76′
 CHARLOTTE

 56
 B
 S4
 FUEL
 100LL, JET A
 NOTAM FILE AND
 L-241

 RWY 06-24: H3700X75 (ASPH)
 S-12.5, D-30
 MIRL
 IAP

 RWY 06: PAPI(P2L)—GA 3.3° TCH 28′. Third dspicd 250′. Tree. Rgt tfc.
 IAP

RWY 24: PAPI(P2L)—GA 3.3° TCH 28'. Trees.

AIRPORT REMARKS: Attended 1300–0000Z‡. For FBO call 843–851–0970. Banner towing 1500/blo intermittently daily; south side Rwy 06–24. MIRL Rwy 06–24 opr dusk–0300Z‡; after 0300Z‡ ACTIVATE—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.575 (843) 821-8403.

COMMUNICATIONS: CTAF/UNICOM 123.0

(R) CHARLESTON APP/DEP CON 120.7

RADIO AIDS TO NAVIGATION: NOTAM FILE CHS.

CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66′ W80°02.27′ 315° 15.9 NM to fld. 39/05W. HIWAS.

DORCHESTER NDB (MHW) 365 DYB N33°03.68' W80°16.64' at fld. NOTAM FILE AND.

\$\textbf{SUMTER}\$ (SMS) 4 N UTC-5(-4DT) N33°59.70' W80°21.68' 182 B S4 FUEL 100LL, JET A NOTAM FILE AND RWY 05-23: H5501X100 (ASPH) S-26, D-55 MIRL RWY 05: REIL. PAPI(P2L)—GA 3.0°TCH 26'. Tree. Rgt tfc. RWY 23: ODALS. REIL. PAPI(P2L)—GA 3.0°TCH 26'. Tree. RWY 14-32: 3181X120 (TURF)

RWY 14: Tree. RWY 32: Tree. Rgt tfc.

AIRPORT REMARKS: Attended Mar–Oct 1300–0000Z‡, Nov–Feb

1300–2300Z‡. For fuel after 0100Z‡ call 803–983–6577.

Wildlife on and invof arpt with increased activity dusk and dawn.

After 0100Z‡ ACTIVATE MIRL Rwy 05–23, REILS Rwy 05 and Rwy

23 —CTAF. PAPI Rwy 05 and Rwy 23 continuous operations.

WEATHER DATA SOURCES: AWOS-3 118.075 (803) 469-6750. COMMUNICATIONS: CTAF/UNICOM 122.7

® SHAW APP/DEP CON 125.4 (1200-0430Z‡)


JAX CENTER APP/DEP CON 124.7 (0430-1200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

\textbf{VANCE (L) VORTAC 110.4} VAN Chan 41 N33°28.49' \textbf{W80°26.92'} 014° 31.5 NM to fld. 140/06W. \textbf{NBB (MHW) 252} SMS N33°59.45' W80°21.60' at fld.

(Unmonitored SS-SR).

CHARLOTTE H-9B, 12G, L-24I IAP



TIMMONSVILLE

HUGGINS MEML (58J) 1 NE UTC-5(-4DT) N34°08.26′ W79°55.24′

CHARLOTTE

143 B NOTAM FILE AND RWY 14-32: 3090X150 (TURF)

RWY 14: Tree. RWY 32: Tree.

AIRPORT REMARKS: Unattended. Parachute Jumping. ACTIVATE LIRL Rwy 14-32 and rotating bcn-CTAF.

COMMUNICATIONS: CTAF 122.9

TRENTON

EDGEFIELD CO (6J6) 1 SE UTC-5(-4DT) N33°44.21′ W81°49.17′

CHARLOTTE

610 TPA-1410(800) NOTAM FILE AND

RWY 11-29: 2640X85 (TURF)

RWY 11. Tree RWY 29. Tree

RWY 15-33: 1584X56 (TURF)

RWY 15: Pole. RWY 33: Tree.

AIRPORT REMARKS: Unattended, Radio controlled acft on and invof arpt, Deer on and invof arpt,

COMMUNICATIONS: CTAF 122.9

TWIN CITY (See LORIS)

TWIN LAKES (See GRANITEVILLE)

UNION CO. TROY SHELTON FLD (35A) 1 SW UTC-5(-4DT) N34°41.22′ W81°38.47′

610 B S2 FUEL 100LL NOTAM FILE AND

RWY 05-23: H3508X60 (ASPH) S-12.5 MIRL 1.0% up NE

RWY 05: PAPI(P2L)-GA 4.0° TCH 40'. Tree.

RWY 23: PAPI(P2L)-GA 4.0° TCH 38'. Tree.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡. Self-serve fuel avbl 24 hrs. For svc after hrs call 864-426-3003, MIRL Rwy 05-23 preset on med ints dusk-0500Z‡, after 0500Z‡

ACTIVATE—CTAF. ACTIVATE PAPI Rwy 05 and Rwy 23—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

GREER APP/DEP CON 119.4 (1100-0445Z‡)


ATLANTA CENTER APP/DEP CON 135.35 (0445-1100Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

GREENWOOD (H) VORTAC 115.5 GRD Chan 102 N34°15.09' W82°09.25' 045° 36.4 NM to fld. 630/01W.

NDB (MHW) 326 UOT N34°41.04′ W81°38.54′ at fld.

CHARLOTTE L-24J, 25D



VANCE N33°28.49′ W80°26.92′ NOTAM FILE AND.

(L) VORTAC 110.4 VAN Chan 41 067° 13.8 NM to Santee Cooper Rgnl. 140/06W.

VOR unusable:

209°-243° blo 2000′

244°-208° blo 18.000'

RCO 122.1R 110.4T (ANDERSON RADIO)

CHARLOTTE H-9R 1-241

WALTERBORO N32°55.55′ W80°38.41′ NOTAM FILE AND. NDB (MHW) 221 RBW at Lowcountry Rgnl.

CHARLOTTE

L-241

CHARLOTTE

ΙΔΡ

H-9B. 12F. L-241

WALTERBORO

LOWCOUNTRY RGNL (RBW) 2 NE UTC-5(-4DT) N32°55.26′ W80°38.44′

101 B S4 **FUEL** 100LL, JET A NOTAM FILE AND

RWY 05-23: H6002X100 (ASPH-CONC) S-26, D-75 MIRL

RWY 05: PAPI(P2L)—GA 4.0° TCH 50'. Tree.

RWY 23: ODALS. REIL. PAPI(P2L)—GA 3.0°TCH 45'. Tree. **WY 17-35:** H5705X100 (ASPH-CONC) S-17, D-40

RWY 17-35: H5705X100 (ASPH-CONC)
RWY 17: Tree. RWY 35: Tree.

RWY 09-27: H5408X100 (ASPH-CONC) S-17. D-40

RWY 09: Tree. RWY 27: Tree.

AIRPORT REMARKS: Attended 1330–2300Z‡. 100LL self–svc fuel avbl 24 hrs. For after hrs svc call 843–549–2549. Parachute Jumping. Lgtd water tank .98 miles from Rwy 09 thr on rwy centerline. Firing range between Rwy 17 and Rwy 09. Twys between Rwy 05, Rwy 09, Rwy 17 and Rwy 23 clsd due to washouts and potholes. MIRL Rwy 05–23, PAPI Rwy 05, Rwy 23 and 0DALS Rwy 23 opr continuously via photocell from dusk until 0300Z‡ then opr by pilot controlled lighting until dawn.

 $\textbf{WEATHER DATA SOURCES:} \ AWOS-3 \ 118.725 \ (843) \ 538-3575.$


COMMUNICATIONS: CTAF/UNICOM 122.8

R CHARLESTON APP/DEP CON 120.7

RADIO AIDS TO NAVIGATION: NOTAM FILE CHS.

CHARLESTON (H) VORTAC 113.5 CHS Chan 82 N32°53.66′ W80°02.27′ 278° 30.5 NM to fld. 39/05W. HIWAS.

WALTERBORO NDB (MHW) 221 RBW N32°55.55′ W80°38.41′



at fld. NOTAM FILE AND.

WILLIAMSBURG RGNL (See KINGSTREE)

 $\label{eq:winnsboro} \textbf{WINNSBORO} \quad \text{N34°18.87' W81°06.76'} \qquad \text{NOTAM FILE AND.}$

NDB (MHW) 414 FDW at Fairfield Co.

CHARLOTTE L-24J, 25D

WINNSBORO

FAIRFIELD CO (FDW) 3 SW UTC-5(-4DT) N34°18.93′ W81°06.53′

CHARLOTTE H-9B, 12G, L-24J, 25D

577 B S4 **FUEL** 100LL, JET A NOTAM FILE AND **RWY 04–22**: H5003X100 (ASPH) S–42, D–60 MIRL 0.3% up SW

RWY 04: PAPI (P2L)-GA 3.0° TCH 26'. Tree. RWY 22: PAPI (P2L)-GA 3.0° TCH 30'. Tree.

AIRPORT REMARKS: Attended 1300–2300Z‡. For FBO call (803) 635–3086. MIRL Rwy 04–22 preset on low ints and PAPI Rwys 04 and 22 opr dusk–0400Z‡; to increase ints MIRL Rwy 04–22 ACTIVATE—CTAF. After 0400Z‡ ACTIVATE MIRL Rwy 04–22 and PAPI Rwys 04 and 22—CTAF.

WEATHER DATA SOURCES: AWOS-3 119.075 (803) 712-2577.

COMMUNICATIONS: CTAF/UNICOM 123.05

(R) COLUMBIA APP/DEP CON 133.4

RADIO AIDS TO NAVIGATION: NOTAM FILE CAE.

COLUMBIA (H) VORTAC 114.7 CAE Chan 94 N33°51.44′ W81°03.24′ 356° 27.6 NM to fld. 400/02W.

 $\label{eq:winnsboro} \textbf{NDB (MHW)} \ 414 \qquad \text{FDW} \qquad \text{N34}°18.87' \ \text{W81}°06.76' \qquad \text{at fid. NOTAM FILE AND.}$

WOODWARD FLD (See CAMDEN)

INTENTIONALLY LEFT BLANK

NOISE ABATEMENT PROCEDURES COVINGTON, KY, CINCINNATI/NORTHERN KENTUCKY INTL AIRPORT (CVG)

Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no further than 2 miles from the departure end of parallel runways, due to noise abatement restrictions.

AEROBATIC PRACTICE AREA Jack Edwards Airport (JKA) Gulf Shores. AL

Aerobatic flight activity will be conducted within a 2 NM radius of airport. Contact UNICOM for traffic and Anniston AFSS for specific times.

Fayette County (FYE), Somerville, Tennessee

Aerobatic training and practice is conducted in a 3500' symmetrical box located 500 feet west of Rwy 01–19 from the sfc to 4500 MSL. If surface winds favor Rwy 01, right traffic for that rwy is in effect when area is active.

Pilots should use caution within this area. For further information contact Jackson AFSS on 1-901-423-1289.

CONTROLLED FIRING AREA Milan, Tennessee

Controlled Firing Area 5 NM radius 2500' & blo of MKL 030/018, eff. Mon-Fri 1200-2300Z‡, Sat 1530-2230Z‡ Sun 1230-1700Z‡.

Helicopter Activity Mosby Army Heliport, Dahlonega, GA Area

Occasional military helicopter activity within 15NM radius of Mosby AHP, (34°37'N/84°06'W) SFC to 3700 MSL. Activity includes: flight formations, personnel transport operations, cargo para—drop operations (below 500 AGL), medical evacuation and night vision device training. CTAF 227.2, 139.3, "Mountain Ranger 08" FM 34.10. Staff Duty Officer, Camp Frank D. Merrill, (706) 864–3367.

NIGHT VISION LIGHTS OUT OPERATIONS North Carolina. South Carolina

Military helicopter activity will be conducted for Night Vision Lights Out Training in North Carolina and South Carolina. Position lights will be extinguished or greatly reduced in intensity. The training is conducted in areas of low air traffic and not within four (4) miles of a public use airport. Training is IAW exemption to Far Part 91.

Boundaries: Beginning at Lat $35^{\circ}41'N$, Lon $78^{\circ}30'W$; to Lat $34^{\circ}00'N$, Lon $78^{\circ}30'W$; to Lat $34^{\circ}00'N$, Lon $80^{\circ}00'N$, Lon $80^{\circ}00'N$, Lon $80^{\circ}30'W$; to point of beginning.

Times of use: Sunset to sunrise, daily.

Helicopter Activity Camp Blanding, Starke, Florida Area

Heavy military helicopter activity within 9 NM radius Blanding AAF, (29°57′7.84″N; 81°58′47.32″W). Surface to 1,500 feet. Activity includes: flight formations, personnel transport operations, sling loads, MED VAC, and night vision goggle training. Mon–Sat 1300–0500Z‡, 1300–2000Z‡ Sun. Blanding Twr 123.0 by NOTAM, other times Range Control 123.0. (904) 533–3113/3352.

Cuban Flight Advisory (UNTIL FURTHER NOTICE)

The Federal Aviation Administration has been informed that an official Cuban government publication has issued a warning that Cuban Armed Forces will shoot down any aircraft that penetrates Cuban Airspace illegally and refuses to obey an order to land for inspection.

All pilots should take note: use extreme caution in the area of Cuban Airspace; adhere strictly to Cuban requirements for overflight of their territory.

LASER LIGHT DEMONSTRATIONS Lake Buena Vista, Florida

A laser light demonstration will be conducted at Disney MGM Studios Theme Park, Lake Buena Vista, Florida (ORL 226 radial, 16.2 NM, LAT 28°21'42"N, LON 81°33'29"W), from 6:00 PM until 4:00 AM, until further advised. The beam may be injurious to eyes if viewed within 3,000 feet vertically and/or 12,000 feet laterally of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

Lake Buena Vista, Florida

A laser light demonstration will be conducted at Epcot Center, Lake Buena Vista, Florida (ORL 226 radial, 16 NM, lat 28*22'N, long 81*32'W), from 6:00 pm until 4:00 am, until further advised. The beam may be injurious to eyes if viewed within 5000 feet vertically and/or 1 nautical mile laterally of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

Miami. Florida

A permanent laser light demonstration will be conducted at Bayfront Park, Miami, Florida (VKZ 312 radial, 2.24 NM, Lat 25°46'41"N, Lon 80°11'12"W), from 8:00 p.m. until 12:00 a.m. until further advised. The laser light beam is not expected to elevate above the horizon from a 90 foot high platform. Laser light beam may be injurious to eyes if viewed within 4,400 feet laterally of the light source. Cockpit illumination–flash blindness may occur beyond these distances.

Miami Beach, Florida

A permanent Laser Light Demonstration will be conducted at the Amnesia Club, located in Miami Beach, Florida, Lat 25°46"N/Long 80°08"W, nightly from dusk until 2 AM.

Laser Light beam may be injurious to eyes if viewed within 3,500 feet vertically and/or 2,000 feet laterally of the light source. Cockpit illumination-flash blindness may occur beyond these distances.

Orlando, Florida

A laser light demonstration will be conducted at Sea World of Florida, Orlando, Florida (ORL 220 radial, 11 NM, Lat 27°24′N, Long 81°27′W), from 6:30 pm until 12:00 am, until further advised. The beam may be injurious to eyes if viewed within 5000 feet vertically and/or 6500 feet laterally of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

A permanent laser light demonstration will be conducted at the Walt Disney World, Alien Encounter, Orlando, Florida, ORL VORTAC 239 radial, 15 nautical miles, from Dusk to 12:00 AM daily.

Laser light beam may be injurious to eyes if viewed within 2500 feet laterally and/or 2500 feet vertically of the light source. Cockpit illumination-flash blindness may occur beyond these distances.

Decatur, Georgia

Laser light activity will be conducted at Agnes Scott College, Decatur, GA located at Lat 33° 45′ 55″N/Long 84° 17′ 39″W (ATL 041° radial, 11 NM), intermittent daily, at an angle of 90 degrees from the surface, projecting up to 14,036 feet, until further notice. Flash blindness or cockpit illumination may occur beyond these distances.

Clemson, South Carolina

A permanent laser light demonstration will be conducted at Clemson University, Clemson, South Carolina, ELW VORTAC 353R/18NM, from dusk until dawn, daily.

Laser light beam may be injurious to eyes if viewed within 3,500 feet laterally and/or 3,500 feet vertically of the light source. Flash blindness or cockpit illumination may occur beyond these distances.

LASER LIGHT EXPERIMENT

Arecibo Observatory, Puerto Rico

Location: 18°-20'-37"N 66°-45'-11"W

A Laser Light Beam Experiment will be conducted at the Arecibo Observatory, Puerto Rico (PSE 340/30), from one hour before sunset until one hour after sunrise twice weekly (by NOTAM).

Laser light beam may be injurious to eyes if viewed within 5,000 feet vertical and/or one nautical mile lateral of the light source. Cockpit illumination–flash blindness may occur beyond these distances.

MEMPHIS, TN MEMPHIS INTL AIRPORT (MEM) NOISE ABATEMENT PROCEDURES

Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no later than 2 miles from the departure end of parallel runways, due to noise abatement restrictions.

NASHVILLE, TN NASHVILLE INTL AIRPORT (BNA) NOISE ABATEMENT PROCEDURES

Successive or simultaneous departures from Runways 20L and 20R are authorized, with course divergence beginning within 1mile of the departure end of parallel runways, due to noise abatement restrictions.

CHARLOTTE, NC CHARLOTTE/DOUGLAS INTL AIRPORT (CLT) NOISE ABATEMENT PROCEDURES

Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no later than 3 miles from the departure end of parallel runways, due to noise abatement restrictions.

AIRSPACE DELEGATED TO MACDILL AFB. FL

From 1100–2300 UTC (0700–1900 Local) daily, the following airspace that lies within the Tampa CLASS B Airspace will be delegated to McDill AFB ATCT for airport traffic control services, and CLASS B Airspace services will not be provided within this portion of the CLASS B Airspace:

That airspace which extends from 1,200 feet MSL up to and including 1,600 feet MSL, south of a line located $1\frac{1}{2}$ miles west of and parallel to MacDill AFB Runway 4/22 extended runway centerline, within a 4.5 NM radius from the geographical center of the MacDill AFB Airport.

Indianapolis ARTCC NABB INDIANA AREA

New Hope, London, Lexington Kentucky Area

Indianapolis Center has installed frequencies in the southern portion of their airspace that require 720-channel radio canability

Pilots should be aware that if they fly in the Nabb, IN, or the New Hope, London, and Lexington, KY, area without a 720-channel radio, ATC services will be greatly reduced. Traffic advisories, weather information, airport information, along with any other direct communication services will not be available.

While in this area of Indianapolis Center, pilots without 720-channel capability will, in most cases, monitor Flight Service Stations. There will be a noticeable delay in all clearance activity. Please ensure that ATC has adequate lead time in the event of problems or clearance requirements.

HELICOPTER ACTIVITY ORLANDO, FL AREA.

Heavy helicopter activity over the Disney attractions, Sea World, Universal Studios, Bay Hill and surrounding area. Surface to 1000' MSL. Operations 24 hours daily. Helicopters, transmitting and receiving on 123.02.

CAUTION-TETHERED AEROSTAT RADAR SYSTEM (TARS)

A TARS (a large helium-filled balloon) operates continuously up to 14,000 feet, except during inclement weather or when the system is down for maintenance, in R–2916 at Cudjoe Key, Florida. The tether is unmarked and is virtually impossible to see from only a few hundred feet. See the Miami Sectional Chart for location.

SPECIAL NORTH ATLANTIC. CARIBBEAN AND PACIFIC AREA COMMUNICATIONS

VHF air-to-air frequencies enable aircraft engaged in flights over remote and oceanic areas out of range of VHF ground stations to exchange necessary operational information and to facilitate the resolution of operational problems.

Frequencies have been designated as follows:

North Atlantic area: 123.45 MHz
Caribbean area: 123.45 MHz
Pacific area: 123.45 MHz

ST. PETERSBURG, FLORIDA

Pilots planning to overfly the St. Petersburg VORTAC (PIE) below 13,000 feet MSL should file via the Lakeland VORTAC (LAL) between 1100 and 2300 UTC.

GEORGIA

Atlanta Tower: Low altitude airway structure in proximity of the Hartsfield–Jackson Atlanta Intl Airport is aligned to provide bypass routes for traffic overflying Atlanta. To avoid heavy concentration of high performance and wide-bodied aircraft, pilots should file for airways beyond 35 nautical miles from Atlanta VOR. Aircraft operating IFR below 15,000 MSL, via airways within 35 nautical miles of Atlanta VOR may expect altitude changes and/or rerouting between the hours 0830 and 2100 local.

U.S. SPECIAL CUSTOMS REQUIREMENT

Air Commerce Regulations of the Treasury Department's Customs Service require all private aircraft arriving in the U.S. from a foreign place in the Western Hemisphere, (a) south of 33 degrees north latitude which cross into the U.S. over a point on the U.S./Mexican border between 97 and 120 degrees west longitude, or (b) south of 31 degrees north latitude which enter the U.S. via the Gulf of Mexico and Atlantic Coasts, to provide notice of intended arrival to the Customs Service at least one hour prior to crossing the U.S./Mexican border or the U.S. coastline. This notice may be provided by: (1) radio through an appropriate FAA Flight Service Station, (2) normal FAA flight plan notification procedures (a flight plan filed in Mexico does not meet this requirement due to unreliable relay of data), or (3) directly to the District Director of Customs or other Customs officer at place of first intended landing. Unless an exemption has been granted by Customs, private aircraft are required to make first landing in the U.S. at one of the following designated airports nearest to the point of border or coastline crossing:

Brownsville/South Padre Island International, Corpus Christi International, Del Rio International, El Paso International, Laredo International, Maverick County Memorial International, McAllen Miller International, Presidio-Lely International, Southwest Texas Regional, or William P. Hobby Airport in Texas; Calexico International, or Brown Field Municipal in California; Bisbee Douglas International, Nogales International, Tuscon International, or Yuma MCAS/Yuma International in Arizona; Las Cruces Intl in New Mexico; Lakefront or Louis Armstrong New Orleans Intl in Louisiana; Fort Lauderdale-Hollywood International, Key West International, Miami International, Opa-Locka Executive Airport, Palm Beach International, St. Lucie County International, or Tampa International in Florida.

MILITARY TRAINING ROUTES

The DOD Flight Information Publication AP/1B provides textual and graphic descriptions and operating instructions for all military training routes (IR, VR, SR) and refueling tracks/anchors. Complete and more comprehensive information relative to policy and procedures for IRs and VRs is published in FAA Handbook 7610.4 (Special Military Operations) which is agreed to by the DOD and therefore directive for all military flight operations. The AP/1B is the official source of route data for military users.

CIVIL USE OF MILITARY FIELDS:

U.S. Army, Air Force, Navy and Coast Guard Fields are open to civil fliers only in emergency or with prior permission.

Army Installations, prior permission is required from the Commanding Officer of the installation.

For Air Force installations, prior permission should be requested at least 30 days prior to first intended landing from either Headquarters USAF (PRPOC) or the Commander of the installation concerned (who has authority to approve landing rights for certain categories of civil aircraft). For use of more than one Air Force installation, requests should be forwarded direct to Hq USAF (PRPOC), Washington, D.C. 20330.

Use of USAF installations must be specifically justified.

For Navy and Marine Corps installations prior permission should be requested at least 30 days prior to first intended landing. An Aviation Facility License must be approved and executed by the Navy prior to any landing by civil aircraft.

Forms and further information may be obtained from the nearest U.S. Navy or Marine Corps aviation activity.

For Coast Guard fields prior permission should be requested from the Commandant, U.S. Coast Guard via the Commanding Officer of the field.

When instrument approaches are conducted by civil aircraft at military airports, they shall be conducted in accordance with the procedures and minimums approved by the military agency having jurisdiction over the airport.

AIRCRAFT RESTRICTIONS BOCA RATON AIRPORT (BCT), FLORIDA

On initial contact, pilot should advise local Air Traffic Control Tower or announce on local Unicom frequency if aircraft has greater than 79 feet wingspan and/or greater than 140 knot approach speed. Aircraft with wingspan greater than 79 feet and/or an approach speed greater than 140 knots are prohibited from using Runway 5/23 while any aircraft occupies Taxiway P. Aircraft with a wingspan greater than 79 feet must remain clear of Taxiway P while any aircraft are approaching or departing Runway 5/23.

AIRCRAFT LANDING RESTRICTIONS

Landing of aircraft at locations other than public use airports may be a violation of Federal or local law. All land and water areas are owned or controlled by private individuals or organizations, states, cities, local governments, or U.S. Government agencies. Except in emergency, prior permission should be obtained before landing at any location that is not a designated public use airport or seaplane base.

Landing of aircraft is prohibited on lands or waters administered by the National Park Service, U.S. Fish and Wildlife Service, U.S. Forest Service, and on many areas controlled by the U.S. Army Corps of Engineers, unless prior authorization is obtained from the respective agency.

FEDERAL AVIATION REGULATION 91.713

The provisions of FAR 91.713 will apply as follows:

Air traffic clearances to aircraft of Cuban registry not engaged in scheduled International Air Service in U.S. airspace will require that the flight plan be filed with appropriate authorities at least five days prior to the proposed departure time. Route changes while en route will normally not be authorized. The procedures set forth herein do not apply at this time to overflights by aircraft of Cuban registry engaged in scheduled International Air Service.

CAUTION—HIGH DENSITY AIR TRAFFIC AREA

Heavy helicopter and seaplane traffic exists over the Gulf of Mexico and adjacent onshore areas. Thousands of operations per month occur in this area in support of oil drilling and exploration.

Itinerant pilots traversing this area should familiarize themselves with offshore operating practices and frequencies through contact with the pertinent Flight Standards District Office (FSDO) or Flight Service Station.

CONTINUOUS POWER FACILITIES

In order to insure that a basic ATC system remains in operation despite an areawide or catastrophic commercial power failure, key equipment and certain airports have been designated to provide a network of facilities whose operational capability can be utilized independent of any commercial power supply.


In addition to those facilities comprising the basic ATC system, the following approach and lighting aids have been included in this program for a selected runway.

- 1. ILS (Localizer, Glide Slope, COMLO, Inner, Middle and Outer Markers)
- 2. Wind Measuring Capability
- 3. Approach Light System (ALS) or Short ALS (SALS)
- 5. Touchdown Zone Lighting (TDZL)
- 4. Ceiling Measuring Capability
- 6. Centerline Lighting (CL)
- 7. Runway Visual Range (RVR)
- 8. High Intensity Runway Lighting (HIRL)
- 9. Taxiway Lighting
- 10. Apron Light (Perimeter Only)

The following have been designated "Continuous Power Airports," and have independent back up capability for the equipment installed.

Airport/Ident	Runway No.	Airport/Ident	Runway No.
Albuquerque, NM (ABQ)	80	Milwaukee, WI (MKE)	01L
Anchorage, AK (ANC)	07R	Minneapolis, MN (MSP)	30L
Andrews AFB, MD (ADW)	01L	Nashville, TN (BNA)	02L
Atlanta, GA (ATL)	09R	New Orleans, LA (MSY)	10
Baltimore, MD (BWI)	10	New York, NY (JFK)	04R
Bismarck, ND (BIS)	31	New York, NY (LGA)	22
Boise, ID (BOI)	10R	Newark, NJ (EWR)	04R
Boston, MA (BOS)	04R	Oklahoma City, OK (OKC)	35R
Charlotte, NC (CLT)	36L	Omaha, NE (OMA)	14R
Chicago, IL (ORD)	14R	Ontario, CA (ONT)	26L
Cincinnati, OH (CVG)	36C	Philadelphia, PA (PHL)	09R
Cleveland, OH (CLE)	06R	Phoenix, AZ (PHX)	08
Dallas/Fort Worth, TX (DFW)	17C	Pittsburgh, PA (PIT)	10L
Denver, CO (DEN)	35R	Reno, NV (RNO)	16R
Des Moines, IA (DSM)	31	Salt Lake City, UT (SLC)	34L
Detroit, MI (DTW)	03R	San Antonio, TX (SAT)	12R
El Paso, TX (ELP)	22	San Diego, CA (SAN)	09
Fairbanks, AK (FAI)	01L	San Francisco, CA (SFO)	28R
Great Falls, MT (GTF)	03	San Juan, PR (SJU)	08
Honolulu, HI (HNL)	08L	Seattle, WA (SEA)	16C
Houston, TX (IAH)	26L	St. Louis, MO (STL)	30R
Indianapolis, IN (IND)	05L	Tampa, FL (TPA)	36L
Jacksonville, FL (JAX)	07	Tulsa, OK (TUL)	36R
Kansas City, MO (MCI)	19R	Washington, DC (DCA)	01
Los Angeles, CA (LAX)	24R	Washington, DC (IAD)	01R
Memphis, TN (MEM)	36L	Wichita, KS (ICT)	01L
Miami, FL (MIA)	08R		


NOTE—The existing CPA runway is listed. Pending and future changes at some locations will require a revised runway designation.




SE, 17 DEC 2009 to 11 FEB 2010

DISNEY WORLD THEME PARK NOTICE

Pursuant to Public Law 108–199, Section 521, aircraft flight operations are prohibited at and below 3,000 feet AGL within a 3 nautical mile radius of the Disney World Theme Park (282445N/081342W or the Orlando (ORL) VORTAC 238 degree radial at 14.8 nautical miles). This restriction does not apply to: (A) those aircraft authorized by ATC for operational or safety purposes, including aircraft arriving or departing from an airport using standard air traffic procedures; (B) Department of Defense, law enforcement, or aeromedical flight operations that are in contact with ATC; Those who meet any of the following criteria may apply for a waiver to these restrictions: (A) for operational purposes of the venue, including the transportation of equipment or officials of the governing body; (b) for safety and security purposes of the venue.





BOWMAN FIELD


TERMINAL AREA GRAPHIC NOTICE

(Not to be used for navigation)

Bowman Airport Runway 24 and Runway 33 VFR Departure Procedure.

"SENECA DEPARTURE"

PILOTS SHOULD SPECIFICALLY REQUEST THIS PROCEDURE USING THE ABOVE NAME.



Remaining within $1\frac{1}{2}$ miles from Bowman VOR (BQM), turn right heading 045, maintaining VFR at or below 2500 feet. Expect IFR activation and climb upon crossing the IIU 360 radial

WEATHER MINIMUMS: Ceiling 3000 and visibility 3 miles.

NOTE: Receipt of a clearance to climb above 2500 feet constitutes activation of IFR clearance upon leaving 2500 feet.


HOLLYWOOD/NORTH PERRY (HWO) HOLLYWOOD, FL

TERMINAL AREA GRAPHIC NOTICE (Not to be used for navigation)

Hollywood/North Perry Airport Runway 9L, 9R, 36L and 36R VFR Departure Procedure.

"SHERIDAN DEPARTURE"

PILOTS SHOULD SPECIFICALLY REQUEST THIS PROCEDURE USING THE ABOVE NAME.




ATIS 135.475
MIAMI APPROACH CONTROL 128.6
NORTH PERRY TOWER 132.1
GROUND CONTROL 120.45

Remain within 1 mile from HWO airport, if departing north or east turn left to heading 260. Remain south of Sheridan Street VFR at or below 1500. Expect IFR activation and climb crossing I75 (5 miles west of HWO) or the DHP 360 radial.

WEATHER MINIMUMS: Ceiling 2000 and visibility 3 miles.

NOTE: Receipt of a clearance to climb above 1500 constitutes activation of IFR clearance.

FIREFIGHTING TRAFFIC AREAS



Pilots are advised to stay clear of Firefighting Traffic Areas. Remain 15 miles from the area of activity. If you must over-fly the area, do so at an altitude of 5000 feet AGL above. However, to remain safe and out of the way of working aircraft, it is best to circumnavigate the area.

The wild-land fire environment can be very complex and involve a large number and variety of aircraft types including fixed and rotary wing aircraft. Some of the aircraft are small single and multi-engine command and control platforms that can be especially difficult to see and may give the appearance that the fire is not staffed. The aircraft participating in firefighting can orbit as far out as 12 miles from the perimeter of the fire. Any intrusion by aircraft not directly involved in the firefighting operation could delay the delivery of much needed retardant or water to ground firefighters and will adversely affect the safety of participating aircraft. Please stay well away from wild-land fires even if you feel that aircraft are not working the fire; they may be en route or unseen.

If you see a fire developing along your route, report it immediately to air traffic control who will advise the US Forest Service. The firefighting community would welcome this information.

The following narratives summarize the FAR Part 93 Special Air Traffic Rules, Patterns, and/or Airport Traffic Patterns in effect as prescribed in the rule. This information is advisory in nature and in no way relieves the pilot from compliance with the specific rules set forth in FAR Parts 91 and 93.

Special Airport Traffic Areas prescribed in Part 93 are depicted on Sectional Aeronautical Charts, World Aeronautical Charts, Enroute Low Altitude Charts, and where applicable, on VFR Terminal Area Charts.

DESTIN-FT WALTON BEACH, FLORIDA VALPARAISO TERMINAL AREA

Part 93, Subpart F, prescribes that Valparaiso, Florida, Terminal Area, and the special air traffic rules for operating aircraft within specific corridor.

- North-South Corridor.

Before operating within the corridor, obtain a clearance from the Eglin Radar Control Facility or an appropriate FAA ATC facility, and maintain two-way radio communication with the Eglin Radar Control Facility while within the corridor.

- East-West Corridor.

Before operating within the corridor, establish two-way radio communications with Eglin Radar Control Facility or an appropriate FAA ATC facility for an ATC advisory concerning operations being conducted therein; and maintain two-way radio communications with the Eglin Radar Control Facility while within the corridor. For Destin/Eglin AFB FL Part 93 Operations details, see FAASafety.gov Knowledge Course at: http://faasafety.gov/gslac/ALC/course_catalog.aspx.

OPERATIONS RESERVATIONS FOR HIGH DENSITY TRAFFIC AIRPORTS KENNEDY, LAGUARDIA, AND WASHINGTON REAGAN NATIONAL

The Federal Aviation Administration (FAA) has designated New York's Kennedy and LaGuardia Airports and Washington Reagan National Airport as High Density Traffic Airports (HDTA), Title 14, Code of Federal Regulations, part 93, subpart K, and has prescribed air traffic rules and requirements for operating aircraft (excluding helicopters) to and from those airports during certain hours.

Reservations are required for operations from 6 a.m. through 11:59 p.m. local time at LaGuardia Airport and Washington Reagan National Airport. Reservations at Kennedy Airport are required from 3 p.m. through 7:59 p.m. local time.

Reservation procedures are detailed in Advisory Circular 93–1, Reservations for Unscheduled Operations at High Density Traffic Airports. A copy of the advisory circular is available on the FAA website at http://www.faa.gov. Reservations for unscheduled operations are allocated through the Enhanced Computer Voice Reservation System (e–CVRS) accessible via telephone or the Internet. This system may not be used to make reservations for scheduled air carrier or commuter flights.

The toll–free telephone number for accessing e–CVRS is 1–800–875–9694 and is available for calls originating within the United States, Canada, and the Caribbean. Users outside the toll–free areas may access e–CVRS by calling the toll number of 703–707–0568. The Internet web address for accessing the e–CVRS is http://www.fly.faa.gov/ecvrs. If you have any questions about reservation requirements or are experiencing problems with the system, you may telephone the Airport Reservation Office at the Air Traffic Control System Command Center at (703) 904–4452.

Requests for instrument flight rules (IFR) reservations will be accepted beginning 72 hours prior to the proposed time of operation at the high-density airport. For example, a request for an 11 a.m. reservation on a Thursday will be accepted beginning at 11 a.m. on the previous Monday.

IFR reservations must be obtained prior to IFR landing or takeoff at an HDTA during slot controlled hours. An air traffic control (ATC) clearance does not constitute a reservation. A reservation does not constitute permission to operate at an HDTA if additional operational limits or procedures are required by NOTAM and/or regulation.

Aircraft involved in medical emergencies will be handled by ATC without regard to a reservation after obtaining prior approval of the ATC System Command Center on (703) 904–4452. ATC will accommodate declared other emergency situations without regard to slot reservations.

NOTE: Visual flight rule (VFR) reservations via ATC for unscheduled operations at LaGuardia are not authorized from 7 a.m. through 8:59 a.m. local time and 4 p.m. through 6:59 p.m. local time, Monday through Friday and Sunday evenings, unless otherwise announced by NOTAM. Both IFR and VFR operations during those time periods must obtain an advance reservation through e–CVRS.

FSS TELEPHONE NUMBERS

Flight Service Station (FSS) facilities provide flight planning and weather briefing services to pilots. FSS services in the contiguous United States, Hawaii and Puerto Rico, are provided by a network of large hub facilities and smaller remote facilities which are interconnected with the hubs.

Selected remote FSS facilities across the contiguous United States have variable part-time operating hours. Because of the interconnectivity between remote and hub facilities, all FSS services are available continuously using published telephone numbers and radio frequencies.

SOUTHEAST U.S.

FLORIDA: St. Petersburg, St. Petersburg—Clearwater International (PIE) — PIE FSS NORTH CAROLINA: Raleigh, Raleigh—Durham International (RDU) — RDU FSS

TENNESSEE: Nashville, Nashville International (BNA) — BNA FSS

Telephone Information Briefing Service (TIBS) is a FSS service that provides continuous recordings of meteorological and/or aeronautical information including area and/or route briefings, airspace procedures and special announcements. A touch-tone telephone is required to fully utilize this service.

Further information can be found in the Aeronautical Information Manual (AIM).

NATIONAL FSS TELEPHONE NUMBER

OTHER FSS TELEPHONE NUMBERS (except in Alaska)

TIBS (see description above)	1-877-4TIBS-WX (1-877-484-2799)
Clearance Delivery Only	1-888-766-8267
Lifeguard Flights Only	1-877-LIF-GRD3 (1-877-543-4733)
Flights within DC SFRA & FRZ*	1-866-225-7410

^{*} District of Columbia Special Flight Rules Area & Flight Restricted Zone

390 FAA AND NWS

KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

TAF KPIT 091730Z 091818 15005KT 5SM HZ.FEW020 WS010/31022KT FM1930 30015G25KT 3SM SHRA OVC015 TEMPO 2022 1/2SM +TSRA OVC008CB

FM0100 27008KT 5SM SHRA BKN020 OVC040 PROB40 0407 1SM -RA BR FM1015 18005KT 6SM -SHRA OVC020 BECMG 1315 P6SM NSW SKC

METAR KPIT 091955Z COR 22015G25KT 3/4SM R28L/2600FT TSRA OVC010CB 18/16 A2992 RMK SLP045 T01820159

Forecast	Explanation	Report
TAF	Message type: <u>TAF-routine or <u>TAF AMD-amended forecast</u>, <u>METAR-hourly</u>, <u>SPECI-special or <u>TESTM-non-commissioned ASOS</u> report</u></u>	METAR
KPIT	ICAO location indicator	KPIT
091730Z	Issuance time: ALL times in UTC "Z", 2-digit date, 4-digit time	091955Z
091818	Valid period: 2-digit date, 2-digit beginning, 2-digit ending times	
	In U.S. METAR : <u>COR</u> rected ob; or <u>AUTO</u> mated ob for automated report with no human intervention; omitted when observer logs on	COR
15005KT	Wind: 3 digit true-north direction, nearest 10 degrees (or <u>VaRiaBle</u>); next 2-3 digits for speed and unit, <u>KT</u> (KMH or MPS); as needed, <u>Gust and maximum speed; 00000KT for calm; for METAR, if direction varies 60 degrees or more, <u>Variability appended</u>, e.g. 180<u>V</u>260</u>	22015G25KT
5SM	Prevailing visibility: in U.S., Statute Miles & fractions; above 6 miles in TAF Plus6SM. (Or, 4-digit minimum visibility in meters and as required, lowest value with direction)	3/4SM
	Runway Visual Range: R; 2-digit runway designator Left, Center, or Right as needed; "/"; Minus or Plus in U.S., 4-digit value, FeeT in U.S., (usually meters elsewhere); 4-digit value Variability 4-digit value (and tendency Down, Up or No change)	R28L/2600FT
HZ	Significant present, forecast and recent weather: see table (on back)	TSRA
FEW020	Cloud amount, height and type: SKy Clear 0/8, FEW >0/8-2/8, SCaTtered 3/8-4/8, BroKeN 5/8-7/8, OVerCast 8/8; 3-digit height in hundreds of ft; Towering CUmulus or CumulonimBus in METAR; in TAF, only CB. Vertical Visibility for obscured sky and height "VV004". More than 1 layer may be reported or forecast. In automated METAR reports only, CLeaR for "clear below 12,000 feet"	OVC010CB
	Temperature: degrees Celsius; first 2 digits, temperature "/" last 2 digits, dew-point temperature; Minus for below zero, e.g., M06	18/16
	Altimeter setting: indicator and 4 digits; in U.S., A-inches and hundredths; (Q-hectoPascals, e.g., Q1013)	A2992

FAA AND NWS 391

KEY to AERODROME FORECAST (TAF) and **AVIATION ROUTINE WEATHER REPORT** (METAR)

Forecast	Explanation	Report
WS010/31022KT	In U.S. TAF , non-convective low-level (≤2,000 ft) <u>Wind Shear</u> ; 3-digit height (hundreds of ft); "/"; 3-digit wind direction and 2-3 digit wind speed above the indicated height, and unit, <u>KT</u>	
	In METAR , <u>ReMarK</u> indicator & remarks. For example: <u>Sea-Level Pressure</u> in hectoPascals & tenths, as shown: 1004.5 hPa; <u>Temp/dew-point</u> in tenths °C, as shown: temp. 18.2°C, dew-point 15.9°C	RMK SLP045 T01820159
FM1930	<u>FroM</u> and 2-digit hour and 2-digit minute beginning time: indicates significant change. Each FM starts on new line, indented 5 spaces.	
TEMPO 2022	TEMPOrary: changes expected for < 1 hour and in total, < half of 2-digit hour beginning and 2-digit hour ending time period	
PROB40 0407	PROBability and 2-digit percent (30 or 40): probable condition during 2-digit hour beginning and 2-digit hour ending time period	
BECMG 1315	BECoMinG: change expected during 2-digit hour beginning and 2-digit hour ending time period	

Table of Significant Present, Forecast and Recent Weather - Grouped in categories and used in the order listed below; or as needed in TAF, No Significant Weather.

QUAI	LIFIER						
Intens	ity or Proximity	,					
- Li	ight	"no	sign* Moderate	+ 1	Heavy		
					R , between 5 and 10 nter of runway comp		of the point(s) of (elsewhere within 8000m)
Descri	iptor						
MI	Shallow	BC	Patches	PR	Partial	TS	Thunderstorm
BL	Blowing	SH	Showers	DR	Drifting	FΖ	Freezing
WEA.	THER PHENO	OME	NA				
Precip	itation						
	Drizzie		Rain	SN	Snow	SG	Snow grains
IC I	Ice crystals	PL	lce peliets	GR	Hail	GS	Small hail/snow pellets
		oitatio	n in automated obse	erval	tions		
Obscu	ıration						
BR	Mist (≥5/8SM)		Fog (<5/8SM)	FU	Smoke	VA	Volcanic ash
SA	Sand	ΗZ	Haze	PΥ	Spray	DU	Widespread dust
Other							
SQ	Squall	SS	Sandstorm	DS	Duststorm	PO	Well developed
FC	Funnel cloud	+FC	tornado/waterspout				dust/sand whirls

- Explanations in parentheses "()" indicate different worldwide practices.
- Ceiling is not specified; defined as the lowest broken or overcast layer, or the vertical visibility.
- NWS TAFs exclude turbulence, icing & temperature forecasts; NWS METARs exclude trend fcsts
 Although not used in US, Ceiling And Visibility OK replaces visibility, weather and clouds if: visibility ≥10 km; no cloud below 5000 ft (1500 m) or below the highest minimum sector altitude, whichever is greater and no CB; and no precipitation, TS, DS, SS, MIFG, DRDU, DRSA or DRSN.

 UNITED STATES DEPARTMENT OF COMMERCE

NOAA/PA 96052 National Oceanic and Atmospheric Administration—National Weather Service

FAA AND NWS KEY AIR TRAFFIC FACILITIES

Air Traffic Control System Command Center

Main Number......703–904–4400

RGNL AIR TRAFFIC DIVISIONS		
REGION	TELEPHONE	
Alaskan	907-271-5464	
Central	816-329-2500	
Eastern	718-553-4502	
Great Lakes	847-294-7202	
New England	781-238-7500	
Northwest Mountain	425-227-2500	
Southern	404-305-5500	
Southwest	817-222-5500	
Western Pacific	310-725-6500	

AIR ROUTE TRAFFIC CONTROL CENTERS (ARTCCs)

ARTCC NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque	817-222-5006	7:30 a.m4:00 p.m.	505-856-4300
Anchorage	907-271-5936	7:30 a.m4:00 p.m.	907-269-1137
Atlanta	404-305-5180	7:30 a.m5:00 p.m.	770-210-7601
Boston	617-238-7001	7:30 a.m4:00 p.m.	603-879-6633
Chicago	847-294-8400	8:00 a.m4:00 p.m.	630-906-8221
Cleveland	847-294-8400	8:00 a.m4:00 p.m.	440-774-0310
Denver	425-227-1389	7:30 a.m4:00 p.m.	303-651-4100
Ft. Worth	817-222-5006	7:30 a.m4:00 p.m.	817-858-7300
Houston	817-222-5006	7:30 a.m4:00 p.m.	281-230-5300
Indianapolis	847-294-8400	8:00 a.m4:00 p.m.	317-247-2231
Jacksonville	404-305-5180	8:00 a.m4:30 p.m.	904-549-1501
Kansas City	816-329-3000	7:30 a.m4:00 p.m.	913-254-8500
Los Angeles	661-265-8200	7:30 a.m4:00 p.m.	661-265-8200
Memphis	404-305-5180	7:30 a.m4:00 p.m.	901-368-8103
Miami	404-305-5180	7:00 a.m3:30 p.m.	305-716-1500
Minneapolis	847-294-8400	8:00 a.m4:00 p.m.	651-463-5580
New York	718-995-5426	8:00 a.m4:40 p.m.	516-468-1001
Oakland	310-725-3300	6:30 a.m3:00 p.m.	510-745-3331
Salt Lake City	425-227-1389	7:30 a.m4:00 p.m.	801-320-2500
Seattle	425-227-1389	7:30 a.m4:00 p.m.	253-351-3500
Washington	718-995-5426	8:00 a.m4:30 p.m.	703-771-3401

MAJOR TERMINAL RADAR APPROACH CONTROLS (TRACONS)

TRACON NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Atlanta	404-305-5180	7:00 a.m3:30 p.m.	404-669-1200
Chicago	847-294-8400	8:00 a.m4:00 p.m.	847-608-5509
Dallas/Ft. Worth	817-222-5006	7:30 a.m4:00 p.m.	972-615-2500
Denver	425-227-1389	7:30 a.m4:00 p.m.	303-342-1500
Houston	817-222-5006	7:30 a.m4:00 p.m.	281-230-8400
New York	718-995-5426	8:00 a.m4:30 p.m.	516-683-2901
Northern CA	310-725-3300	7:00 a.m3:30 p.m.	916-366-4001
Southern CA	310-725-3300	7:30 a.m4:00 p.m.	858-537-5800

^{*}Facilities can be contacted through the RgnI Duty Officer during non-business hours.

FAA AND NWS

KEY AIR TRAFFIC FACILITIES DAILY NAS REPORTABLE AIRPORTS

AIRPORT	*24 HR RGNL DUTY OFFICE	BUSINESS	BUSINESS
NAME	TELEPHONE #	HOURS	TELEPHONE #
Albuquerque Intl Sunport, NM	817-222-5006	8:00 a.m5:00 p.m.	505-842-4366
Andrews AFB, MD	718-995-5426	8:00 a.m4:30 p.m.	301-735-2380
Baltimore/Washington			
Intl Thurgood Marshall, MD	718-995-5426	8:00 a.m4:30 p.m.	410-962-3555
Boston Logan Intl, MA	781–238–7001	7:30 a.m4:00 p.m.	617-455-3100
Bradley Intl, CT	617-238-7001	7:30 a.m4:00 p.m.	203-627-3428
Burbank/Bob Hope, CA	310–725–3300 404–305–5180	7:00 a.m5:30 p.m. 8:00 a.m4:30 p.m.	818–567–4806 704–344–6487
Charlotte Douglas Intl, NC Chicago Midway, IL	847-294-8400	8:00 a.m.–4:00 p.m. 8:00 a.m.–4:00 p.m.	773-884-3670
Chicago O'Hare Intl, IL	847-294-8400	8:00 a.m.–4:00 p.m.	773-601-7600
Cleveland Hopkins Intl, OH	847-294-8400	8:00 a.m.–4:00 p.m.	216-898-2020
Covington/Cincinnati, OH	708-294-7401	8:00 a.m4:30 p.m.	606-767-1006
Dallas/Ft. Worth Intl, TX	817-222-5006	8:30 a.m.–5:00 p.m.	972-615-2531
Dayton Cox Intl, OH	847-294-8400	7:30 a.m4:00 p.m.	937-454-7300
Denver Intl, CO	425-227-1389	7:30 a.m4:00 p.m.	303-342-1600
Detroit Metro, MI	847-294-8400	8:00 a.m4:00 p.m.	734-955-5000
Fairbanks Intl, AK	907-271-5936	7:30 a.m4:00 p.m.	907-474-0050
Fort Lauderdale Intl, FL	404-305-5180	7:00 a.m3:30 p.m.	305-356-7932
George Bush			
Intercontinental/Houston, TX	817-222-5006	7:30 a.m4:00 p.m.	713-230-8400
Hartsfield-Jackson Atlanta Intl, GA	404–305–5180	7:00 a.m3:30 p.m.	404-669-1200
Honolulu Intl, HI	310-643-3200	7:30 a.m4:00 p.m.	808-840-6100
Houston Hobby, TX Indianapolis Intl, IN	817-222-5006 847-294-8400	8:00 a.m5:00 p.m. 8:00 a.m4:00 p.m.	713–847–1400 317–484–6600
Kahului/Maui, HI	310-643-3200	7:30 a.m.–4:00 p.m.	808-877-0725
Kansas City Intl, MO	816-329-3000	7:30 a.m.–4:00 p.m.	816-329-2700
Las Vegas McCarran, NV	310-725-3300	7:30 a.m.–4:00 p.m.	702-262-5978
Los Angeles Intl, CA	310-725-3300	7:00 a.m3:30 p.m.	310-342-4900
Louis Armstrong New Orleans			
Intl, LA	817-222-5006	7:00 a.m4:30 p.m.	504-471-4300
Memphis Intl, TN	404-305-5180	7:30 a.m4:00 p.m.	901-322-3350
Miami Intl, FL	404-305-5180	7:00 a.m4:00 p.m.	305-869-5400
Minneapolis/St. Paul, MN	847-294-8400	8:00 a.m4:00p.m.	612-713-4000
Nashville Intl, TN	404–305–5180	7:00 a.m3:30 p.m.	615-781-5460
New York Kennedy Intl, NY	718-995-5426	8:00 a.m4:30 p.m.	718-656-0335
New York La Guardia, NY Newark Liberty Intl, NJ	718–995–5426 718–995–5426	8:00 a.m4:30 p.m. 8:00 a.m4:30 p.m.	718–335–5461 973–645–3103
Norman Y. Mineta San Jose Intl, CA	310-643-3200	7:30 a.m.–4:00 p.m.	408-982-0750
Ontario Intl, CA	310-643-3200	7:30 a.m4:00 p.m.	909-983-7518
Orlando Intl, FL	404-305-5180	7:30 a.m.–5:00 p.m.	407-850-7000
Philadelphia Intl, PA	718-995-5426	8:00 a.m.–4:30 p.m.	215-492-4100
Phoenix Sky Harbor Intl, AZ	310-643-3200	7:30 a.m4:00 p.m.	602-379-4226
Pittsburgh Intl, PA	718-995-5426	8:00 a.m4:30 p.m.	412-269-9237
Portland Intl, OR	425-227-1389	7:30 a.m4:00 p.m.	503-493-7500
Raleigh-Durham, NC	404-305-5180	8:00 a.m4:30 p.m.	919-840-5544
Ronald Reagan Washington			
National, DC	718-995-5426	8:00 a.m4:30 p.m.	703-413-1535
Salt Lake City, UT	425–227–1389	7:30 a.m4:00 p.m.	801–325–9600
San Antonio Intl, TX	817-222-5006	8:00 a.m4:30 p.m.	210-805-5507
San Diego Lindbergh Intl, CA San Francisco Intl, CA	310–725–3300 310–643–3200	8:00 a.m4:30 p.m. 7:00 a.m3:30 p.m.	619–299–0677 650–876–2883
San Francisco Inti, CA San Juan Inti, PR	404–305–5180	7:30 a.m.–5:00 p.m.	809-253-8663
Seattle-Tacoma Intl, WA	425-227-1389	7:30 a.m4:00 p.m.	206-768-2900
St. Louis Lambert, MO	816-329-3000	7:30 a.m.–4:00 p.m.	314-890-1000
Tampa Intl, FL	404–305–5180	7:30 a.m.–4:00 p.m.	813-371-7700
Ted Stevens Anchorage Intl, AK	907-271-5936	7:30 a.m4:00 p.m.	907-271-2700
Teterboro, NJ	718-995-5426	8:00 a.m4:30 p.m.	201-288-1889
Washington Dulles Intl, DC	718-995-5426	8:00 a.m4:30 p.m.	703-661-6031
West Palm Beach, FL	404-305-5180	8:00 a.m4:30 p.m.	407-683-1867
Westchester Co, NY	718-995-5426	8:00 a.m4:30 p.m.	914-948-6520

SE, 17 DEC 2009 to 11 FEB 2010

Air Route Traffic Control Center frequencies and their remoted transmitter sites are listed below for the coverage of this volume. Bold face type indicates high altitude frequencies, light face type indicates low altitude frequencies. To insure unrestricted IFR operations within the high altitude enroute sectors, the use of 720 channel communications equipment (25 kHz channel spacing) is required.

(R)ATLANTA CENTER

H-6-9-10-12, L-18-22-24-25-26-36, A-1

(KZTL)

Albemarle - 133.15 Anniston - 134.95

Athens - 127.5 127.5 124.45 120.425

Atlanta A - 135.0

Augusta - 128.1

Birmingham - 134.05 128.725 Black Jack Mountain - 127.05

Chattanooga - 133.175 132.05 126.675 124.875

Columbus - 125.575 120.45

Crossville - 133.6 132.675 125.925 Foothills - 124.375

Gadsden - 133.8 Glade Springs - 127.85

Greensboro - 128.8 124.425

Hampton - 128.0 127.125 126.475 124.325

Hickory - 134.55 132.975 125.15

Huntsville - 126.825

Jonesville - 125.025 119.575

Macon - 134.5 126.425 123.95 119.575

Millen - 135.55

Monroeville - 118.55

Montgomery - 134.6 128.025 125.875 120.55

Mount Oglethorpe - 134.8 133.1 121.35

Newport - 134.075 127.55 Owing - 135.35 125.625 123.725

Statham - 132.475 132.475

Sugarloaf Mountain - 132.625 Tri City - 126.775 120.725

Uniontown - 133.25 132.25

(R)HOUSTON CENTER - 134.35

H-6-7-8-9, L-17-18-19-20-21-22 (KZHU)

H-5-9-10-12, L-16-25-26-27-29

Arr-Dep US - 135.77 134.95 133.75 133.4 132.65 132.4 128.3 127.8 125.75 120.35

Arr-Dep US-South Atlantic Control N of 31°30' - 135.05 S of 31°30'N 134.85

Mobile - 127.65 125.775

RINDIANAPOLIS CENTER - 133.425 132.775 128.375 125.55

124.525 119.55 Evansville - 132.525 128.3

Livingston - 134.675 126.925

London 2 - 126.57 124.625 121.325

Lvnch - 126.575

New Hope - 124.625 121.175

Portsmouth - 124.225 120.275

Tri City - 124.575

Winchester - 128.22 126.375 123.775

R JACKSONVILLE CENTER

H-6-7-8-9-12, L-18-21-22-24-25-35-36, A-1

(KZJX)

(KZID)

Albany - 134.45 125.75

Alma - 135.975 133.3 132.3

Charleston - 135.05 133.625 132.475 127.95 124.075

Columbia - 127.875 124.7

Crestview - 134.15 124.475 120.2

Davtona Beach - 134.0

Dothan - 134.3

Eglin - 132.1

Florence - 134.35 133.45

Gainesville - 135.65 134.4 124.75

Glynco - 126.75

Jacksonville - 134.85 126.35

Lake City - 125.375

Lowell - 135.75 133.325 125.175

Millen - 132.5

Myrtle Beach - 135.05 128.7

CONTINUED ON NEXT PAGE

AIR ROUTE TRAFFIC CONTROL CENTERS

CONTINUED FROM PRECEDING PAGE

Panama City - 119.1

Perry Foley - 127.8

St. Augustine - 134.575 132.825 127.475 126.35

Savannah - 132.425 126.125 120.85

Tallahassee - 135.325 128.625 128.075 125.05

Valdosta - 133.7 125.95

(R)MEMPHIS CENTER — 127.975 124.025

H-5-6-9, L-15-16-17-18-22-25-26

(KZME)

Columbus - 134.775 133.125 127.1

Graham - 125.85 124.275

Huntsville - 120.8

McKellar - 134.65 127.975 126.45 124.35

Memphis - 135.225 118.625

Nashville - 133.85 124.125 118.875

Nashville/Joelton 132.1 Paducah - 133.65 Shelbyville - 126.75 South Fulton - 128.05 Tupelo - 135.9 135.9 134.4

R MIAMI CENTER

H-8. L-21-22-23-24. A-1

(KZMA)

Avon Park - 134.55 127.2 126.525 Fort Myers - 134.75 133.275

Grand Bahama Island - 134.2

Grand Turk - 135.2 132.3

Key West - 133.5 132.2 132.2 124.7 124.7 Melbourne - 135.075 128.65 124.1 119.825

Miami - 132.95 133.85 133.2 133.95 132.4 127.7 126.325 124.7 124.7

Nassau - 134.8 125.7

Pahokee - 133.55 132.45

Sarasota - 133.9 132.35 128.225 Vero Beach - 135.7 132.25 125.075

West Palm Beach - 135.175 133.4 132.15

CENTER REMARKS: All northbound IFR flights entering Miami in vicinity of Grand Turk and Great Inagua must contact Miami Center on 132.3/307.2 at least 10 minutes prior to the Miami Center boundary for an air traffic clearance. Alternate communications are avbl thru ARINC or Miami Radio. This is due to heavy air traffic congestion in this area.

R SAN JUAN CENTER

H-2-3, L-5-6 (ZSU) (MJZS)

Boringuen - 135.7 135.7 124.35

El Yungue - 134.3 134.3 128.65 128.6 125.0 125.0 118.75 118.75 118.15 118.15

Pico Del Este - 134.3 134.3 128.65 128.65 125.0 125.0 118.15 118.15

CENTER REMARKS: All acft on an IFR flight plan in the San Juan CTA and within 200 NM of San Juan are requested to ctc San Juan Center on the following frequencies: Amber 300 clockwise thru Amber 523—134.3; East of Amber 523 clockwise to North of Blue 520—125.0; Blue 520 clockwise thru Amber 636—118.15; Red 763 clockwise thru Green 431—135.7. San Juan Cerap provides IFR clearances for St Croix Christiansted on freq 121.7 when St Croix twr closed. San Juan Cerap provides IFR clearances for St Thomas Charlotte Amalie-Harry S Truman on freq 121.9 when twr closed. San Juan Cerap provides IFR clearances for Ponce-Mercedita on freq 121.9. San Juan Cerap provides IFR clearances for Mayaguez-Eugenio Maria De Hostos on freg 121.7.

RWASHINGTON CENTER

H-9-10-12, L-24-25-26-29-34-35-36

Arr-Dep US - 135.5 133.82 133.12 132.55 128.52 127.7 127.42 124.02 123.85 118.82

(KZDC)

Green Bay - 133.725 127.75 Johnsonville - 135.2 118.925

Manteo - 124.725

New Bern - 135.5 118.825

Rocky Mount - 118.475 132.225

Sampson - 135.3

Whaleyville - 133.825 128.525 127.425 123.85

Wilmington - 124.025

VHF frequencies available at Flight Service Stations and at their remote communication outlets (RCO's) are listed below for the coverage of this volume. Frequencies in bold type are available all altitudes but recommended for use FL180 and above. "T" indicates transmit only and "R" indicates receive only. RCO's available at NAVAIDS are listed after the NAVAID name. RCO's not at NAVAID's are listed by name.

ANDERSON AFSS

AIKEN RCO 122.45

ALLENDALE VOR 116.7T 122.1R

ANDERSON RCO 122.2 123.6

CHARLESTON VORTAC 113.5T 122.1R 122.2 122.5

CHESTERFIELD VOR/DME 108.2T 122.05R

COLLIERS VORTAC 113.9T 122.1R

COLUMBIA VORTAC 114.7T 122.1R 122.65

FLORENCE VORTAC 115.2T 122.1R 122.6

FOOTHILLS VORTAC 113.4T 122.1R

FORT MILL VORTAC 112.4T 122.1R

GRAND STRAND VORTAC 117.6T 122.1R 123.6

GREENWOOD VORTAC 115.5T 122.1R 122.625

GREER RCO 122.2 122.65

HILTON HEAD ISLAND RCO 122.55

SPARTANBURG VORTAC 115.7T 122.1R

VANCE VORTAC 110.4T 122.1R

ANNISTON AFSS

ANNISTON RCO 122.2 123.6

BIRMINGHAM RCO 122.2 123.65

BROOKLEY VORTAC 112.8T 122.1R

CRIMSON VORTAC 117.8T 122.1R

DECATUR RCO 122.6

DOTHAN RCO 122.2 122.5

EUFAULA VORTAC 109.2T 122.1R

GADSDEN VOR/DME 112.3T 122.1R

HAMILTON RCO 122.3

HUNTSVILLE RCO 122.2

MOBILE RCO 122.2 123.65

MONROEVILLE VORTAC 116.8T 122.1R

MONTGOMERY VORTAC 112.1T 122.1R 122.2 122.55

MUSCLE SHOALS RCO 122.2 122.4

SELMA RCO 122.4

TALLADEGA VOR/DME 108.8T 122.05R

TUSCALOOSA RCO 122.2

TUSKEGEE VOR/DME 117.3T 122.1R

VULCAN VORTAC 114.4T 122.1R

WIREGRASS VORTAC 111.6T 122.1R

GAINESVILLE AFSS 122.1R 122.2 122.5 123.65

CRAIG VORTAC 114.5T 122.1R 122.2 122.45

CRESTVIEW RCO 122.0 122.2 122.45

CROSS CITY VORTAC 112.0T 122.1R

GATORS VORTAC 116.2T 122.1R

GREENVILLE VORTAC 109.0T 122.1R

LAKE CITY RCO 122.6

MARIANNA VORTAC 114.0T 122.1R

OCALA VORTAC 113.7T 122.1R

PALATKA RCO 122.25

PANAMA CITY VORTAC 114.3T 122.1R

PENSACOLA RCO 122.2 122.6

PERRY RCO 122.45

ST AUGUSTINE RCO 122.3

SAUFLEY VOR 108.8T 122.1R

SEMINOLE VORTAC 117.5T 122.1R 122.2 122.4

TAYLOR VORTAC 112.9T 122.1R

JACKSON AFSS

CLARKSVILLE VOR/DME 110.6T 122.1R
DYERSBURG RCO 122.2 122.45
GRAHAM VORTAC 111.6T 122.1R 122.25
JACKS CREEK VOR/DME 109.4T 122.1R
JACKSON RCO 122.2 122.65 127.15
MEMPHIS VORTAC 117.5T 122.1R 122.2 123.65

LOUISVILLE AFSS

BOWLING GREEN RCO 122.2 122.4 CENTRAL CITY VORTAC 109.8T 122.1R CINCINNATI VORTAC 117.3T 122.1R FALMOUTH VOR/DME 117.0T 122.1R FRANKFORT VOR 109.4T 122.1R HAZARD VOR/DME 111.2T 122.1R LEXINGTON VORTAC 112.6T 122.1R LONDON VORTAC 116.1T 122.1R 122.2 122.65 LOUISVILLE RCO 122.1R 122.2 122.45 MADISON RCO 122.3 NEW HOPE VOR/DME 110.8T 122.1R NEWCOMBE VORTAC 110.4T 122.1R OWENSBORO VOR/DME 108.6T 122.1R PADUCAH RCO 122.2 122.5 PIKEVILLE RCO 122.05 SOMERSET RCO 122.55

YORK VORTAC 112.8T 122.1R

MACON AFSS

ALBANY RCO 122.6

ALMA VORTAC 115.1T 122.1R 123.6

ATHENS VORTAC 109.6T 122.1R

ATLANTA VORTAC 116.9T 122.1R 122.2 122.6

BRUNSWICK VORTAC 109.8T 122.1R 122.2

CHOO CHOO VORTAC 115.8T 122.1R

COLUMBUS VORTAC 117.1T 122.1R 122.65

DANIEL RCO 122.3

DUBLIN VORTAC 113.1T 122.1R 122.6

GAINESVILLE RCO 122.55

HARRIS RCO 122.35

LAGRANGE VORTAC 115.6T 122.1R

MACON RCO 122.0 122.1R 122.2 122.4

MOULTRIE VOR/DME 108.8T 122.1R

PEACHTREE VOR/DME 116.6T 122.1R

ROME RCO 122.3

SAVANNAH VORTAC 115.95T 122.1R 123.65

STATESBORO RCO 122.6

THOMASVILLE RCO 122.55

TIFT MYERS RC0 122.35

VALDOSTA VOR/DME 114.8T 122.1R 122.2

VIENNA VORTAC 116.5T 122.1R

WAYCROSS VORTAC 110.2T 122.1R

MIAMI AFSS 122.2 122.3 122.55 123.65 MIAMI IFSS 127.9 126.9 126.7

DADE COLLIER RCO 122.3

DAVIE RCO 126.7

DOLPHIN VORTAC 113.9T 122.1R

FORT MYERS RCO 122.1R 122.2 122.65

FORT PIERCE RCO 122.55

KEY WEST VORTAC 113.5T 122.1R 122.2 123.65

LA BELLE VORTAC 110.4T 122.1R

MARATHON RCO 122.6

NAPLES RCO 123.6

PAHOKEE VORTAC 115.4T 122.1R 122.35

PALM BEACH VORTAC 115.7T 122.1R 122.4

VIRGINIA KEY VOR/DME 117.1T 122.1R

NASHVILLE AFSS

BRISTOL RCO 122.2

CHATTANOOGA RCO 122.2 123.65

CROSSVILLE RCO 122.2 122.5

HINCH MOUNTAIN VORTAC 117.6T 122.1R

HOLSTON MOUNTAIN VORTAC 114.6T 122.1R

LIVINGSTON VORTAC 108.4T 122.1R

MCGHEE TYSON RCO 122.2 122.3

NASHVILLE RCO 122.1R 122.2 122.55

SHELBYVILLE VOR/DME 109.0T 122.1R

VOLUNTEER VORTAC 116.4T 122.1R

RALEIGH AFSS

BARRETTS MOUNTAIN VOR/DME 110.8T 122.1R

CHARLOTTE RCO 122.4

COFIELD VORTAC 114.6T 122.1R

ELIZABETH CITY VOR/DME 112.5T 122.05R 122.2

FAYETTEVILLE VOR/DME 108.8T 122.1R

GREENSBORO VORTAC 116.2T 122.1R 122.2 123.65

HATTERAS RCO 122.3

HICKORY RCO 122.2 122.6

KINSTON VORTAC 109.6T 122.15R

LIBERTY VORTAC 113.0T 122.1R

NEW BERN VOR/DME 113.6T 122.1R 122.2 122.4

PITT-GREENVILLE RCO 122.35

RALEIGH RCO 122.2 122.45 122.65

ROCKY MOUNT RCO 122.2 122.3

SANDHILLS VORTAC 111.8T 122.1R

SNOWBIRD VORTAC 108.8T 122.1R

SUGARLOAF MOUNTAIN VORTAC 112.2T 122.1R 122.2 122.3

TAR RIVER VORTAC 117.8T 122.1R

WILKESBORO RCO 122.4

WILMINGTON VORTAC 117.0T 122.1R 122.55

SAINT PETERSBURG AFSS

BROOKSVILLE RCO 122.3

FORT DRUM RCO 122.2

LAKELAND VORTAC 116.0T 122.1R

MELBOURNE VOR/DME 110.0T 122.1R 122.6

ORLANDO VORTAC 112.2T 122.1R 122.2 122.65 123.65

ORMOND BEACH VORTAC 112.6T 122.1R 122.4

PUNTA GORDA RCO 122.025

ST PETERSBURG VORTAC 116.4T 122.1R 122.2 122.45 123.6

SARASOTA VORTAC 115.2T 122.1R

SEBRING RCO 122.25

TITUSVILLE RCO 123.6

VERO BEACH VORTAC 117.3T 122.1R 122.2 122.5

SAN JUAN AIFSS

BORINQUEN VORTAC 113.5T 122.1R

MAYAGUEZ VOR/DME 110.6T 122.1R

PONCE VOR/DME 109.0T 122.1R

ST CROIX VOR/DME 108.2T 122.1R

ST THOMAS VOR/DME 108.6T 123.6R

SAN JUAN RCO 126.7 123.65 122.2

FSDO FLIGHT STANDARDS DISTRICT OFFICES (FSDO)

Below is a list of FSDO's in the area of coverage of this directory. These offices serve the aviation industry and the general public on matters relating to certification and operation of general aviation aircraft. Address letters to Manager, Flight Standards District Office-Federal Aviation Administration.

AI ARAMA

Liberty Park Building 1500, Suite 250 1500 Urban Center Drive Vestavia Hills, AL 35242 Telephone: 205-731-1557

FLORIDA

Ft. Lauderdale Jet Center 1050 Lee Wagener Blvd. Ft. Lauderdale, FL 33315 Telephone: 954-635-1300

5050 Hazaltina National Drive Suite 500 Orlando, FL 32822-5023 Telephone: 407-812-7700 Fax: 407-812-7710

8600 NW 36th Street Miami, FL 33166 Telephone: 305-716-3400

5601 Mariner St, Suite 310 Tampa, FL 33609 Telephone: 813-287-4900 Fax: 813-639-1551

GEORGIA

Campus Building 1701 Columbia Ave. Suite 2-110 College Park, GA 30337-2748 Telephone: 404-305-7200 Fax: 404-305-7215

KENTUCKY

1930 Bishop Lane Waterson Towers, 11th Floor Louisville, KY 40218 Telephone: 502-753-4200

NORTH CAROLINA

6433 Bryan Blyd. Greensboro, NC 27409 Telephone: 336-662-1000

3800 Arco Corporate Drive, Suite 233

Charlotte, NC 28273 Telephone: 704-319-7020

PUERTO RICO

525 F.D. Roosevelt Ave. La Torre de Plaza, Suite 901 San Juan, PR 00918 Telephone: 787-764-2538

SOUTH CAROLINA

125-B Summer Lake Drive West Columbia, SC 29170 Telephone: 803-765-5931

TENNESSEE

2 International Plaza Drive, Suite 700 Nashville, TN 37217

Telephone: 615-324-1300

2842 Business Park Drive, Bldg G Memphis, TN 38118 Telephone: 901-322-8600

ROUTES PREFERRED IFR ROUTES

A system of preferred routes has been established to guide pilots in planning their route of flight, to minimize route changes during the operational phase of flight, and to aid in the efficient orderly management of the air traffic using federal airways. The preferred IFR routes which follow are designed to serve the needs of airspace users and to provide for a systematic flow of air traffic in the major terminal and en route flight environments. Cooperation by all pilots in filing preferred routes will result in fewer traffic delays and will better provide for efficient departure, en route and arrival air traffic service.

The following lists contain preferred IFR routes for the low altitude stratum and the high altitude stratum. The high altitude list is in two sections; the first section showing terminal to terminal routes and the second section showing single direction route segments. Also, on some high altitude routes low altitude airways are included as transition routes.

The following will explain the terms/abbreviations used in the listing:

- 1. Preferred routes beginning/ending with an airway number indicate that the airway essentially overlies the airport and flight are normally cleared directly on the airway.
- 2. Preferred IFR routes beginning/ending with a fix indicate that aircraft may be routed to/from these fixes via a Standard Instrument Departure (SID) route, radar vectors (RV), or a Standard Terminal Arrival Route (STAR).
- 3. Preferred IFR routes for major terminals selected are listed alphabetically under the name of the departure airport. Where several airports are in proximity they are listed under the principal airport and categorized as a metropolitan area; e.g., New York Metro Area.
- 4. Preferred IFR routes used in one direction only for selected segments, irrespective of point of departure or destination, are listed numerically showing the segment fixes and the direction and times effective.
 - 5. Where more than one route is listed the routes have equal priority for use.
 - 6. Official location identifiers are used in the route description for VOR/VORTAC navaids.
 - 7. Intersection names are spelled out.
- 8. Navaid radial and distance fixes (e.g., ARD201113) have been used in the route description in an expediency and intersection names will be assigned as soon as routine processing can be accomplished. Navaid radial (no distance stated) may be used to describe a route to intercept a specified airway (e.g., MIV MIV101 V39); another navaid radial (e.g., UIM UIM255 GSW081); or an intersection (e.g., GSW081 FITCH).
- 9. Where two navaids, an intersection and a navaid, a navaid and a navaid radial and distance point, or any navigable combination of these route descriptions follow in succession, the route is direct.
- 10. The effective times for the routes are in UTC. During periods of daylight saving time effective times will be one hour earlier than indicated. All states observe daylight saving time except Arizona, Puerto Rico and the Virgin Islands. Pilots planning flight between the terminals or route segments listed should file for the appropriate preferred IFR route.
 - 11. (90-170 incl) altitude flight level assignment in hundred of feet.
- 12. The notations "pressurized" and "unpressurized" for certain low altitude preferred routes to Kennedy Airport indicate the preferred route based on aircraft performance.
 - 13. High Altitude Preferred IFR Routes are in effect during the following time periods unless otherwise noted.

Sun		. 1300–2259 local time.
Mon	thru Fri	. 0701-2259 local time.
Sat		. 0701-1459 local time.

- 14. Use current SIDs and STARSs for flight planning.
- 15. For high altitude routes, the portion of the routes contained in brackets is suggested but optional. The portion of the route outside the brackets will likely be required by the facilities involved.

LOW ALTITUDE

Terminals	Route	Effective Times (UTC)
ATLANTA METRO AREA		
Chicago Midway (MDW)	(60-170 incl) V97 NELLO V311 HCH V51 CGT	1200-0300
Chicago O'Hare (ORD)	(60-170 incl) V97 NELLO V311 HCH V51 CGT V7	
	BEBEE	1200-0300
Cincinnati (CVG)	(80-170 incl) V97 VXV V115 AZQ V339 FLM	1200-0300
CINCINNATI METRO AREA (CVG, LUK)		
Detroit/Wayne (DTW)	DQN MIZAR-STAR	1100-0300
Detroit Satellites:		
Ann Arbor (ARB)	DQN CRUXX-STAR	1100-0300
Pontiac (PTK),		
Willow Run (YIP)	DQN CRUXX-STAR	
Windsor (CYQG),		
Young (DET)	V275 KLINE VWV VWV064 LYNTN	

Terminals	Route	Effective Times (UTC)
From COVINGTON (CVG) only	V07 1848 / V007 1170 V400 W0444	4400 0000
Atlanta (ATL)	V97 VWV V267 HRS V463 WOMAC	1100-0300
Chicago Midway (MDW)	V128 VHP BVT V97 CGTV128 VHP BVT V97 CGT V7 BEBEE	1100-0300
Chicago O'Hare (ORD)	V128 VHP BV1 V97 CG1 V7 BEBEEV128 VHP	1100-0300 1100-0300
Indianapolis (IND) Knoxville (TYS)	HYK V97	1100-0300
Louisville (SDF)	CVG206 IIU055 IIU	1100-0300
Pittsburgh (PIT)	(60–170 incl) V128 YRK V44 JPU V117 WISKE	1100 0000
	WISKE-STAR	1100-0300
DAYTONA BEACH		
Miami (MIA)	(110 and below) V3 MLB V437 PHK V267 BRIKL	1300-0300
FT LAUDERDALE METRO AREA (FLL, FXE, PMP)		
Cross City (CTY)	(at or below 50) DHP V97 LBV V157 LAL V7	1030-0300
	(60–170) V511 LAL V7	1030-0300
Daytona Beach (DAB)	(at or below 100) PBI V3 SMYRA	1030-0300
	(110-170) V159 TBIRD MLB V3	1030-0300
Ft. Myers (FMY)(RSW)	(at or below 50) DHP V521	1030-0300
Ft. Pierce (FPR)	(at or below 100) V3	1030-0300
	(110–170) V159 TBIRD	1030-0300
Gainesville (GNV)	(at or below 50) DHP V97 LBV V157	1030-0300
	(60–170) V511 LAL V157	1030-0300
Jacksonville (JAX)	(at or below 90) PBI V3 OMN V51 CRG	1030-0300
,	or	
	(130–170) ORL V267 CRG or	1030-0300
Labeland (LAL)	V159 VRB V3 OMN V51 CRG	4000 0000
Lakeland (LAL)	(at or below 50) DHP V97 LBV110 V157	1030-0300
	or (60–170) V511	1020 0200
Melbourne (MLB)	(at or below 100) V3	1030-0300 1030-0300
	or	1000 0000
	(110-170) FLL V159 TBIRD	1030-0300
Ocala (OCF)	(at or below 50) DHP V97 LBV V157	1030-0300
	Or (00 470) V544 LAL V457	4000 0000
Orlando (MCO)	(60–170) V511 LAL V157	1030-0300
Orlando (MCO)	(at or below 100) PBI V531 ORLor	1030-0300
	(110-170) V159 TBIRD V531 ORL	1030-0300
Sarasota/Bradenton (SRQ)	(60-170) LBV V97 ROGAN	1030-0300
	or	
	(60–170) SRQor	1030–3000
	(at or below 50) DHP V97 ROGAN	1030-0300
	(60–170) ROGAN	1030-0300
Tallahassee (TLH)	(at or below 50) DHP V97 LBV V157 LAL V7 SZW.	1030-0300
	(60–170) V511 LAL V7 SZW	1030-0300
Tampa (TPA)	(60–170) LBV BRDGE–STAR	1030-0300
	or	
	(60-170) BRDGE BRDGE-STAR	1030-0300
	or (at or below 50) DHP V97 PIE	1030-0300
	or	1030-0300
	(60-170, GPS or DME/DME-IRU equipped)	
	DEAKK DEAKK (RNAV)-STAR	1030-0300
	or	
	(60–170, GPS or DME/DME-IRU equipped) LBV	4000 00
Vora Basch (VBB)	DEAKK (RNAV)-STAR	1030-0300
Vero Beach (VRB)	(at or below 100) V3	1030-0300

Terminals	Route	Effective Times (UTC)
	or (110–170) V159 TBIRD	1030-030
FORT MYERS METRO AREA (RSW, FMY, APF, MKY, PGD)	(110-170) V133 IBIND	1030-030
Daytona Beach (DAB)	ORL	1030-030
Ft. Lauderdale (FLL)	(RSW/FMY/PGD-prop/turbo) RSW V599 or	1030-030
	(RSW/FMY/PGD-turbo/jets) FORTL JINGL (RNAV)-STAR	1030-030
	or (APF/MKY prop/turbo) DRCTor	1030-030
	FORTL JINGL (RNAV)- STAR	1030-030
Ft. Pierce (FPR)	V225	1030-030
Gainesville (GNV)	V7 LAL V157	1030-030
Jacksonville (JAX)	ORL V267 CRG	1030-030
Lakeland (LAL)	V7 LAL	1030-030
Melbourne (MLB)	V225 VRB	1030-030
	V35 CURVE	1030-030
Miami (MIA)	or	
	or	1030-030
	(Turbojets–GPS or DME/DME–IRU equipped) CYY	
Orlando (MCO)	SSCOT (RNAV)-STAR(Jets) LAL ORL	1030-030
	or (Turbo/Props) ORLor	1030-030
	(Jets) LAL MINEE-STAR	1030-030
	(Jets) DOWNN MINEE-STAR	1030-030
Ocala (OCF)	(Turbo/Props) DOWNN MINEE-STAR V7 LAL V157	1030-030 1030-030
Tallahassee (TLH)	V7 SZW	1030-030
Tampa (TPA)	(at or below 100) V35 PIEor	1030-030
	(110–170) RSW BRDGE–STAR or	1030-030
	(GPS or DME/DME-IRU equipped) DEAKK	
	(RNAV)-STAR	1030-030
Vero Beach (VRB)	V225	1030-030
GAINESVILLE (GNV)		
Ft. Lauderdale (FLL)	(100 and below) V157 NEWER	0000-235
Ft. Myers (FMY)	(100 and below) V157 LAL V521	0000-23
Miami (MIA)	(100 and below) V157 LBV V529 V35 CURVE	0000-23
Orlando (ORL)	(100 and below) V157 OCF V159	1100-040
Sarasota/Bradenton (SRQ)	(100 and below) V157 LAL	0000-23
	(100 and below) V157 OCF V581 DADES	0000-23
Tampa (TPA) JACKSONVILLE METRO AREA (JAX)		
Miami (MIA) Tampa (TPA)	(100 and below) V3 MLB V437 PHK V267 BRIKL (100 and below) OCF V581 DADESor	1300-030 0000-235
	(100 and below, GPS or DME/DME-IRU	
(EY WEST METRO AREA (NQX)	equipped) OCF V581 DADES (RNAV)-STAR	0000–235
Daytona Beach (DAB)	RSW ORL	1030-030
Ft Myers (RSW)	EYW V539 GOODY(props) EYW V157 DHP	1030-030
	or (jets-all others) EYW DVALL-STAR	1030-030
	or (jets-/E,/G,/R,/J,/L,/Q) EYW CURSO (RNAV)-STAR	1030-030
	(NINA)	T030-030

		Times
Terminals	Route	(UTC)
Melbourne (MLB)	EYW PHK	1030-0300
Miami (MIA)	(props) EYW V157	
	(Jets-all others) EYW DVALL-STAR	1030-0300
	(Jets-/E,/G,/R,/J,/L,/Q) EYW CURSO	
	(RNAV)-STAR	1030-0300
Orlando (MCO)	(props) EYW V225 RSW MINEE-STAR or	
D 1 D 1 (DD))	(Jets) EYW V225 RSW LAL MINEE-STAR	1030-0300
Palm Beach (PBI)	(at or below 100) EYW V225 RSW V35 MURDO	1030-0300 1030-0300
	or (110–170) EYW V225 RSW V7 ROGAN	
Tallahassee (TLH)	EYW V225 RSW V7 SZW	1030-0300
Tampa (TPA)	(at or below 100) EYW V225 RSW V35 PIE or	
	(110-170) EYW V225 RSW V7 ROGAN	
	BRDGE-STARor	1030-0300
	(110-170, GPS or DME/DME-IRU equipped) EYW	
	V225	
	RSW V7 ROGAN DEAKK (RNAV)-STAR	1030-0300
Vero Beach (VRB)	EYW PHK V51	1030-0300
LAKELAND METRO AREA (LAL, GIF, BOW,		
BKV, X16)		4000 0000
Ft Lauderdale (FLL)	(Jets only–all others) V7 RSW FORTL–STAR	1030-0300 1030-0300
Ft Pierce (FPR)	V521(at or below 140) V441 DEARY V159	1030-0300
1 (1 10100 (11 11)	or	1000 0000
	(150–170) VRB	1030-0300
Key West (EYW)	V7 RSW V225	1030-0300
Miami (MIA)	(100 and below) V157 LBV V529 V35 CURVE	
	or (all others) CYY CYY-STARor	1030-0300
	(Turbojets-GPS or DME/DME-IRU equipped) CYY	
	SSCOT (RNAV)-STAR	
Opa Locka (OPF)	(props/turbo) V511 NEWERor	
	(Turbojets-GPS or DME/DME-IRU equipped) RSW	
	CYY SSCOT (RNAV)-STAR	
Vero Beach (VRB)	(at or below 140) V441 DEARY V159 or	1030-0300
West Palm Beach (PBI)	(150–170) VRB PHK	1030-0300 1030-0300
LEXINGTON (LEX)	FIIN	1030-0300
Atlanta (ATL)	HYK V53 AZQ SOT WHINZ-STAR	
LOUISVILLE		
Kansas City (MKC)	V4 PXV V190 SGF TYGER–STAR	0000-2359
Wichita (ICT) MEMPHIS	V4 PXV V190 SGF V132 CNU V350	0000–2359
Chicago Midway (MDW)	SPI MOTIF-STAR	0000-2359
Chicago O'Hare (ORD)	MAW V313 PNT V227 PLANO	1100-0300
	or PNT V227 PLANO	0000 2250
MIAMI METRO AREA (MIA, HWO, OPF,	FINI VZZI PLANU	0000–2359
TMB, HST, X51)		
Cross City (CTY)	V97 LBV V157 LAL V7	1030-0300
	or	
	LAL	1030-0300

Ferminals	Route	Effective Times (UTC)
Daytona Beach (DAB)	(at or below 100) PBI V3 SMYRA	1030-030
Ft Pierce (FPR)	(110–170) V437 MLB V3	1030-030 1030-030
	(110–170) V267 PHK V51 VRBor	1030-030
Gainesville (GNV)	FPR	1030-030
Jacksonville (JAX)	LAL	1030-030 1030-030
	(at 110) PHK V437 MLB V3 OMN V51 CRG	1030-030
	(130–170) V267 CRG	1030-030
Lakeland (LAL)	V97 LBV V157 LALor	1030-030
Melbourne (MLB)	LAL(at or below 100) V3	1030-030 1030-030
Melocume (MED)	or	1000 000
	(120–170) PBI V531 TBIRD	1030-030
New Orleans (MSY)	(below FL180) LBV SRQ AM DHP V97 LBV V157	1100-03
Ocala (OCF)	or	1030-03
	LAL	1030-03
Orlando (MCO)	(at or below 100) PBI V531 ORL	
	or (110–170) V267 PHK GOOFY-STAR	1030-03
Overwater Routes to the Northeast	PERMT ILM or PERMT DIW	4000 00
Sarasota/Bradenton (SRQ)	V97 ROGAN DHP V97 LBV V157 LAL V7 SZW	1030-03 1030-03
Tallahassee (TLH)	V97 LBV BRDGE-STAR	1030-03
Tampa (117)	or	1000 00
	(GPS or DME/DME-IRU equipped) V97 LBV	4000 00
Vero Beach (VRB)	DEAKK(at or below 100) PBI V3	1030-03 1030-03
vero beach (VRb)	or	1030-03
	(110–170) V267 PHK V51or	1030-03
ACIDALE	(110–170) VRB	1030-03
ASHVILLE Tallahassee (TLH)	RQZ TDG TGE RRS	1100-23
RLANDO METRO AREA (MCO, ORL, ISM,	NQZ TOU TUE INIO	1100-23
LEE, SFB) Ft Lauderdale (FLL)	(at or below 100) PHK V267 BRIKL	1030-03
	or (110–170) PHK V267 BRIKL	1030-03
Ft Pierce (FPR)	V159 VRB	1030-03
Key West (EYW)	RSW V225	1030-03
Miami (MIA)	(at or below 100) PHK V267 BRIKL	1030-03
West Palm Beach (PBI)	(props/turbo props) V159 VRB V295 STOOP V492	1030-03
	or (Jets only) PHK	1030-03
	or (Turbojets-GPS or DME/DME-IRU equipped)	
ALM DEAGLEMETRO ADEA (DD), DOT	DEARY VRB FRWAY (RNAV)-STAR	
PALM BEACH METRO AREA (PBI, BCT, LNA, UTX, SUA)		
Cross City (CTY)	(at or below 140) V531 BAIRN OCF V159	
	or (150–170) LAL V7	1030-03
	(±00 ±10) LAL ¥1	1030-030

	_	Effective Times
Terminals	Route	(UTC)
Daytona Beach (DAB)	V3 SMYRA	1030-0300
	or V531 TBIRD MLB V3 SMYRA	1030-0300
Ft. Myers (RSW)	RSW	1030-0300
Jacksonville (JAX)	(at or below 110) V3 VRB V51 CRG or	
	(130-170) ORL V267 CRG	1030-0300
Lakeland (LAL)	LBV V157	1030-0300
	Or (SUA Dop) I AI	
Melbourne (MLB)	(SUA Dep) LAL	
Weibourie (WED)	or	
	(120–170) PBI V531 TBIRD	1030-0300
Ocala (OCF)	(at or below 140) V531 BAIRN OCF	
	or	
	(150-170) LAL OCF	
Orlando (ORL/MCO)	V531 BAIRN GOOFY-STAR	1030-0300
Overwater Routes to the Northeast	A699 STIFF AR7	
Sarasota/Bradenton (SRQ)	LBV V97 ROGANor	
	(SUA Dep) SRQ	
Tallahassee (TLH)	(at or below 140) V531 BAIRN OCF V159 CTY V7	
Tanana5555 (1211)	SZW	
	or	
	(150–170) LAL V7 SZW	1030-0300
Tampa (TPA)	LBV BRDGE-STAR	
	or	
	BRDGE BRDGE-STAR	1030-0300
	OF	
	(GPS or DME/DME-IRU equipped) DEAKK DEAKK	1000-0300
	(RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) LBV DEAKK	
	(RNAV)-STAR	1000-0300
Vero Beach (VRB)	(at or below 100) PBI V3	
	or	
	(110-170) V531 TBIRD	1030-0300
From STUART (SUA) only:		
Cross City (CTY)	(at or below 120) BAIRN OCF V159	
	or (130, 170) LAL V7	1030-0300
Lakeland (LAL)	(130–170) LAL V7 TBIRD V531 ODDEL V441 LAL	1030-0300
Ocala (OCF)	TBIRD V531 BAIRN	1030-0300
Tallahassee (TLH)	(at or below 120) BAIRN OCF V159 CTY V7 SZW	
	or	
	(130-170) LAL V7 SZW	1030-0300
SARASOTA/BRADENTON AREA (SRQ)		
Ft Lauderdale (FLL)	(at or below 100, below 210 kts) RSW V599	
,	NEWER	
	or	
	(110-170), below 210 kts) LBV V157 NEWER	
	or	
	(at or above 210 kts) V579 RSW V7 KUBIC	
	Or (all others) DSW FORTL STAR	1030-0300
	(all others) RSW FORTL–STAR	1030-0300
	(/E, /G, /R, /J, /L, /Q) RSW SWAGS	
	(RNAV)-STAR	
Ft Myers (RSW)	V579 RSW	1030-0300
Orlando (MCO)	LAL MINEE-STAR	1030-0300
West Palm Beach (PBI)	SABEE JOOOE WLACE (RNAV)-STAR	
TALLAHASSEE AND CROSS CITY AREA	/400	4400 05
Ft Myers (FMY)	(120 and below) CTY V7 LAL V521(170 and below) LAL V157 LBV V529 V35 CURVE	1100-0300 1300-0300
Miami (MIA)	(110 alla Delow) LAL VIST LDV VOZO VOO CURVE	1300-0300

Terminals TAMPA/ST PETERSBURG METRO AREA (TPA, SPG, PIE, TPF)	Route	Effective Times (UTC)
Ft Lauderdale (FLL)	(Jets only) RSW V7 KUBIC FLL	
rt Lauderdale (FLL)	or	
	(all others) RSW FORTL-STAR	
	(Turboprop-all others) RSW FORTL-STAR or	1030-0300
	(props only) V509 HALLR V511 NEWER or	1030-0300
	(GPS or DME/DME-IRU equipped) SABEE RXXAN JINGL (RNAV)-STAR	
Ft Myers (RSW)	PIE V579 RSW	
	(Turbojets-GPS or DME/DME-IRU equipped) SRQ	
	TYNEE (RNAV)-STAR	
Ft Pierce (FPR)	(at or below 140) V441 DEARY V159	
	or	
	(150-170) VRB	1030-0300
Key West (EYW)	PIE V35 RSW V225	
	or	
	V579 RSW V225	1030-0300
Miami (MIA)	RSW V35 CURVEor	1030-0300
	(all others) CYY CYY-STAR	1030-0300
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) CYY	
	SSCOT (RNAV)-STAR	
Opa Locka (OPF)	(props) V509 HALLR V511 NEWER or	
	(turbo) RSW V7 KUBICor	
	(turbo) V509 HALLR V511 NEWERor	1030-0300
	(jets) RSW CYY CYY-STAR	1030-0300
	(Turbojets-GPS or DME/DME-IRU equipped) RSW CYY SSCOT (RNAV)-STAR	
Orlando (MCO)	LAL MINEE-STAR (Max alt. 12,000 ft)	1030-0300
Vero Beach (VRB)	(at or below 140) V441 DEARY V159	
	(150–170) VRB	1030-0300
West Palm Beach (PBI)	RSW PHK	
• •	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	SABEE JOOOE WLACE (RNAV)-STAR	

NORTHEAST

PREFERRED IFR ROUTES

SPECIAL LOW ALTITUDE ARRIVAL ROUTES FOR ATLANTA TERMINAL AREA (JETS AND TURBOPROPS)

Traffic entering ZTL airspace V97 and East to		
	VXV AWSON-STAR	
	SOT ODF AWSON-STAR	
	SUG ODF AWSON-STARSPA ODF AWSON-STAR	
	ELW ODF AWSON-STAR	
SOUTHEAST	LEW ODI AWOON OTAN	
Traffic entering ZTL airspace South of V66 to	East of a line from ATL to MGR file:	
	IRQ TRBOW-STAR	
	DBN TRBOW-STAR	
	MCN TRBOW-STAR	
SOUTHWEST		
Traffic entering ZTL airspace South of V278 to	o West of a line from ATL to MGR file:	
	LDK V66 LGC MIKEE-STAR	
	MEI V56 MGM LGC MIKEE-STAR	
	MVC MGM LGC MIKEE-STAR	
	CEW MGM LGC MIKEE-STAR	
	SZW PZD CSG LGC MIKEE-STAR	
NORTHWEST		
Traffic entering ZTL airspace on V278 and No		
	IGB V278 VUZ V417 MAYES V325 DALAS	
	HAB V159 VUZ V417 MAYES V325 DALAS	
	MSL V325 DALAS	
	DCU V541 GAD V325 DALAS	
	RQZ BUNNI-STAR	
	BNA V5 GQO BUNNI-STAR	
	SYI V67 GQO BUNNI-STAR	
	BWG V243 GQO BUNNI-STAR	
	LVT V51 HCH V333 GQO BUNNI-STAR HYK V333 GQO BUNNI-STAR	
SPECIAL LOW	ALTITUDE DIRECTIONAL ROUTES	
		Effective
		Times
	Route	(UTC)
Low Altitude IFR routes for traffic overflying th		(010)
· -	PSK V37 CAE (90 and 100 only)	4400 0000
		1100-0300
	SPA V54 LOCAS (90 and 100 only)	1100-0300
	GRD V66 SDZ (30-100 only)	1100-0300
Low Altitude IFR single-direction routes for tra	, , ,	
Southbound	RMG V154 MCN (70 MSL)	1100-0300
Northbound	MCN LOGEN NELLO (70 MSL, RNAV)	1100-0300
	HIGH ALTITUDE	
		Effective
	_	Times
Terminals	Route	(UTC)
ATLANTA (ATL)		
Austin (AUS)	WEONE J239 MEI AEX LFK	1100-0300
Baltimore (BWI)	EAONE SPA J14 RIC OTT-STAR	1100-0300
Boca Raton (BCT)	(GPS or DME/DME-IRU equipped) BRAVS	
	(RNAV)-DP WALET OTK PRRIE (RNAV)-STAR	1100-0300
Boston (BOS)	EATWO GRD J209 RDU J207 FKN J79 JFK	
	ORW-STAR	1100-0300
Chicago Midway (MDW)	(/E/G/R/S/L/Q only) NOONE J89 IIU OKK FISSK	

(RNAV)-STAR....

(Non-Advanced RNAV only) NOONE J89 IIU OKK V285 CLEFT OXI CGT

1100-0300

1100-0300

Terminals	Route	Effective Times (UTC)
Chicago O'Hare (ORD)	(non-Advanced RNAV only) CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR	1100-0300
	or (/E/G/R/J/L/Q only) CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR or	1100-0300
Cincinnati (CVG) Charlotte (CLT) Cleveland (CLE)	J89 IIU MZZ OXI NOTWO J43 VXV HARDU-STAR. GRD ADENA (RNAV-STAR) SUMMT (RNAV)-DP VXV J91 BULEY J91 HNN TVT KEATN-STAR.	1100-0300 1100-0300
Columbus (CMH) Denver (DEN)	NOTWO J43 VXV J91 HNN BREMN-STAR WETWO VUZ J41 MEM RZC PER GCK J154 RYLIE	1100-0300
Detroit/Wayne (DTW)	DANDD-STAR SUMMT (RNAV)-DP VXV J91 HNN WEEDA-STAR SOONE J89 HITTR PIE FORTL-STAR	1100-0300 1100-0300
Tott Lauderdale (LL)	or (GPS or DME/DME-IRU equipped) BRAVS	1100-0300
Fort Myers (FMY and RSW)	(RNAV)-DP WALET OTK JINGL (RNAV)-STAR (Turbojets-GPS or DME/DME-IRU equipped) THRSR (RNAV)-DP LUCKK SZW TYNEE	1100-0300
Gainesville (GNV) Houston (HOU)	(RNAV)-STARSOONE J89 OTK(DME/DME-IRU or GPS-equipped) JAMMR AEX	1100-0300 1100-0300
Houston (IAH)	ROKIT (RNAV)-STAR	
Kennedy (JFK) La Guardia (LGA) Louisville (SDF) Marco Island (MKY)	JAMMR AEX TXMEX (RNAV)—STAR EATWO GRD J209 ORF J121 SIE CAMRN—STAR EAONE AHN J208 HPW J191 PXT KORRY—STAR NOONE HCH DARBY—STAR SOTWO J43 SZW PIKKR (RNAV)—STAR	1100-0300 1100-0300 1100-0300
Miami (MIA)	SOONE J89 J75 TEPEE ZEILR-STAR(all others) SOTWO SZW J43 PIE CYY-STAR	1100-0300
Minneapolis (MSP) Naples (APF)	(Turbojets-GPS or DME/DME equipped) THRSR (RNAV)-DP LUCKK SZW SSCOT (RNAV)-STAR NOONE J89 IIU J89 BAE EAU-STAR SOTWO J43 SZW PIKKR (RNAV)-STAR	1100-0300 1100-0300
Newark (EWR)	GSO J14 J51 FAK DYLIN-STARor (GPS or DME/DME-IRU equipped) GSO J14 J51	1100-0200
Orlando (MCO)	FAK PHLBO (RNAV)-STAR SOONE J89 OTK LEESE-STAR or	1100-0200 1100-0300
Orlando (ORL)	(GPS or DME/DME-IRU equipped) SOONE J89 OTK PIGLT (RNAV)-STAR(GPS or DME/DME-IRU equipped) SOONE J89 OTK PIGLT (RNAV)-STAR	1100-0400 1100-0400
Philadelphia (PHL) Raleigh-Durham (RDU) Sarasota/Bradenton (SRQ) Tampa (TPA)	EAONE SPA J14 J51 FAK DPNT-STAR EATWO IRQ CAE BUZZY-STAR J43 SZW CLAMP-STAR SOTWO J43 SZW DARBS-STAR	1100-0300 1100-0300 1100-0300 1100-0300
Teterboro (TEB)	or (GPS or DME/DME–IRU equipped) SOTWO J43 SZW FOXXX (RNAV)–STAR	1100-0300 1100-0300
	JAIKE-STAR or (Non-Advanced Nav Only) EAONE SPA J14 J51 FAK BRV AML J227 J49 J70 LVZ LVZ-STAR	1100-0300

1

Washington Natl (DCA)	
or	1100-0300
EAONE SPA J14 RIC IRONS-STAR	4400 0200
Windsor Locks (BDL) EATWO GRD J209 RDU J207 FKN J79 JFK DPK	1100-0300 1100-0300
AUGUSTA (AGS) Kennedy (JFK) GRD J209 ORF J121 SIE CAMRN-STAR BIRMINGHAM (BHM)	1100 0000
Baltimore (BWI)	
or	1100-0300
	1100-0300 0000-2359
BNA CCT VHP FWA MIZAR-STAR Houston (HOU)(DME/DME-IRU or GPS-equipped) MEI AEX ROKIT (RNAV)-STAR	
(Non-advanced NAV only) MEI AEX DAS-STAR Houston (IAH)	
(Non-advanced NAV only) MEI AEX DAS-STAR Washington Dulles (IAD)	
(GPS or DME/DME-IRU equipped) ATL J014 RIC OJAAY (RNAV)-STAR CHARLESTON (CHS)	
Baltimore (BWI)	1100-0400
RIC RAVNN (RNAV)-STAR	1100-0400
or (Non-advanced NAV only) MGM J37 SJI AEX DAS-STAR Houston (IAH) (DME/DME-IRU or GPS-equipped) MGM J37 SJI WOLDE (RNAV)-STAR	
or (Non-advanced NAV only) MGM J37 SJI AEX DAS-STAR Philadelphia (PHL)	1100-0400
(GPS or DME/DME-IRU equipped) J55 FLO J207 RDU FAK BARIN-STAR CHARLOTTE (CLT) Baltimore (BWI)	1100-0300
or (GPS or DME/DME-IRU equipped) MERIL RDU	1100-0300
Boston (BOS) MERIL RDU J207 FKN J79 JFK ORW-STAR	1100-0300

Terminals	Route	Effective Times (UTC)
Chicago O'Hare (ORD)	or SADIE HVQ APE J178 FWA GOSHEN-STAR (/E/G/R/J/L/Q only) SADIE FLM HEVAN MZZ	1100-030
onleage o Hare (OND)	ROYKO (RNAV)-STARor	1100-030
	(non-advanced RNAV only) SADIE FLM HEVAN	
	MZZ MZZ344/33 OXI KNOX-STAR	1100-030
Cincinnati (CVG)	(RNAV only) HMV JAKIE (RNAV)-STAR or	
	(all others) HMV HARDU-STAR	
Denver (DEN)	HARAY SPA SPA270 VXV125 VXV BNA FAM J112	
Detroit (Merce (DTM)	BUM J110 GCK J154 RYLIE DANDD-STAR	1100-030
Detroit/Wayne (DTW)	HUGO-DP ROBAY BKW GEMNI-STAR	
Houston (HOU)	(DME/DME-IRU or GPS-equipped) AHN MGM J37 SJI WOLDE (RNAV)-STAR	
	Or (DMF/DMF_IRIL or GPS_equipped) AHN ATL 11.4	
	(DME/DME-IRU or GPS-equipped) AHN ATL J14 VUZ AEX ROKIT (RNAV)-STAR	
	or (Non-advanced NAV only) AHN ATL J14 VUZ AEX	
	DAS-STAR	
	or (DME/DME-IRU or GPS equipped) AHN MGM J37	
	SJI Columbia (RNAV)–STAR	
Houston (IAH)	(Turbojets-DME/DME-IRU or GPS-equipped) AHN	
	ATL J14 VUZ AEX TXMEX (RNAV)-STAR or	
	(Non-advanced NAV only) AHN ATL J14 VUZ AEX DAS-STAR	
Kennedy (JFK)	MERIL RDU J209 ORF J121 SIE CAMRN-STAR	
La Guardia (LGA)	MERIL RDU J55 HPW J191 PXT KORRY-STAR	1100-03
Louisville (LOU)	SADIE LOZ V310 IIU	1100-03
Newark (EWR)	RDU FAK DYLIN-STAR	1100-03
	or (GPS or DME/DME-IRU equipped) RDU FAK	
Newfolk (ODE)	PHLBO (RNAV)-STAR	1100-03
Norfolk (ORF)	MERIL RDU TYI CVI V1 DRONE MERIL RDU248 J51 FAK DPNT-STAR	1100-03
Philadelphia (PHL)	MERIL RDU LVL	1100-04
Teterboro (TEB)	(Advanced Nav Only) MERIL RDU FAK JAIKE-STAR or	1100-03
	(Non-Advanced Nav Only) MERIL RDU FAK BRV	
Weekington Duller (IAD)	AML J227 J49 J70 LVZ LVZ-STAR	1100-03
Washington Dulles (IAD)	MERIL RDU248 J51 FAK COATT-STAR	1100-03
Washington Natl (DCA)	MERIL RDU J52 RIC IRONS-STAR	
	(GPS or DME/DME-IRU equipped) MERIL RDU	
	J52 OJAAY (RNAV)-STAR	
Windsor Locks (BDL)	MERIL RDU J207 FKN J79 JFK DPK DPK-STAR	
CHATTANOOGA (CHA)	//E/G/P/I/I/O only) CLAZP HODAD VOSTK	
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR	0000-23
	or	0000 200
	(non-advanced RNAV only) GLAZR HOPAP VOSTK	
	HEVAN MZZ MZZ344/33 OXI KNOX-STAR	0000-235
CINCINNATI (CVG)		
Albany (ALB)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB	
Allentown (ABE)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
Atlanta (ATL)	AHTIY JST HAR	
Atlanta (ATL)	(RNAV only) BLUEGRASS-DP BWG ERLIN (RNAV)-STAR	
	Or	
Baltimore (BWI)	(all others) BLUEGRASS-DP BWG ROME-STAR	
DaitiiiiUle (DWI)	V128 YRK HVQ J8 CSN OTT-STAR	

Terminals	Route	Times (UTC)
Terrimais	(GPS or DME/DME-IRU equipped) V128 YRK HVQ	(010)
	J8 CSN RAVNN (RNAV)–STAR	
Birmingham (BHM) Boca Raton (BCT)	BLUEGRASS-DP TRFWA LVT SYI VUZ (GPS or DME/DME-IRU equipped)	
,	BLUEGRASS-DP TRFWA NOTWO WALET HITTR	
	LATHY PRRIE (RNAV)-STARor	
	(GPS or DME/DME-IRU equiped) BLUEGRASS-DP HYK VXV J43 ATL J89 OTK PRRIE (RNAV)-STAR.	
Boston (BOS)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB HNK ALB GDM GARDNER-STAR	
Chicago O'Hare (ORD)	(Advanced NAV only) MIE MZZR ROYKO (RNAV)-STAR	
	or (Non-Advance Nav only) DQN FWA KNOX-STAR or	
Dallas/Ft. Worth (DFW)	DQN FWA WATSN (RNAV)-STARIIU PXV J131 LIT BYP	
Fort Lauderdale (FLL)	(GPS or DME/DME-IRU equipped)	
	BLUEGRASS-DP TRFWA NOTWO OTK JINGL (RNAV)-STAR	
	or (all others) BLUEGRASS-DP HYK VXV J43 ATL J89	
Fort Myers (FMY)	HITTR J75 FORTL-STAR(Turbojets-GPS or DME/DME-IRU equipped) HYK	
Fort Myers (RSW)	VXV J43 SZW TYNEE (RNAV)-STAR(GPS or DME/DME-IRU equipped) HYK VXV J43	
Harrishauer (MDT)	SZW TYNEE (RNAV)-STAR	1100-0300
Harrisburg (MDT)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY JST HAR	
Houston (HOU)	(GPS or DME/DME-IRU equiped) LIT J180 SWB ROKIT (RNAV)-STARor	
	(Non-advanced NAV only) LIT J180 SWB	
Houston (IAH)	DAS-STAR(Turbojets-GPS or DME/DME-IRU equipped) LIT	
	J180 SWB TXMEX (RNAV)-STAR or	
	(Non-advanced NAV only) LIT J180 SWB DAS-STAR	
Jackson (JAN)	BLUEGRASS-DP TRFWA LVT SYI VUZ JAN	
La Guardia (LGA)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB MILTON-STAR	1000-1800
Manchester (MHT)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB ALB EEN	
Marco Island (MKY)	HYK VXV J43 SZW PIKKR (RNAV)-STAR	
Miami (MIA)	(Turbojets–GPS or DME/DME–IRU equipped)	
	BLUEGRASS-DP TRFWA NOTWO SZW SSCOT (RNAV)-STAR or	
	(all others) BLUEGRASS-DP HYK VXV J43 ATL	
Mobile (MOB)	SZW J43 PIE CYY-STAR BLUEGRASS-DP TRFWA LVT SYI VUZ SJI	
Naples (APF)	HYK VXV J43 SZW PIKKR (RNAV)-STAR	
Newark (EWR)	ROD J29 J584 SLT FQM-STAR	
Newburgh (SWF)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 HNK DNY V483 FILPS	
New Orleans (MSY)	BLUEGRASS-DP TRFWA LVT SYI VUZ J22 MEI RYTHM-STAR	
Orlando Executive (ORL)	HYK VXV J99 IRQ J85 AMG LEESE-STAR or	1100-0300
	(GPS or DME/DME-IRU equipped) HYK VXV J99	
	IRQ J85 AMG SHEMP MTATA PIGLT (RNAV)-STAR	1100-0400
Orlando Intl (MCO)	HYK VXV J99 IRQ J85 AMG LEESE-STAR	1100-0400

Terminals	Route	Effective Times (UTC)
	(GPS or DME/DME-IRU equipped) HYK VXV J99	, ,
Philadelphia (PHL)	IRQ J85 AMG BUGGZ (RNAV)-STAR(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	1100-0400
Phoenix (PHX)	AHTIY JST BUNTS-STARFAM J78 ABQ J18	
	or	
Portland (PWM)	FAM J78 IRW J74 SJN J18(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
Providence (PVD)	AHTIY PSB J49 ALB ENE (RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB J49 HNK TEDDY-STAR	
Sarasota/Bradenton (SRQ)	HYK VXV J43 SZW CLAMP-STAR	
Tampa (TPA)	or	
	(GPS or DME/DME-IRU equipped) HYK VXV J43	
	SZW FOXXX (RNAV)-STAR	
Washington Dulles (IAD)	V128 YRK HVQ ROYIL-STAR or	
	V128 YRK HVQ SHANON (RNAV)-STAR	
Washington Natl (DCA)	V128 YRK HVQ WZRRD-STAR or	
	V128 YRK HVQ ELDEE (RNAV)-STAR	
West Palm Beach (PBI)	(GPS or DME/DME-IRU equipped) BLUEGRASS-DP TRFWA NOTWO OTK WLACE	
	or	
	(GPS or DME/DME-IRU equipped) BLUEGRASS-DP HYK VXV J43 ATL J89 OTK	
	WLACE	
Wilkes Barre/Scranton (AVP)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE ANTIY PSB LVZ	
Windsor Locks (BDL)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
,	AHTIY PSB RKA SWEDE SWEDE-STAR	
DAYTONA BEACH (DAB)		
Charlotte (CLT)	CRG J51 SAV J207 FLO CTF-STARor	
	(Turbojets-GPS or DME/DME-IRU equipped) CRG J51 SAV HUSTN (RNAV)-STAR	
FORT LAUDERDALE METRO AREA		
(FLL, FXE, PMP)		
Albany (ALB)	(Water–Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE	
ANIA- (ATI)	V487 CANAN V130	1000 0000
Atlanta (ATL)	J20 ORL J81 CHESN SINCA-STAR	1000-0300
	(RNAV only) J20 ORL J81 CHESN CANUK (RNAV) -STAR	1000-0300
Baltimore (BWI)	(at or below 310) J20 ORL J53 CRG J51 SAV J55	
	CHS J165 RIC OTT-STAR	1000-0300
	(Water-Turbojets) ZAPPA PERMT AR16 ILM J40 RIC OTT-STAR	1000-0300
	or	
	(at or above 330) J113 CRG J51 SAV J55 CHS J165 RIC OTT-STAR	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) (at or below 310) J20 ORL J53 CRG J51 SAV J55 CHS J165	
	RIC RAVNN (RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) (at or above	
	330) J113 CRG J151 SAV J55 CHS J165 RIC	
	RAVNN (RNAV)-STAR	1000-0300
	Or (Water Turksists CDC or DMF (DMF ID))	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J40 RIC	
	RAVNN (RNAV)-STAR	1000-0300
	INTERNATIONAL CONTRACTOR CONTRACT	1000-0300

414

		Effective
Torminala	Pouto	Times
Terminals Bedford (BED)	Route (Water-Turbojets) ZAPPA PERMT AR16 ILM	(UTC)
bedioid (bEb)	KEMPR SBY J79 JFK DPK MAD HFD	
	GRAYM-STAR	
	or	
	(Water-Turbojets) (Alternate) ZAPPA WOLFO AR18	
	DIW WETRO CEBEE SWL J174 HTO ORW	
	GRAYM-STAR	
Beverly (BVY)	(Water-Turbojets) ZAPPA PERMT AR16 ILM	
	KEMPR SBY J79 JFK DPK MAD HFD	
	GRAYM-STAR	
	or	
	(Water-Turbojets) (Alternate) ZAPPA WOLFO AR18	
	DIW WETRO CEBEE SWL J174 HTO ORW	
Boston (BOS)	GRAYM-STAR(Water-Turbojets) ZAPPA PERMT AR16 ILM	
B03(011 (B00)	KEMPR SBY J79 JFK ORW-STAR	1000-0300
	or	1000 0000
	(at or below 290) J20 ORL J53 CRG J51 SAV J55	
	CHS J79 JFK ORW-STAR	1000-0300
	or	
	(at or above 330) J113 CRG J51 SAV J55 CHS	
	J79 JFK ORW-STAR	1000-0300
Bridgeport (BDR)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW	
	WETRO CEBEE SWL J121 SIE V139 RICED	
Charlotte (CLT)	MAD193 KEYED(at or below 290) J20 ORL J53 CRG J51 SAV	
Ondriotte (OLT)	J207 FLO CTF-STAR	1000-0300
	or	1000 0000
	(at or above 330) J113 CRG J51 SAV J207 FLO	
	CTF-STAR	1000-0300
	or	
	(at or above 330–Turbojets–GPS or	
	DME/DME-IRU equipped) J113 CRG J51 SAV	4000 0000
	HUSTN (RNAV)-STAR	1000-0300
	or (at or below 290-Turbojets-GPS or	
	DME/DME-IRU equipped) J20 ORL J53 CRG	
	J51 SAV HUSTN (RNAV)-STAR	1000-0300
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK	
	FISSK (RNAV)-STAR	1000-0300
	or	
	(non-advanced RNAV only) CTY J91 ATL J89 IIU	
Obligate Olliera (ODD)	OKK V285 CLEFT OXI CGT	1000-0300
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT	
	GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	1000-0300
	(RNAV)-STAR	1000-0300
	(non-advanced RNAV only) LAL CTY J91 ATL	
	CADIT GLAZR HOPAP VOSTK HEVAN MZZ	
	MZZ344/33 OXI KNOX-STAR	1000-0300
	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR	
Cincinnati (CVG)	(all others) CTY J91 VXV HARDU-STAR	1000-0300
	Of (DNAM) and OTY IOA MAY TAKE (DNAM) CTAD	
Cleveland (CLE)	(RNAV) only) CTY J91 VXV JAKIE (RNAV)-STAR J20 ORL J53 IRQ J85 HVQ J85 TVT040 KEATN	
olevelana (OLE)	KEATN-STAR	1000-0300
Columbus (CMH)	J20 ORL J81 IRQ J53 SPA J85 HVQ HNN	1000 0000
,	BREMN-STAR	1000-0300
Cross City (CTY)	J85 LLAKE CTY	1030-0300
	or	
B. II. (5 . III. II. (BEI)	CTY	4000 05
Dallas/Fort Worth (DFW)	LAL J73 SZW J2 CEW J50 AEX CQY	1000-0300
	or SRQ Q100 REDFN Q105 HRV J58 AEX CQY	1000-0300
	21/6 6100 HEDLIA 6102 HEA 120 MEV OG 1	1000-0300

Terminals	Route	Effective Times (UTC)
Danbury (DXR)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR	(0.0)
Daytona Beach (DAB) Denver (DEN)	J20 LLNCH MLB V3 LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE	1030-0300
	DANDD-STARor or SRQ Q100 REDFN Q105 HRV J58 SPS J168 LAA	1030-0300
Detroit/Wayne (DTW)	QUAIL-STAR J20 ORL J53 SPA HNN WEEDA-STAR	1030-0300
Ann Arbor (ARB)	J20 ORL J81 IRQ J99 VXV J43 FLM DQN CRUXX-STAR	
Pontiac (PTK), Windsor (CYQG) Willow Run (YIP)	J20 ORL J81 IRQ J85 DJB LLEEO-STAR J20 ORL J81 IRQ J99 VXV J43 FLM DQN	
V	CRUXX-STAR	1000-0300
Young (DET) East Hampton (HTO)	J20 ORL J81 IRQ J85 DJB LLEEO-STAR(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121	1000-0300
Farmingdale (FRG)	(Water) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR	
Gainesville (GNV)	J85 LLAKE LAL GNV or LAL GNV (Water–Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 HTO	1030-0300
Hartford (HFD)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD V1	
Houston (IAH)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV WOLDE (RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR or	1000-0300
Houston (HOU)	(Non-advanced NAV only) LAL J73 SZW J2 CEW-030 J50 AEX DAS-STAR(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	1000-0300
Houston (Hoo)	COLUMBIA (RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI COLUMBIA (RNAV)-STAR or	1000-0300
	(Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR	
Indianapolis (IND)	CTY J91 ATL J89 IIU DECEE–STAR(Water–Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SARDI CCC	1000-0300
Jacksonville (CRG) Kennedy (JFK)	J20 ORL J53(Water–Turbojets) ZAPPA WOLFO AR18 WETRO	1030-0300
	CEBEE SWL J121 SIE CAMRN-STAR	1000-0300
	(at or below 290) J20 ORL J53 CRG J51 SAV J55 CHS J121 SIE CAMRN-STARor	1000-0300
	(at or above 330) J113 CRG J51 SAV J55 CHS J121 SIE CAMRN-STAR	1000-0300
La Guardia (LGA)	(Water-Turbojets) ZAPPA PERMT AR16 ILM J40 TYI HPW J191 PXT KORRY-STAR or	1000-0300
	(at or below 290) J20 ORL J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT KORRY-STAR or	1000-0300
Lawrence (LWM)	(at or above 330) J113 CRG J51 SAV J207 RDU J55 HPW J191 PXT KORRY-STAR(Water-Turbojets) (Alternate) ZAPPA WOLFO AR18	1000-0300
	DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	

Terminals	Route	Effective Times (UTC)
Terminas	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	(010)
Louisville (SDF)	GRAYM-STAR CTY J91 ATL HCH DARBY-STAR	1000-0300
Manchester (MHT)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK ALB EEN	1000 0000
Melbourne (MLB)	J20 LLNCH MLB	1030-0300
Minneapolis (MSP) Montreal (CYUL)	CTY J91 ATL J89 BAE EAU-STAR (Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR	1000-0300
Nantucket (ACK)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO V46	
Nashville (BNA)	CTY J91 ATL GQO VOLLS-STAR(Water-Turbojets) ZAPPA PERMT AR16 ILM J109	1000-0300
	FAK DYLIN-STAR	1000-0300
	(at or below 310) J20 ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK DYLIN-STAR	1000-0300
	(at or above 330) J113 CRG J51 SAV J207 FL0	
	J55 J51 FAK DYLIN-STAR	1000-0300
	(GPS or DME/DME-IRU equipped-at or above 330) J113 CRG J51 SAV J207 FLO J55 J51 FAK	
	PHLBO (RNAV)-STAR	1000-0300
	or (GPS or DME/DME–IRU equipped–at or below	
	310) J20 ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR or	1000-0300
	(GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J109 FAK PHLBO (RNAV)-STAR	1000-0300
Newburgh (SWF)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	
New Haven (HVN)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED	
New Orleans (MSY)	MAD193 KEYED SRQ Q100 REDFN Q105 HRV	1000-0300
Ocala (OCF)	LAL J73 SZW J2	1000-0300 1030-0300
ocaia (oor)	or	
Orlando (MCO)	LAL J20 LLNCH GOOFY-STAR	1030-0300 1030-0300
Overwater Routes to the Northeast	(Water–Turbojets) ZAPPA WOLFO AR18 DIW	1030-0300
Overwater Routes to the Northwest	LBV J616	1030-0300
Philadelphia (PHL)	LBV J616 SRQ Q100 REDFN Q105 HRV J58 J20 ORL J53 CRG J51 SAV J55 CHS J121 SWL	1030-0300
	SWL034 RADDS CEDAR LAKE-STAR or	1000-0300
	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL RADDS CEDAR LAKE-STAR	1000-0300
Pittsburgh (PIT)	(at or below 290) J20 ORL J53 CRG J51 CAE PSK EKN IHD NESTO-STAR	1000-0300
	or (at or above 330) J113 CRG J51 CAE PSK EKN IHD NESTO-STAR	1000-0300
Poughkeepsie (POU)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	
Providence (PVD)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO JORDN	
Raleigh-Durham (RDU)	(RNAV)-STAR (at or below 290) J20 ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR	1000-0300

Terminals	Route	Effective Times (UTC)
	or	
	(at or above 330) J113 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR	1000-0300
	(Water-Turbojets) ZAPPA PERMT AR16 ILM	
St Louis (STL)	BRADE-STAR THNDR CTY J151 VISQA QBALL-STARor	1000-0300
	(/E, /G, /R, /J, /L, /Q) THNDR KPASA Q110	
	FEONA VUZ J151 VISQA QBALL-STAR	
Sarasota/Bradenton (SRQ)	LBV J43 ROGAN	1030-0300
	or	4000 0000
Springfield/Chicopee (CEF)	ROGAN(Water-Turbojets) ZAPPA PERMT AR16 ILM	1030-0300
Springheid/Chicopee (CEF)	KEMPR SBY J79 VILLS DPK DEER PARK-STAR	
Tallahassee (TLH)	J85 LLAKE LAL SZW	1030-0300
rananassee (TEII)	or	1030-0300
	LAL	1030-0300
Tampa (TPA)	J85 THNDR LBV BRDGE-STAR	1030-0300
	or	
	BRDGE BRDGE-STARor	1030-0300
	(GPS or DME/DME-IRU equipped) DEAKK DEAKK	
	(RNAV)-STAR	1030-0300
	Or	
	(GPS or DME/DME-IRU equipped) J85 THNDR	4000 0000
Toronto (CYYZ)	LBV DEAKK (RNAV)-STAR(Water-Turbojets) ZAPPA PERMT AR16 ILM J109	1030-0300
	BUF YOUTH-STAR	
Vero Beach (VRB)	J20 ARKES VRB	1030-0300
Washington Dulles (IAD)	(at or below 310) J20 ORL J53 CRG J51 SAV	
	J207 RDU FAK COATT-STAR	1000-0300
	or	
	(at or below 310–GPS or DME/DME–IRU	
	equipped) J20 ORL J53 CRG J51 SAV J207	1000 0000
	RDU FAK BARIN-STAR(at or above 330-GPS or DME/DME-IRU	1000-0300
	equipped) J113 CRG J51 SAV J207 RDU FAK	
	BARIN-STAR	1000-0300
	or	1000-0300
	(at or above 330) J113 CRG J51 SAV J207 RDU	
	FAK COATT-STAR	1000-0300
	or	
	(Water) ZAPPA PERMT AR16 ILM J109 FAK	
	COATT-STAR	1000-0300
	or	
	(Water-GPS or DME/DME-IRU equipped) ZAPPA	4000 0000
Machineton Notl (DOA)	PERMT AR16 ILM J109 FAK BARIN-STAR	1000-0300
Washington Natl (DCA)	(at or below 310) J20 ORL J53 CRG J51 SAV J55	1000 0200
	CHS J165 RIC IRONS-STAR	1000-0300
	(at or above 330) J113 CRG J51 SAV J55 CHS	
	J165 RIC IRONS-STAR	1000-0300
	or	
	(Water-Turbojets) ZAPPA PERMT AR16 ILM J40	
	RIC IRONS-STAR	1000-0300
	or	
	(GPS or DME/DME–IRU equipped–at or below	
	310) J20 ORL J53 CRG J51 SAV J55 CHS J165	4000 00
	RIC OJAAY (RNAV)-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped-at or above	
	330) J113 CRG J51 SAV J55 CHS J165 RIC	
	OJAAY (RNAV)-STAR	1000-0300
	or	

Terminals	Route	Times (UTC)
	(Water-Turbojets-GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J40 RIC OJAAY (RNAV)-STAR	1000-0300
Westfield (BAF)	(Water-Turbojets) ZAPPA PERMIT AR16 ILM KEMPR SBY J79 VILLS DPK DEER PARK-STAR	1000-0300
Westhampton Beach (FOK)	(Water-Turbojets) ZAPPA WOLFO AR18 WETRO CEBEE SWL J121 HTO	
White Plains (HPN)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR or	
	(Water-Turboprops) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR	
Wilmington (ILM)	(Water-Turbojets-Overwater Routes to the NE) ZAPPA PERMT AR16	
Windsor Locks (BDL)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DEER PARK-STAR	
Worcester (ORH)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	
FORT MYERS METRO AREA (RSW, FMY, APF, MKY, PGD)		
Daytona Beach (DAB)	ORL	1030-0300
Gainesville (GNV)	LAL(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	1030-0300
nouston (nou)	COLUMBIA (RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI COLUMBIA (RNAV)-STAR	
	(Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR	
Houston (IAH)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV WOLDE (RNAV)-STAR or	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR	1000-0300
	(Non-advanced NAV only) LAL J73 SZW J2 CEW	
	J50 AEX DAS-STAR	1000-0300
Jacksonville (CRG)	ORL J53(all others) CYY CYY-STAR	1030-0300 1030-0300
WIGHT (WIA)	or (/E, /G, /R, /J, /L, /Q) CYY DEEDS	1030-0300
	(RNAV)-STAR	1030-0300
Ocala (OCF) Orlando (MCO)	LAL LAL MINEE-STAR or	1030-0300 1030-0300
	DOWNN MINEE-STARor	1030-0300
	LALor	1030-0300
	(Turbojets) ORLor	1030-0300
Tallahassee (TLH)	(Turbojets) DOWNN MINEE-STARLAL	1030-0300 1030-0300
Tampa (TPA)	RSW BRDGE-STAR	1030-0300
	V7 ROGAN J43 PIEor	1030-0300
	(GPS or DME/DME-IRU equipped) DEAKK (RNAV)-STAR	1030-0300
Westbound destinations	SRQ Q100 LEV J86	
	BAGGS Q102 LEV J86or	

Tamainala	Posts	Effective Times
Terminals	Route SRQ 100 REDFN Q105 HRV J58	(UTC)
From PAGE FLD (FMY) only: Cincinnati (CVG)	(RNAV only) LAL CTY J91 VXV JAKIE (RNAV)-STAR	
Cleveland Metro (CLE)	(all others) LAL CTY J91 ATL VXV HARDU-STAR LAL CTY J91 HNN TVT KEATN-STAR	
Columbus (CMH)	LAL CTY J91 HNN BREMN-STARLAL CTY J91 VXV J43 FLM DQN MIZAR-STAR	
Detroit Satellites: Ann Arbor (ARB), Willow Run (YIP) Pontiac (PTK), Windsor (CYQG), Young	LAL CTY J91 VXV J43 FLM DQN CRUXX-STAR	
(DET)La Guardia (LGA)	LAL J73 J119 TAY J85 DJB LLEEO-STAR ORL J53 CRG J51 SAV J207 J55 HPW J191 PXT	
Miami (MIA)	(Turbojets-GPS or DME/DME-IRU equipped) CYY	1100-0300
Newark (EWR)	SSCOT (RNAV)-STAR ORL J53 CRG J51 FAK DYLIN-STAR	1100-0400
	(GPS or DME/DME-IRU equipped) ORL J53 CRG J51 FAK PHLBO(RNAV)-STAR	1100-0400
Washington Natl (DCA)	ORL J53 CRG J51 SAV J55 CHS J165 RIC IRONS-STAR	1000-0300
From SW FLORIDA INTL (RSW) only: Atlanta (ATL)	RSW LAL J73 SZW LGC-STAR	1000-0300
,	or (RNAV only) RSW LAL J73 SZW HONIE (RNAV)-STAR	1000-0300
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) RSW LAL CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR	1000-0300
	or (non-advanced RNAV only) RSW LAL CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT	1000-0300
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR	1000-0300
	or (non-advanced RNAV only) LAL CTY J91 ATL	
Cleveland (CLE)	CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 KNOX-STAR RSW LAL J73 J119 TAY J85 IRQ J85 HVQ J85	1000-0300
Columbus (CMH)	TVT040 KEATN KEATN-STAR RSW LAL J73 J119 TAY J85 HVQ HNN BREMN-STAR	1000-0300
Dallas/Ft. Worth (DFW)	RSW SRQ Q100 REDFN Q105 HRV J58 AEX CQY	1000-0300
Denver (DEN)	RSW LAL J73 SZW J2 CEW J50 AEX CQY RSW SRQ Q100 REDFN Q105 HRV J58 SPS J168 LAA QUAIL-STAR	1000-0300
	or RSW LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR	
Detroit/Wayne (DTW) Detroit Satellites:	JOCKS ORL J53 SPA HNN WEEDA-STAR	
Ann Arbor (ARB), Willow Run (YIP) Pontiac (PTK), Windsor (CYQG), Young (DET)	LAL CTY J91 VXV J43 FLM DQN CRUXX-STAR LAL J73 J119 TAY J85 DJB LLEEO-STAR	
Indianapolis (IND)	RSW LAL CTY J91 ATL J89 IIU DECEE-STAR	
Louisville (SDF)	RSW LAL CTY J91 ATL HCH DARBY-STAR (Turbojets-GPS or DME/DME-IRU equipped) CYY SSCOT (RNAV)-STAR	
Minneapolis (MSP)	RSW LAL CTY J91 ATL J89 BAE EAU-STAR	1000-0300
Pittsburgh (PIT)	RSW ORL J53 CRG J51 CAE PSK EKN IHD NESTO-STAR	1000-0300
Raleigh-Durham (RDU)	RSW ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR	

Terminals	Route	Effective Times (UTC)
St Louis (STL)	LAL J73 SZW J41 VUZ STL	1100-0300
Washington Dulles (IAD)	RSW ORL J53 CRG J51 SAV J207 RDU FAK COATT-STARor	1000-0300
	(GPS or DME/DME-IRU equipped) RSW ORL J53 CRG J51 SAV J207 RDU FAK BARIN-STAR	1000-0300
Wahington Natl (DCA)	RSW ORL J53 CRG J51 SAV J55 CHS J165 RIC IRONS-STARor	1000-0300
	(GPS or DME/DME-IRU equipped) RSW ORL J53 CRG J51 SAV J55 CHS J165 RIC OJAAY	1000 0000
GREENSBORO (GSO)	(RNAV)-STAR	1000-0300
Chicago Midway (MDW)	PSK HNN FWA GOSHEN-STAR	1100-0300
Chicago O'Hare (ORD)	PSK HVQ APE J178 FWA GOSHEN-STAR (/E/G/R/J/L/Q only) BOTTM FLM HEVAN MZZ	1100-0300
	ROYKO (RNAV)-STAR or	1100-0300
	(non-advanced RNAV only) BOTTM FLM HEVAN	
Cincinnati (LUK)	MZZ MZZ344/33 OXI KNOX-STAR PSK HVO FLM	1100-0300 0700-2300
Detroit/Wayne (DTW)	BOTTM BKW GEMNI-STAR	0700-2300
La Guardia (LGA)	J14 PXT KORRY-STAR	
Louisville (SDF)	VXV J99 GHATS EWO IIU	0700-2300
Newark (EWR)	J14 J51 FAK DYLIN-STARor	
	(GPS or DME/DME-IRU equipped) J14 J51 FAK PHLBO (RNAV)-STAR	
GREER (GSP) Detroit/Wayne (DTW)	SPA HMV HNN WEEDA-STAR	
HUNTSVILLE (HSV)		
Chicago O'Hare (ORD)	MEM FTZ BDF BDF-STAR(RNAV only) BNA IMPEL VHP FWA MIZAR-STAR	0000–2359
	or BNA CCT VHP FWA MIZAR-STAR	
JACKSONVILLE METRO AREA (JAX)		
Baltimore (BWI)	J51 SAV J55 CHS J79 TYI J40 RIC OTT-STAR or	1100-0400
	(GPS or DME/DME-IRU equipped) J51 SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)-STAR	1100-0400
Charlotte (CLT)	J53 IRQ UNARM-STARor	
	J51 SAV J207 FLO CTF-STARor	
	(Turbojets-GPS or DME/DME-IRU equipped) J51 SAV HUSTN (RNAV)-STAR	
	or (Turbojets-GPS or DME/DME-IRU equipped) J53	
Objects Officer (ODD)	IRQ ADENA (RNAV)—STAR	
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) SAV CAE HMV FLM HEVAN MZZ ROYKO (RNAV)-STAR	0000-2359
	(non-advanced RNAV only) SAV CAE HMV FLM	
Datasit Attacas (DTM)	HEVAN MZZ MZZ344/33 OXI KNOX-STAR	0000–2359
Detroit/Wayne (DTW) Houston (HOU)	NOWAY J53 SPA HNN WEEDA-STAR (GPS or DME/DME-IRU equipped) TAY J2 SJI	
, ,	COLUMBIA (RNAV)-STAR	
	(Non-advanced NAV only) TAY J2 CEW J50 AEX	
	DAS-STAR	
Houston (IAH)	(GPS or DME/DME-IRU equipped) TAY J2 SJI WOLDE (RNAV)-STAR	
	or	

Terminals	Route	Effective Times
reminals	(Non-advanced NAV only) TAY J2 CEW J50 AEX	(UTC)
La Guardia (LGA)	DAS-STAR J51 SAV J207 RDU J55 HPW J191 PXT	
Newark (EWR)	KORRY-STARCRG J51 FAK DYLIN-STAR	1100-0400
	or (GPS or DME/DME–IRU equipped) CRG J51 FAK	
Philadelphia (PHL)	PHLBO (RNAV)-STAR J51 SAV J55 CHS J121 SWL SWL034 RADDS	
Tampa (TPA)	VCN-STAR TAY LZARD-STAR	1100-0400
	or (GPS or DME/DME-IRU equipped) TAY DADES	
Washington Dulles (IAD)	(RNAV)-STARSAV CHS J165 J109 FAK COATT-STARor	1100-0400
	(GPS or DME/DME-IRU equipped) SAV J207 RDU	
	FAK BARIN-STAR	1100-0400
Washington Natl (DCA)	J51 SAV J55 CHS J165 RIC IRONS-STAR or	1100-0400
	(GPS or DME/DME-IRU euipped) J51 SAV J55 CHS J165 RIC OJAAY (RNAV)-STAR	1100-0400
KEY WEST METRO AREA (NQX)		
Daytona Beach (DAB)	J41 RSW ORL	1030-0300
Fort Lauderdale (FLL)	(all others) EYW DVALL-STARor	1030-0300
	(/E, /G, /R, /J, /L, /Q) EYW CURSO	
Fort Marrie (DOM)	(RNAV)-STAR	1030-0300
Fort Myers (RSW)	J41 PHK	1030-0300 1030-0300
Miami (MIA)	(all others) EYW DVALL-STAR	1030-0300
	(/E, G, /R, /J, /L, /Q) EYW CURSO (RNAV)-STAR.	1030-0300
Orlando (MCO)	J41 RSW MINEE-STAR	1030-0300
Palm Beach (PBI)	PHK	1030-0300
Sarasota/Bradenton (SRQ)	J41 RSW V7 ROGAN	1030-0300
Tallahassee (TLH)	J41 RSW LALor	1030-0300
Tamas (TDA)	(at or above FL360) J41 RSW TEPEE SZW	1030-0300
Tampa (TPA)	J41 RSW ROGAN BRDGE BRDGE-STAR	1030-0300
	(GPS or DME/DME-IRU equipped) J41 RSW ROGAN DEAKK DEAKK (RNAV)-STAR	1000-0300
Vero Beach (VRB)	PHK	1030-0300
KNOXVILLE (TYS)		
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) VXV HEVAN MZZ ROYKO	
	(RNAV)-STARor	0000–2359
	(non-advanced RNAV only) VXV HEVAN MZZ	
Cleveland Metro (CLE)	MZZ344/33 OXI KNOX-STAR	0000–2359
Detroit/Wayne (DTW)	VXV J91 BULEY J91 HNN TVT KEATN-STAR VXV J91 HNN WEEDA-STAR	
La Guardia (LGA)	BKW J42 GVE KORRY-STAR	
LAKELAND METRO AREA (LAL, GIF, BOW, BKV, X16)		
Fort Lauderdale (FLL)	(Jets only-all others) RSW FORTL-STAR	
Key West Intl (EYW)	RSW J41	1030-0300
Miami (MIA)	(Turbojets-GPS or DME/DME-IRU equipped) CYY	
West Palm Beach (PBI)	SSCOT (RNAV)-STAR(Turbojets-GPS or DME/DME-IRU equipped)	
WOSE FAIIII DEAGH (FDI)	WLACE (RANV)-STAR	1030-0300
LEXINGTON (LEX)		
Atlanta (ATL)	(RNAV only) AZQ SOT FLCON (RNAV)-STAR	
Cleveland (CLE)	CVG ABERZ-STAR	

Effective Times (UTC)

Terminals	Route	Times (UTC)
LOUISVILLE METRO AREA (LOU, SDF)		
From BOWMAN FIELD (LOU) only Dallas/Ft Worth (DFW)	PXV J131 LIT BYP	
Phoenix (PHX)	FAM J78 ABQ J18	
	or FAM J78 IRW J74 SJN J18	
From LOUISVILLE INTL (SDF) only		
Atlanta (ATL)	MYS BWG ROME-STAR	
	(RNAV only) MYS BWG RMG ERLIN (RNAV)-STAR	
Cleveland Metro (CLE)	CVG ABERZ-STAR	
Houston (HOU)	(GPS or DME/DME-IRU equipped) SWB ROKIT (RNAV)-STAR	
	Or	
Houston (IAH)	(Non-advanced NAV only) SWB DAS-STAR (Turbojets-GPS or DME/DME-IRU equipped) SWB	
nouston (viii)	TXMEX (RNAV)-STAR	
	(Non-advanced NAV only) SWB DAS-STAR	
MEMPHIS (MEM)	7,	
Baltimore (BWI)	J42 BKW J147 CSN OTT-STAR	
	(GPS or DME/DME-IRU equipped) J42 BKW J147	
Boca Raton (BCT)	CSN RAVNN (RNAV)-STAR(GPS or DME/DME-IRU equipped) MGM SZW	
Book Naton (BoT)	PRRIE (RNAV)–STAR	
Boston (BOS)	J42 BNA J46 VXV SPA SPA100 J209 RDU J207 FKN J79 JFK ORW-STAR	
	0f	
	J118 SPA SPA100 J209 RDU J207 FKN J79 JFK ORW-STAR	
Cincinnati (CVG)	(RNAV only) J29 PXV SARGO (RNAV)-STAR	
	(all others) J29 PXV MOSEY-STAR	
Cleveland (CLE)	PXV ABERZ-STAR RZC PER GCK J154 RYLIE DANDD-STAR	
Denver (DEN) Detroit/Wayne (DTW)	J29 PXV VHP FWA MIZAR-STAR	
Houston (HOU)	(DME/DME-IRU or GPS-equipped) LIT J180 SWB	
	ROKIT (RNAV)-STAR	
	(Non-advanced NAV only) LIT J180 SWB	
Haveten (IAH)	DAS-STAR	
Houston (IAH)	(Turbojets-DME/DME-IRU or GPS-equipped) LIT J180 SWB TXMEX (RNAV)-STAR	
	or (Non-advanced NAV only) LIT J180 SWB	
	DAS-STAR	
Kennedy (JFK)	J118 SPA SPA100 J209 ORF J121 SIE	
La Guardia (LGA)	CAMRN-STAR	
Louisville (SDF)	BNA BNA037 BARRY EWO	
	Or	
Minneapolis (MSP)	Q29 SIDAE CHERI CHERI–STAR	1300-0300
Newark (EWR)	J42 GVE DYLIN-STAR	
	or	
	(GPS or DME/DME-IRU equipped) J42 GVE PHLBO (RNAV)-STAR	
Orlando (ORL/MCO)	MGM SZW J43 PIE LAL	1100-0400
	or	
	GPS or DME/DME-IRU equipped) MGM SZW J43 PIE COSTR (RNAV)-STAR	1100-0400
	or	0.00
Dhiladalahia (DIII.)	J41 MGM S2W J43 PIE LAL	
Philadelphia (PHL) Pittsburgh (PIT)	J42 GVE DPNT-STAR J29 PXV IIU HNN WISKE-STAR	
9 , ,		

Terminals	Route	Effective Times (UTC)
Sarasota/Bradenton (SRQ)	MGM SZW CLAMP-STARMGM SZW DARBS-STAR	1100-0400
Tampa (TPA)	or (GPS or DME/DME-IRU equipped) MEM SZW	1100-0400
	FOXX (RNAV)-STAR	1100-0400
Washington Dulles (IAD)	J42 BKW ROYIL-STAR	1100-1830
	PXV IIU J8 HVQ SHNON (RNAV)-STAR or	1830–2230
	J42 BKW SHNON (RNAV)-STAR	2230-0300
Washington Natl (DCA)	PXV IIU J8 HVQ ROYIL-STAR	1830–2230
West Palm Beach (PBI)	ELDEE (RNAV)-STAR MGM SZW WLACE (RNAV)-STAR J42 BNA J46 VXV SPA SPA100 J209 RDU J207	
MIAMI METRO AREA	FKN J79 JFK DPK DPK-STAR	
(MIA, HWO, OPF, TMB, HST, X51)		
Albany (ALB)	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE	
Atlanta (ATL)	V487 CANAN V130 J81 CHESN SINCA-STAR	1000-0300
Baltimore (BWI)	or (RNAV only) J81 CHESN CANUK (RNAV)-STAR J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC	1000-0300
	OTT-STAR	1000-0300
	(Water-Turbojets) VALLY PERMT AR16 ILM J40 RIC OTT-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped) J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC RAVNN	
	(RNAV)-STARor	1000-0300
	(GPS or DME/DME-IRU equipped) VALLEY PERMT AR16 ILM J40 RIC RAVNN (RNAV)-STAR	1000-0300
Bedford (BED)	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR	1000-0300
	or (Water–Turbojets) VALLY WOLFO AR18 DIW	
	WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
Beverly (BVY)	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	
	GRAYM-STARor	
	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
Boston (BOS)	J53 CRG J51 SAV J55 CHS J79 JFK ORW-STAR or	1000-0300
	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK ORW-STAR	
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STARor	1000-0300
	(non-advanced RNAV only) CTY J91 ATL J89 IIU	4000 0000
Chicago O'Hare (ORD)	OKK V285 CLEFT OXI CGT (/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	1000-0300
	(RNAV)-STAR	1000-0300

Terminals	Route	Effective Times (UTC)
	or	
	(non-advanced RNAV only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ	4000 0000
Cincinnati (CVG)	MZZ344/33 OXI KNOX-STAR (RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR or	1000-0300
Columbus (CMH)	(all others) CTY J91 VXV HARDU-STAR J81 IRQ J53 SPA J85 HVQ HNN BREMN-STAR	1000-0300
Cross City (CTY)	J616 SRQ Q100 REDFN Q105 HRV J58 AEX CQY .	1030-0300 1000-0300
Danbury (DXR)	LAL J73 SZW J2 CEW J50 AEX CQY(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR	1000-0300
Daytona Beach (DAB) Denver (DEN)	J53 HEDLY MLB V3 or MLB V3 LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR	1030-0300
Detroit/Wayne (DTW) Detroit Satellites:	J53 SPA HNN WEEDA-STAR	
Ann Arbor (ARB), Detroit (DET), Pontiac (PTK), Windsor (CYQG)	J81 IRQ J99 VXV J43 FLM DQN CRUXX-STAR	
Willow Run (YIP)	104 IDO 105 DID I I EEO CTAD	
Ann Arbor (ARB)	J81 IRQ J85 DJB LLEEO-STAR	1020 0200
Fort Pierce (FPR) Farmingdale (FRG)	J53 HEDLY or FPR (Water–Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN–STAR	1030-0300
Gainesville (GNV)	Direct	1030-0300
Hampton (HTO)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121	
Hartford (HFD)	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD V1	
Houston Intenti (IAH)	(DME/DME-IRU or GPS-equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR or (Non-advanced NAV only) LAL J73 SZW J2 CEW	1000-0300
	J50 AEX DAS-STARor	1000-0300
Houston Hobby (HOU)	J616 SRQ Q100 LEV WOLDE (RNAV)-STAR (DME/DME-IRU or GPS-equipped) LAL J73 SZW J2 SJI COLUMBIA (RNAV)-STAR	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) J616 SRQ Q100 LEV COLUMBIA (RNAV)-STAR	1000-0300
	or (Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR	1000-0300
Indianapolis (IND)	LAL CTY J91 ATL J89 IIU DECEE-STAR	1000-0300
Islip (ISP)	(Water–Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SARDI CCC	1000-0300
Jacksonville (JAX)	J53	1030-0300
Kennedy (JFK)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR	1000-0300
	UI 153 ODG 154 SAV 155 OHG 1404 CIT	
	J53 CRG J51 SAV J55 CHS J121 SIE	4000 0000
La Guardia (LGA)	CAMRN-STAR (Water) VALLY PERMT AR16 ILM J40 TYI HPW J191 PXT KORRY-STAR	1000-0300
	or J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT	1000 0000
Lawrence (LWM)	KORRY-STAR(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR	1000-0300
	or	

Towningle	Bouto	Effective Times
Terminals	Route (Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW	(UTC)
	GRAYM-STAR	4000 0000
Louisville (SDF) Manchester (MHT)	CTY J91 ATL HCH DARBY-STAR(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK ALB EEN	1000-0300
Melbourne (MLB)	J53 HEDLY or DRCT	1030-0300
Minneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STAR	1000-0300
Montreal (CYUL)	VALLY PERMT AR16 ILM KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR	
Nantucket (ACK)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO V46	
Nashville (BNA) Newark (EWR)	CTY J91 ATL GQO VOLLS-STAR(Water) VALLY PERMT AR16 ILM J109 FAK DYLIN-STAR	1000-0300
	J53 CRG J51 SAV J207 FLO J55 J51 FAK DYLIN-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped) J53 CRG J51	
	SAV J207 FLO J55 J51 FAK PHLBO	4000 0000
	(RNAV)-STARor	1000-0300
	(GPS or DME/DME-IRU equipped) VALLY PERMT	
	AR16 ILM J109 FAK PHLBO (RNAV)-STAR	1000-0300
Newburgh (SWF)	(Water-Turbojets) VALLY PERMT AR16 ILM	
New Herry (IDA)	KEMPR SBY J79 JFK DPK HUDSON–STAR	
New Haven (HVN)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED	
New London/Groton (GON)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 HTO	
New Orleans (MSY)	LAL J73 SZW J2	1000-0300
	(Water) J616 SRQ Q100 REDFN Q105 HRV	1000-0300
Ocala (OCF)	J73 LAL or DRCT	1030-0300
Orlando (MCO)	J53 PHK GOOFY-STARor	1030-0300
Overwater Routes to the Northeast	(PHK GOOFY-STAR (Water-Turbojets) VALLY PERMT AR16 ILM or	
	(Water-Turbojets) VALLY WOLFO AR18 DIW	
Overwater Routes to the Northwest	J616 SRQ Q100 LEV J86	1030-0300
Philadelphia (PHL)	J616 SRQ Q100 REDFN Q105 HRV J58 J53 CRG J51 SAV J55 CHS J121 SWL SWL034	1030-0300
	RADDS VCN-STARor	1000-0300
	(Water-Turbojets) VALLY WOLFO AR18 DIW	
Division of (DIT)	WETRO CEBEE SWL RADDS VCN-STAR	1000-0300
Pittsburgh (PIT)	J53 CRG J51 CAE PSK EKN IHD NESTO-STAR	1000-0300
Poughkeepsie (POU)	(Water–Turbojets) VALLY PERMT AR16 ILM	
Providence (PVD)	KEMPR SBY J79 JFK DPK HUDSON-STAR (Water-Turbojets) VALLY WOLFO AR18 DIW	
Flovidelice (FVD)	WETRO CEBEE SWL J174 HTO JORDAN (RNAV)-STAR	
Raleigh-Durham (RDU)	(Water-Turbojets) VALLY PERMT AR16 ILM	
	BRADE-STAR	1000-0300
	J53 CRG J51 SAV J55 CHS J174 ILM	
	BRADE-STAR	1000-0300
St Louis (STL)	Or	1000-0300
	(/E, /G, /R, /J, /L, /Q) WINCO KPASA Q110	
Sarasota/Bradenton (SRQ)	FEONA VUZ J151 VISQA QBALL-STAR J616	1030-0300
Garasota/ Diadentoli (SNQ)	7010	1030-0300

Terminals	Route	Effective Times (UTC)
Tallahassee (TLH)	J73	(/
Tampa (TPA)	or LAL	1030-0300 1030-0300
Toronto (CYYZ)	DEAKK (RNAV)-STAR (Water-Turbojets) VALLY PERMT AR16 ILM J109 BUF YOUTH-STAR	1030-0300
Vero Beach (VRB)	DRCT	1030-0300
Washington Dulles (IAD)	J53 HEDLY J53 CRG J51 SAV J207 RDU FAK COATT-STAR or	1000-0300
	(GPS or DME/DME-IRU equipped) J53 CRG J51 SAV J207 RDU FAK BARIN-STAR or (Water) VALLEY PERMT AR16 ILM J109 FAK	1000-0300
	COATT-STARor	1000-0300
Washington Natl (DCA)	(Water-GPS or DME/DME-IRU equipped) VALLY PERMT AR16 ILM J109 FAK BARIN-STAR (Turbojets) J53 CRG J51 SAV J55 CHS J165 RIC	1000-0300
	IRONS-STARor	1000-0300
	(Water-Turbojets) VALLY PERMT AR16 ILM J40 RIC IRONS-STAR	1000-0300
	SAV J55 CHS J165 RIC OJAAY (RNAV)–STAR or (Water–Turbojets–GPS or DME/DME–IRU	1000-0300
	equipped) VALLY PERMT ILM J40 RIC OJAAY (RNAV)-STAR	1000-0300
Westhampton (FOK)	(Water–Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 HTO	
White Plains (HPN)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR or	
	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR	
Wilmington (ILM) Windsor Locks (BDL)	(Water-Turbojets) VALLY PERMT AR16 (Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR	
Worcester (ORH)	(Water–Turbojets) VALLY PERMT AR16 ILM KEMPR SYB J79 JFK DPK MAD HFD	
MOBILE (MOB)		
Houston (HOU)	(DME/DME-IRU or GPS-equipped) SJI COLUMBIA (RNAV)-STARor	
Houston (IAH)	(Non-advanced NAV only) SJI J50 AEX DAS-STAR. (DME/DME-IRU or GPS-equipped) SJI WOLDE (RNAV)-STAR or	
	(Non-advanced NAV only) SJI J50 AEX DAS-STAR.	
MYRTLE BEACH (MYR) Detroit/ Wayne (DTW)	BKW GEMNI-STAR	
NASHVILLE Baltimore (BWI)	J42 BKW J147 CSN OTT-STAR	
December (DOT)	(GPS or DME/DME-IRU equipped) J42 BKW J147 CSN OTT-STAR	
Boca Raton (BCT)	(GPS or DME/DME-IRU equipped) MGM SZW PRRIE (RNAV)-STAR	

Terminals	Route	Times (UTC)
Boston (BOS)	J46 VXV SPA SPA100 J209 RDU J207 FKN J79 JFK ORW-STAR	(0.0)
Chicago/Midway (MDW)	(/E/G/R/J/L/Q only) IIU OKK FISSK	
, , , , , , , , , , , , , , , , , , , ,	(RNAV)-STAR	0000-2359
	(non-advanced RNAV only) IIU OKK V285 CLEFT OXI CGT	0000-2359
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) IIU HEVAN MZZ ROYKO (RNAV)-STARor	0000-2359
	(non-advanced RNAV only) IIU HEVAN MZZ MZZ344/33 OXI KNOX-STARor	0000–2359
	IIU MZZ OXI KNOX-STAR	
Cincinnati (CVG)	BWG V49 ABB V47 CVG	
Cleveland (CLE) Columbus (CMH)	IIU ABERZ-STAR LVT V493 YRK YRK035 APE168 NIKLS	
Denver (DEN)	FAM J112 BUM J110 GCK J154 RYLIE	
	DANDD-STAR	
Detroit/Wayne (DTW)	(RNAV only) IMPEL VHP FWA MIZAR-STAR or	
	CCT VHP FWA MIZAR-STAR	
Fort Lauderdale (FLL)	(all others) J39 MGM SZW J41 PIE FORTL-STAR	
Fort Myers (FMY, RSW)	(Turbojets-GPS or DME/DME-IRU equipped) J39 MGM J41 SZW SSCOT (RNAV)-STAR	1100-0300
Houston (HOU)	(GPS or DME/DME-IRU equipped) LIT J180 SWB ROKIT (RNAV)-STAR	1100-0300
	or	
	(Non-advanced NAV only) LIT J180 SWB DAS-STAR	
Houston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) LIT J180 SWB TXMEX (RNAV)-STAR or	
	(Non-advanced NAV only) LIT J180 SWB	
	DAS-STAR	
Indianapolis (IND)	J39 IIU DECEE-STAR	
Kennedy (JFK)	J46 VXV SPA SPA100 J209 ORF J121 SIE	
La Occasilla (LOA)	CAMRN-STAR	
La Guardia (LGA) Miami (MIA)	J42 GVE KORRY-STAR (all others) J39 MGM SZW J41 PIE CYY-STAR or	
	(Turbojets-GPS or DME/DME-IRU equipped) J39	
	MGM SZW SSCOT (RNAV)-STAR	
Minneapolis (MSP)	IIU J89 BAE EAU-STAR	
Newark (EWR)	SPA J14 J51 FAK DYLIN-STARor	1100-0400
	(GPS or DME/DME-IRU equipped) SPA J14 J51	1100-0400
Orlando (MCO, ORL)	FAK PHLBO (RNAV)-STAR	1100-0400
	(GPS or DME/DME-IRU equipped) J39 MGM SZW	
	J43 PIE COSTR (RNAV)-STAR	1100-0400
Philadelphia (PHL)	J42 OTT DPNT-STAR	
Pittsburgh (PIT)	IIU HNN WISKE-STAR	
St. Louis (STL)	QBALL-STAR	
Washington Dulles (IAD)	J42 BKW ROYIL-STAR	
	or J42 BKW SHNON (RNAV)–STAR	
Washington Natl (DCA)	J42 BKW WZRRD-STAR	
•	or	
	(GPS or DME/DME-IRU equipped) J42 BKW	
West Dales Deach (DD)	ELDEE (RNAV)—STAR	
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped) MGM SZW WLACE (RNAV)-STAR	

Terminals	Route	Effective Times (UTC)
Windsor Locks (BDL)	J46 VXV SPA SPA100 J209 RDU J207 FKN J79 JFK DPK DPK-STAR	
ORLANDO METRO AREA (MCO, ORL, ISM, LEE, SFB)		
Baltimore (BWI)	(Water-Turbojets-GPS or DME/DME-IRU equipped) MLB LENDS AR16 ILM J40 RIC	
	or	1100–0400
	(GPS or DME/DME-IRU equipped) J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)-STAR	1100-0400
Detroit/Wayne (DTW)	JAGUAR-DP IRQ J53 SPA HNN WEEDA-STAR VRB	1030-0300
Houston (HOU)	(GPS or DME/DME-IRU equipped) PIE REMIS Q100 LEV COLUMBIA (RNAV)-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped) SZW J2 SJI COLUMBIA (RNAV)-STAR	1000-0300
	or (Non-advanced NAV only) SZW J2 CEW J50 AEX	
Houston (IAH)	DAS-STAR(GPS or DME/DME-IRU equipped) PIE REMIS Q100 LEV WOLDE (RNAV)-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped) SZW J2 SJI WOLDE (RNAV)-STAR	
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	1000-0300
Key West (EYW) Overwater Routes to the Northeast	RSW J41(Water-Turbojets) MLB LENDS AR16 ILM	1030-0300
Wilmington (ILM)	(Water-Turbojets) MLB ETECK AR18 DIW (Water-Turbojets) MLB LENDS AR16	
From ORLANDO EXECUTIVE (ORL) only Albany (ALB)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE V487	
Atlanta (ATL)	CANAN V130	
Baltimore (BWI)	(RNAV only) J53 CRG DBN CANUK RNAV-STAR (Water-Turbojets) MLB LENDS AR16 ILM J40 RIC OTT-STAR	1100-0400
	or J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC OTT-STAR	1100-0400
Bedford (BED)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR or	
	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
Beverly (BVY)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR or	
	(Water–Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM–STAR	
Bridgeport (BDR)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193	
Charlotte (CLT)	KEYED J53 CRG J51 SAV J207 FLO CTF-STAR or	
	(Turbojets-GPS or DME/DME-IRU equipped) J53 CRG J51 SAV HUSTN (RNAV)-STAR	

		Effective
Tamainala	Dt-	Times
Terminals	Route	(UTC)
	or (all others) J53 CRG J45 ATL J43 VXV	
	HARDU-STAR	
Cleveland (CLE)	J53 SPA J85 TVT040 KEATN KEATN-STAR	
Columbus (CMH)	J53 SPA J85 HVQ HNN BREMN-STAR	
Dallas/Ft. Worth (DFW)	PIE REMIS Q100 REDFN Q105 HRV J58 AEX CQY.	
Danbury (DXR)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE V139 RICED	
	RICED-STAR	
Denver (DEN)	CTY SZW J41 MEM RZC PER GCK J154 RYLIE	
	DANDD-STAR	
Detroit/Wayne (DTW)	VXV J91 HNN WEEDA-STAR	
Detroit Satellites:		
Detroit (DET), Windsor (CYQG), Pontiac		
(PTK), Willow Run (YIP), Ann Arbor	J53 CRG J45 ATL J91 VXV J43 FLM DQN	
(ARB)	CRUXX-STAR	1100-0400
	or	
	J53 IRQ J85 DJB LLEEO-STAR	
East Hampton (HTO)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 HTO	
Farmingdale (FRG)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE CAMRN-STAR	
Hartford (HFD)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD V1	
Indianapolis (IND)	J53 CRG J45 ATL J89 IIU DECEE-STAR	
Islip (ISP)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SARDI CCC	
Kennedy (JFK)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE CAMRN-STAR	0700-0000
	or	
	J53 CRG J51 SAV J55 CHS J121 SIE	
	CAMRN-STAR	
La Guardia (LGA)	(Water-Turbojets) MLB LENDS AR16 ILM J40 TYI	
	HPW J191 PXT KORRY-STAR	1100-0300
	or J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT	
		1100-0300
Lawrence (LWM)	KORRY-STAR(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	1100-0300
Lawrence (LWW)		
	SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J174 HTO ORW GRAYM-STAR	
Louisville (SDF)	CTY J91 ATL HCH DARBY-STAR	
Manchester (MHT)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
Marionoster (MITT)	SBY J79 JFK ALB EEN	
Minneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STAR	1100-0400
Montreal (CYUL)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	1100 0.00
	SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR	
Nantucket (ACK)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J174 HTO V46	
Nashville (BNA)	CTY J91 ATL VOLLS-STAR	1100-0400
Newark (EWR)	(GPS or DME/DME-IRU equipped-WATER) MLB	
, ,	LENDS AR16 ILM J109 FAK PHLBO	
	(RNAV)-STAR	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) J53 CRG J51	
	SAV J207 FLO J55 J51 FAK PHLBO	
	(RNAV)-STAR	1100-0400
Newburgh (SWF)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK DPK HUDSON-STAR	
New Haven (HVN)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE V139 RICED MAD193	
	KEYED	
New London (GON)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 HTO	

		Effective Times
Terminals	Route	(UTC)
Philadelphia (PHL)	(Water-Turbojets) J53 CRG J55 CHS J121 SWL	
Pittsburgh (PIT)	SWL034 RADDS VCN-STARCRG J51 CAE PSK EKN IHD NESTO-STAR	1100-0400 1100-0400
Poughkeepsie (POU)	(Water–Turbojets) MLB LENDS AR16 ILM KEMPR	1100 0.00
	SBY J79 JFK DPK HUDSON-STAR	
Providence (PVD)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
Springfield (CEF)	CEBEE SWL J174 HTO JORDN (RNAV)-STAR (Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR	
St. Louis (STL)	CTY SZW J41 VUZ J151 VISQA QBALL-STAR	1100-0400
Toronto (CYYZ)	(Water-Turbojets) MLB LENDS AR16 ILM J109 BUF YOUTH-STAR	
Washington Natl (DCA)	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) MLB LENDS AR16 ILM J40 RIC	
	OJAAY (RNAV)-STAR	
	or (Water–Turbojets) MLB LENDS AR16 ILM J40 RIC	
	IRONS-STAR	
Washington Dulles (IAD)	(Water-GPS or DME/DME-IRU equipped) MLB	
	LENDS AR16 ILM J109 FAK BARLIN -STAR	
	or (Water) MLB LENDS AR16 ILM J109 FAK	
	COATT-STAR	
Westfield (BAF)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
Washamatan Basah (FOK)	SBY J79 VILLS DPK DPK-STAR	
Westhampton Beach (FOK)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 HTO	
White Plains (HPN)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE BOUNO-STAR	
	Or	
	(Water-Turboprops) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED	
	RICED-STAR	
Windsor Locks (BDL)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
Warranter (ODII)	SBY J79 VILLS DPK DPK-STAR	
Worcester (ORH)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	
From ORLANDO INTL (MCO) only		
Atlanta (ATL)	MCOY-DP AMG SINCA-STAR	1100-0400
	or (RNAV only) JAGUAR-DP DBN CANUK	
	(RNAV)-STAR	1100-0400
Baltimore (BWI)	MCOY-DP SAV J55 CHS J79 TYI J40 RIC	
	OTT-STAR	1100-0400
	or (Water–Turbojets) MLB LENDS AR16 ILM J40 RIC	
	OTT-STAR	
Bedford (BED)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or (Water–Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J174 HTO ORW GRAYM-STAR	
Beverly (BVY)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or (Water–Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J174 HTO ORW GRAYM-STAR	
Boston (BOS)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK ORW-STAR	1100-0300
	or MCOY-DP SAV J55 CHS J79 JFK ORW-STAR	1100-0300
Bridgeport (BDR)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE V139 RICED MAD193	
Charlotte (CLT)	KEYED MCOY-DP SAV J207 FLO CTF-STAR	
Ondifotto (OLI)	MOOT DE SAVIZOT LO CIT-STAR	

Terminals	Route	Effective Times (UTC)
	or (Turbojets-GPS or DME/DME-IRU equipped) MCOY-DP SAV HUSTN (RNAV)-STAR	
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR	1100-0400
Chicago O'Hare (ORD)	or (non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT	1100-0400
	(RNAV)-STAR	1100-0400
Cincinnati (CVG)	(non-advanced RNAV only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR	1100-0400
	or (all others) MCOY-DP AMG J45 ATL J43 VXV HARDU-STAR	1100-0400
Columbus (CMH)	MCOY-DP IRQ J53 SPA J85 HVQ HNN BREMN-STAR	1100-0400
Danbury (DXR)	(WATER-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED	
Detroit/Wayne (DTW) Detroit Satellites: Detriot (DET), Windsor (CYQG), Pontiac (PTK), Willow Run (YIP), Ann Arbor	RICED-STAR JAGUAR-DP IRQ J53 SPA HNN WEEDA-STAR	
(ARB)	JAGUAR-DP IRQ J85 DJB LLEEO-STAR LBV	
Indianapolis (IND)	SBY J79 JFK DPK MAD V1 CTY J91 ATL J89 IIU DECEE-STAR (Water-Turbojets) MLB ETECK AR18 DIW WETRO	1100-0400
Kennedy (JFK)	CEBEE SWL J121 SARDI CCC. (Water) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR	
La Guardia (LGA)	MCOY-DP SAV J55 CHS J121 SIE CAMRN-STAR MCOY-DP SAV J207 RDU J55 HPW J191 PXT ENO-STAR	1100-0300
Lawrence (LWM)	(Water-Turbojets) MLB LENDS AR16 ILM J40 TYI HPW J191 PXT ENO-STAR (Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR	
Louisville (SDF) Minneapolis (MSP)	or (Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR CTY J91 ATL HCH DARBY-STAR (all others) CTY VUZ ALO KASPR-STAR or	1100-0400
Montreal (CYUL)	(/E, /G, /R, /J, /L, /Q) WEBSS BRUTS Q110 FEONA VUZ ALO KASPR-STAR(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
Nantucket (ACK)	SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR (Water-Turbojets) MLB ETECK AR18 DIW WETRO	
Nashville (BNA) Newark (EWR)	CEBEE SWL J174 HTO V46	1100-0400
	or MCOY-DP SAV J207 FLO J55 J51 FAK DYLIN-STAR or	

Terminals	Route	Effective Times (UTC)
Terminals	J53 CRG J51 SAV J207 FLO J55 J51 FAK	(010)
	DYLIN-STAR	1100-0400
	(Turbojets-WATER) MLB LENDS AR16 ILM J109 FAK DYLIN-STAR or	1100-0400
	(GPS or DME/DME-IRU equipped) MCCOY SAV	
	J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR or	1100-0400
	(GPS or DME/DME-IRU equipped-WATER) MLB LENDS AR16 ILM J109 FAK PHLBO (RNAV)-STAR	1100-0400
Newburgh (SWF)	(Water-Turbojets)-MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	
New Haven (HVN)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED	
New London (GON)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 HTO	
Philadelphia (PHL)	(Turbojets) MCOY-DP SAV J55 CHS J121 SWL SWL034 RADDS VCN-STAR	1100-0400
	or	1100 0 100
	(Water–Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL RADDS VCN–STAR	
Pittsburgh (PIT)	MCOY-DP SAV J51 CAE PSK EKN IHD	
5 . ,	NESTO-STAR	1100-0400
Poughkeepsie (POU)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	
Providence (PVD)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO JORDN (RNAV)-STAR	
Springfield (CEF)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR	
St. Louis (STL)	CTY J151 VISQA QBALL-STARor	
	(/E, /G, /R, /J, /L, /Q) WEBBS BRUTS Q110	
Toronto (CYYZ)	FEONA VUZ J151 VISQA QBALL-STAR (Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK CFB J95 BUF YOUTH-STAR	
Washington Dulles (IAD)	MCOY-DP SAV J55 CHS J165 J109 FAK	4400 0000
Westfield (BAF)	COATT-STAR	1100-0300
West Palm Beach (PBI)	SBY J79 VILLS DPK DPK-STAR (Turbojets-GPS or DME/DME-IRU equipped)	
	DEARY VRB FRWAY (RNAV)—STAR or DEARY VRB TUXXI—STAR	
PALM BEACH METRO AREA	DEART VRB TOXXI-STAR	
(PBI, BCT, LNA, UTX, SUA)		
Albany (ALB)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE V487 CANAN V130	
Atlanta (ATL)	(RNAV only) ORL J81 CHESN CANUK	
	(RNAV)-STAR	1100-0300
Baltimore (BWI)	ORL J81 CHESN SINCA-STAR	1100-0300
	ORL CRG J51 SAV J55 CHS J79 TYI J40 RIC OTT-STAR	1100-0300
	(Water-Turbojets-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J40 RIC RAVNN (RNAV)-STAR or	

Terminals	Route	Effective Times (UTC)
	(GPS or DME/DME-IRU equipped) ORL CRG J51 SAV J55 CHS J79 TYI J40 RIC RAVNN	
	(RNAV)-STAR	1100-0300
Bedford (BED)	(Water-ALT-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	1100-0300
	or (Water-Turbojets) A699 PERMT AR16 ILM KEMPR	
Beverly (BVY)	SBY J79 JFK DPK MAD HFD GRAYM-STAR (Water-ALT-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
	or	
Boston (BOS)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR (Water-Turbojets) A699 PERMT AR16 KEMPR SBY J79 JFK ORW-STAR	1100 0200
	or	1100-0300
	ORL J53 CRG J51 SAV J55 CHS J79 JFK	
Bridgeport (BDR)	ORW-STAR (Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193	1100-0400
Charlotte (CLT)	KEYED ORL J53 CRG J51 SAV J207 FLO CTF-STAR	
	or (Turbojets-GPS or DME/DME IRU equipped) ORL	
	J53 CRG J51 SAV HUSTN (RNAV)-STAR	
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK	
	FISSK (RNAV)-STARor	1100-0300
	(non-advanced RNAV only) CTY J91 ATL J89 IIU	
Objects O'lless (ODD)	OKK V285 CLEFT OXI CGT	1100-0400
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR	1100-0300
	or	1100 0000
	(non-advanced RNAV only) LAL CTY J91 ATL	
	CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR	1100-0300
Cincinnati (CVG)	(All Others) CTY J91 VXV HARDU-STAR	1100-0300
	or (RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR	
Cleveland (CLE)	ORL J53 SPA J85 TVTO40 KEATN KEATN-STAR ORL J81 IRQ J53 SPA J85 HVQ HNN	1100-0300
	BREMN-STAR	1100-0300
Cross City (CTY) Dallas/Ft Worth (DFW)	LALSRQ Q100 REDFN Q105 HRV J58 AEX CQY	1030-0300
Danbury (DXR)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR	
Daytona Beach (DAB)	MLB	1030-0300
Denver (DEN)	SRQ Q100 REDFN Q105 HRV J58 SPS J168 LAA QUAIL-STAR	
	CTY SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR	
Detroit/Wayne (DTW)	ORL J53 SPA HNN WEEDA-STAR	
Dixon (DIW)	(Water-Turbojets) WOLFO AR18(Water Turbojets) A699 PAMIT AR18 DIW WETPO	
East Hampton (HTO)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 HTO	
Farmingdale (FRG)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR	4000
Fort Myers (RSW)	RSW(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	1030-0300
	CEBEE SWL J121 HTO	

Terminals	Pouto	Times (UTC)
Hartford (HFD)	Route (Water–Turbojets) A699 PERMT AR16 ILM KEMPR	(010)
	SBY J79 JFK DPK MAD V1	
Houston (HOU)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	1000 0200
	COLUMBIA (RNAV)-STARor	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW	
	J2 SJI COLUMBIA (RNAV)-STAR	1000-0300
	Or (Non-advanced NAV only) LAL 172 S7W 12 CEW	
	(Non-advanced NAV only) LAL J73 SZW J2 CEW J50 AEX DAS-STAR	1000-0300
Houston (IAH)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	
	WOLDE (RNAV)-STAR	1000-0300
	Or (CDS or DME /DME IBIL oquipped) LAL 172 S7W	
	(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR	1000-0300
	or	1000 0000
	(Non-advanced NAV only) LAL J73 SZW J2 CEW	
Indianandia (IMID)	J50 AEX DAS-STAR	1000-0300
Indianapolis (IND)Islip (ISP)	CTY J91 ATL J89 IIU DECEE-STAR(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	1100-0300
ionp (ion)	CEBEE SWL J121 SARDI CCC	
Jacksonville (JAX)	ORL J53	1030-0300
Kennedy (JFK)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	
	CEBEE J121 SIE CAMRN-STAR	1100-0300
	ORL J53 CRG J51 SAV J55 CHS J121 SIE	
	CAMRN-STAR	1000-0300
La Guardia (LGA)	(Water-Turbojets) A699 PERMT AR16 ILM J40 TYI	
	HPW J191 PXT KORRY-STAR	
	ORL J53 CRG J51 SAV J207 RDU J55 HPW J191	
	PXT KORRY-STAR	1100-0400
Lawrence (LWM)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or (Water-ALT-Turbojets) A699 RAMJT AR18 DIW	
	WETRO CEBEE SWL J174 HTO ORW	
	GRAYM-STAR	
Louisville (LOU)	CTY J91 ATL HCH DARBY-STAR	1100-0300
Manchester (MHT)	(Water–Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK ALB EEN	
Minneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STAR	1100-0300
Montreal (CYUL)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR	
	SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR	
Nashville (BNA) Nantucket (ACK)	CTY J91 ATL GQO VOLLS-STAR(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	1100-0300
Nantuoket (Aori)	CEBEE SWL J174 HTO V46	
Newark (EWR)	(Water-GPS or DME/DME-IRU equipped) A699	
	PERMT AR16 ILM J109 FAK PHLBO (RNAV)-STAR	
	or	
	ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK	
	DYLIN-STAR	1100-0300
	or (WATER) A699 PERMT AR16 ILM J109 FAK	
	DYLIN-STAR	
	or	
	(GPS or DME/DME-IRU equipped) ORL J53 CRG	
	J51 SAV J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR	1100-0300
Newburgh (SWF)	(Water–Turbojets) A699 PERMT AR16 ILM KEMPR	1100 0000
- ' '	SBY J79 JFK DPK HUDSON-STAR	
New Haven (HVN)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	
	CEBEE SWL J121 SIE V139 RICED MAD193 KEYED	
Ocala (OCF)	LAL	1030-0300

Terminals	Route	Effective Times (UTC)
Orlando (MCO)	BAIRN GOOFY-STAR	1030-0300
Overwater Routes to the Northeast	(Water) A699 PERMT AR16 ILM or WOLFO AR18 DIW	1030-0300
Philadelphia (PHL)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL RADDS VCN-STAR or	
	ORL J53 CRG J51 SAV J55 CHS J121 SWL	1100 0200
Pittsburgh (PIT)	SWL034 RADDS VCN-STAR ORL J53 CRG J51 CAE PSK EKN IHD NESTO-STAR	1100-0300
Poughkeepsie (POU)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	
Providence (PVD)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO JORDN (RNAV)-STAR	
Raleigh/Durham (RDU)	(Water-Turbojets) A699 PERMT AR16 ILM BRADE-STAR	
St. Louis (STL)	ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR TBIRD CTY J151 VISQA QBALL-STAR or	1100-0400
Springfield (CEF)	(/E,/G,/R,/J,/L,/O) TBIRD KPASA Q110 FEONA VUZ J151 VISQA QBALL—STAR (Water-Turbojets) A699 PERMT AR16 ILM KEMPR	
Tallahassee (TLH)	SBY J79 VILLS DPK DPK-STARLAL	1030-0300
Tampa (TPA)	LBV BRDGE-STAR	1030-0300
	BRDGE BRDGE-STAR	1030-0300
Toronto (CVV7)	(GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STARor (GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STAR	1000-0300
Toronto (CYYZ)	(Water–Turbojets) A699 PERMT AR16 ILM J109 BUF YOUTH–STAR	
Washington Dulles (IAD)	(Water-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J109 FAK BARIN-STAR or	
	(Water) A699 PERMT AR16 ILM J109 FAK COATT-STAR	
	or (GPS or DME/DME-IRU equipped) ORL J53 CRG J51 SAV J207 RDU FAK BARIN-STAR	
Washington Netl (DCA)	ORL J53 CRG J51 SAV J207 RDU FAK COATT-STAR	
Washington Natl (DCA)	(Water) A699 PERMT AR16 ILM J40 RIC IRONS-STARor	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J40 RIC OJAAY (RNAV)-STAR	
Westfield (BAF)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR	
Westhampton Beach (FOK)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 HTO	
White Plains (HPN)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR or	
	(Water-Turboprops) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED	
Wilmington (ILM)	RICED-STAR(Water-Turbojets) A699 PERMT AR16	

Terminals	Route	Effective Times (UTC)
Windsor Locks (BDL)	(Water-Turbojets) PERMT A699 AR16 ILM KEMPR	(010)
Worcester (ORH)	SBY J179 VILLS DPK DPK-STAR (Water-Turbojets) A699 PERMT AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD HFD	
PENSACOLA (PNS) Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) MGM RESPE GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR	0000–2359
	or (non-advanced RNAV only) MGM RESPE GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR	0000-2359
Houston (HOU)	(GPS or DME/DME-IRU equipped) ROMMY HRV COLUMBIA (RNAV)-STAR	1000-0300
	or	
Houston (IAH)	(Non-advanced NAV only) SJI AEX DAS-STAR (GPS or DME/DME-IRU equipped) ROMMY HRV	1000-0300
	WOLDE (RNAV)-STARor	1000-0300
	(Non-advanced NAV only) SJI AEX DAS-STAR	1000-0300
Atlanta (ATL)	(if unable FL370 by CVIKK) JOSES A315 ZIN FLL ORL CRG SINCA-STAR	
	ALBBE A636 ZIN FLL ORL CRG CANUK (RNAV)-STAR	
	or (if unable FL370 by CVIKK) ALBBE A636 ZIN FLL ORL CRG SINCA-STAR	
	or (if unable FL370 by CVIKK) JOSES A315 ZIN FLL	
Kennedy (JFK)	ORL CRG CANUK (RNAV)-STAR BOTES G444 GTK M594 CERDA LUCTI L454 OWENZ CAMRN	
	or BOTES G444 GTK M594 CERDA L453 AZEZU	
	BERGH L454 OWENZ CAMRN	
	BOTES G444 GTK L452 OXANA AR8 ECG ORF	
	J121 SIE CAMRN-STARor	
	JOSES A315 ZIN A756 DUKKY A555 ZQA AR3	
	PANAL DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR	
Newark (EWR)	ALBBE M594 CERDA LUCTI L454 BERGH L454 OWENZ CYN GXU RBV V249 METRO	
	or ALBBE M594 GTK L452 OXANA AR8 ECG FAK DYLIN-STAR	
	ALBBE M594 GTK L452 OXANA AR8 ECG FAK PHLBO (RNAV)-STAR	
RALEIGH-DURHAM (RDU)	, ,	
Albany (ALB)	TYI J79 SBY J79 JOANI LGA LGA055 V487 V130 PACKK-DP AZELL CAE J4 IRQ SINCA-STAR	1100-0400 1100-0400
Addition (ATE)	or (RNAV only) PACKK-DP AZELL CAE J4 IRQ CANUK	1100-0400
Poston (POS)	RNAV-STAR	1100-0400
Boston (BOS) Chicago Midway (MDW) Chicago O'Hare (ORD)	TYI J79 JFK ORW-STAR PACKK-DP AZELL PSK HVQ FWA GOSHEN-STAR (/E/G/R/J/L/Q only) PACKK-DP AZELL HMV FLM	1100-0400
	HEVAN MZZ ROYKO (RNAV)-STAR	1100-0400
	or (non-advanced RNAV only) PACKK-DP AZELL HMV FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR .	1100-0400

Terminals	Route	Times (UTC)
Cincinnati (CVG)	(RNAV only) HMV JAKIE (RNAV)-STAR	(/
Columbia (CAE)	(all others) HMV HARDU-STAR	1100-0400 1100-0400
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) TARL-DP CLB BAHAA AR21 CRANS FISEL (RNAV)-STAR or (Turbojets) TARL-DP CHS J79 OMN GISSH-STAR .	
	or (Water-Turbojets) TARL-DP CLB BAHAA AR21 CRANS HIILL FATHR GISSH-STAR	
	or (Turboprops) TARL-DP CHS J79 OMN MLB BLUFI-STAR	
	or (Water-Turboprops-GPS or DME/DME-IRU equipped) TARL-DP CLB BAHAA AR21 CRANS FISEL (RNAV)-STAR	
Houston (HOU)	or (Water-Turboprops) TARL-DP CLB BAHAA AR21 CRANS HIILL FATHR GISSH-STAR(GPS or DME/DME-IRU equipped) VUZ JAN AEX ROKIT (RNAV)-STAR	
Houston (IAH)	(Non-advanced NAV only) VUZ JAN AEX DAS-STAR (Turbojets-GPS or DME/DME-IRU equipped) VUZ JAN AEX TXMEX (RNAV)-STAR	
Kennedy (JFK) La Guardia (LGA) Miami (MIA)	or (Non-advanced NAV only) VUZ JAN AEX DAS-STAR	1100-0400
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) TARL-DP CLB SEELO AR22 JORAY HILEY (RNAV)-STAR or (Turbojets) TARL-DP CHS J79 OMN ANNEY-STAR.	
	or (Water-Turbojets) TARL-DP CLB SEELO AR22 JORAY OSOGY ENVOY YOSSI MILSY BOYUR HILEY KAINS	
Newark (EWR)	(Turboprops) TARL-DP CHS J79 OMN ANNEY-STAR LVL FAK DYLIN-STAR or	1100-0300
Newburgh (SWF)Orlando (MCO)	(GPS or DME/DME-IRU equipped) LVL FAK PHLBO (RNAV)-STAR TYI J79 JFK BDR V91 STUBY (Turbojets) TARL-DP CHS J79 OMN BITHO-STAR	1100-0300 1100-0300 1100-0400
Orlando (ORL)	or (GPS or DME/DME-IRU equipped) TARHEEL-DP CHS J79 OMN CWRLD (RNAV)-STAR (Turbojets) TARL-DP CHS J79 OMN CORLL-STAR. (Turbojets-GPS or DME/DME-IRU equipped) TARL-DP CHS J79 OMN FRWAY (RNAV)-STAR	1100–0400 1100–0400

Terminals	Route	Effective Times (UTC)
	Or (Turboiote) TARL DR CHS 170 OMN THYYL STAR	
	(Turbojets) TARL-DP CHS J79 OMN TUXXI-STAR or	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) TARL-DP CLB SEELO AR19 AYBID CAYSL (RNAV)-STAR	
	or (Water–Turbojets) TARL–DP CLB SEELO AR19	
Philadelphia (PHL)	AYBID MIMMI NEUBE SWOMP SANZZ CAYSL V3 FAK DPNT-STAR	1100-0400 1100-0400
Pittsburgh (PIT)	PACK-DP ROA EKN IHD NESTO-STAR	1100-0400
Sarasota (SRQ)Savannah (SAV)	FAY-DP FAY CAE J75 TAY J85 GNV LAL TARL-DP CHS	1100-0400 1100-0400
Tampa (TPA)	FAY-DP FAY CAE J75 TAY LZARD-STARor	1100-0400
	(GPS or DME/DME-IRU equipped) FAY-DP FAY CAE J75 TAY DADES (RNAV)-STAR	1100-0400
Windsor Locks (BDL)	TYI J79 SBY J79 JFK DPK-STAR	1100-0400
SAN JUAN (TJSJ) Atlanta (ATL)	HARDE A555 ZQA FLL ORL CRG CANUK (RNAV)-STAR	
	or HARDE A555 ZQA FLL ORL CRG SINCA-STAR	
	CONCH R507	
Atlantic City (ACY)	ELMUC L451 LETON L451 OLDEY AR3 PANAL DIW WETRO CEBEE SWL J121 SIE	
Baltimore (BWI)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC NOTTINGHAM-STAR	
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8	
	ECG RIC RAVNN (RNAV)-STAR	
	or ELMUC L451 OLDEY AR3 CLB ILM J40 RIC NOTTINGHAM-STAR	
	OF	
	ELMUC L451 OLDEY AR3 CLB ILM J40 RIC RAVNN (RNAV)-STAR	
Bedford (BED)	ELMUC L454 LUCTI OWENZ HTO ORW GRAYM-STAR	
	or ELMUC L451 CERDA L453 AZEZU BERGH OWENZ	
	HTO ORW GRAYM-STAR	
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8	
	ECG DIW WETRO CEBEE SWL J174 HTO ORW	
	GRAYM-STAR	
	ELMUC L451 LETON L451 OLDEY AR3 CLB DIW WETRO CEBEE SWL J174 HTO ORW	
Charlotte (CLT)	GRAYM-STAR ELMUC L451 OLDEY CHS CHESTERFIELD-STAR or	
Cincinnati (CVG)	ELMUC L451 OLDEY CHS HUSTN (RNAV)-STAR	
Circiniau (CVG)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG VXV JAKIE (RNAV)-STAR	
	ELMUC L451 OLDEY METTA CHS SPA CAE VXV	
Cleveland (CLE)	JAKIE (RNAV)-STAR ELMUC L451 CERDA LNHOM L452 OXANA AR8	
	ECG HVQ TVT KEATN-STAR	
	ELMUC L451 OLDEY METTA CHS CAE HVQ TVT	
Dayton (DAY)	KEATN-STAR ELMUC L451 CERDA LNHOM L452 OXANA AR8	
	ECG VXV J43 FLM KEKEE-STAR	

Terminals	Route
	ELMUC L451 OLDEY METTA CHS CAE VXV J43 FLM KEKEE-STAR
Detroit (DTW)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG HNN WEEDA-STAR
	or ELMUC L451 OLDEY METTA CHS SPA HNN
Indianapolis (IND)	WEEDA-STAR ELMUC L451 CERDA LNHOM L452 OXANA AR8
	or ELMUC L451 OLDEY METTA CHS SPA CAE VXV
Kennedy (JFK)	J89 IIU V51 DECEE DECEE-STAR ELMUC L454 LUCTI L454 OWENZ CAMRN
	or ELMUC L453 LAMER L453 AZEZU BERGH L454
	OWENZ CAMRNor ELMUC L451 OLDEY AR3 PANAL DIW WETRO
	CEBEE SWL J121 SIE CAMRN-STAR
Louisville (SDF)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG HCH DARBY-STAR
	or ELMUC L451 OLDEY METTA CHS SPA HCH DARBY-STAR
Newark (EWR)	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK DYLIN-STAR
	or
	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK PHLBO (RNAV)-STAR
	ELMUC L454 LUCTI L454 BERGH L454 OWENZ CYN GXU RBV V249 METRO
	ELMUC L451 CERDA L453 AZEZU BERGH L454
Ottawa (CYOW)	OWENZ CYN GXU RBV V249 METRO ELMUC L454 LUCTI L454 JFK SYR J599
	or ELMUC L451 CERDA L453 AZEZU BERGH L454 JFK SYR J599
	or
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG SYR J599
	ELMUC L451 OLDEY AR3 CLB ILM SYR J599
Providence (PVD)	ELMUC L454 LUCTI L454 BERGH OWENZ HTO JORDN
	or ELMUC L451 CERDA L453 AZEZU BERGH OWENZ
	HTO JORDN
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG SWL J174 HTO JORDN
	or ELMUC L451 OLDEY AR3 PANAL DIW SWL J174
Quebec (CYQB)	HTO JORDN ELMUC L454 LUCTI L454 JFK PLB J560 or
	ELMUC L451 CERDA L453 AZEZU BERGH L454 JFK PLB J560
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG ORF SBY J209 VILLS SAX J6 PLB J560 or
	ELMUC L451 OLDEY AR3 PANAL DIW J174 ORF SBY J209 VILLS SAX J6 PLB J560

T	
Terminals	Route
Raleigh-Durham (RDU) Teterboro (TEB)	ELMUC L451 OLDEY ILM BRADE-STAR ELMUC L451 CERDA LNHOM L452 OXANA AR8
Tetelbolo (TEB)	ECG FAK JAIKE (RNAV)-STAR
	or ELMUC L451 CERDA L453 AZEZU BERGH L454
	OWENZ
	ELMUC L454 LUCTI L454 OWENZ
	or ELMUC L451 OLDEY AR3 CLB ILM J109 FAK
Washington (DCA)	JAIKE (RNAV)-STAR ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC IRONS-STAR
	or
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC OJAAY (RNAV)-STAR
	or ELMUC L451 OLDEY AR3 CLB ILM J40 RIC
	IRONS-STAR
	or ELMUC L451 OLDEY AR3 CLB ILM J40 RIC OJAAY
	(RNAV)-STAR
Washington (IAD)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG FAK BARIN (RNAV)-STAR
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG FAK COATT-STAR
	or ELMUC L451 OLDEY AR3 CLB ILM J109 FAK
	BARIN (RNAV)-STAR
	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK
White Plains (HPN)	COATT-STAR ELMUC L454 LUCTI L454 OWENZ
	or ELMUC L451 CERDA L453 AZEZU BERGH L454
	OWENZ
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG ORF J121 SIE BOUNO-STAR
	or ELMUC L451 OLDEY ECG ORF J121 SIE
	BOUNO-STAR
Winsor Locks (BDL)	ELMUC L454 LUCTI L454 JFK DBK DEER PARK-STAR
	or
	ELMUC L451 LETON L451 OLDEY AR3 CLB ILM KEMPR SBY J79 JFK DPK DEER PARK-STAR
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG SBY J79 JFK DPK DEER PARK-STAR
Winnipeg (CYWG)	ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ecg IIU J99 BAE MSP
	ELMUC L451 OLDEY METTA CHS VXV J89 IIU J99
SANTO DOMINGO (MPSP)	BAE MSP
SANTO DOMINGO (MDSD) Altantic City (ACY)	BESAS L464 CERDA L451 OLDEY AR3 CLB DIW
	WETRO CEBEE SWL J121 SIE
	BESAS L464 CERDA LNHOM L452 OXANA AR8
	ECG SWL J121 SIE
	or JUELE L463 NUCAR AR3 CLB DIW WETRO CEBEE
	SWL J121 SIE

Terminals	Route
Baltimore (BWI)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC NOTTINGHAM-STAR
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC RAVNN (RNAV)-STAR
	BESAS L464 CERDA L451 OLDEY AR3 CBL ILM J40 RIC NOTTINGHAM-STAR
	or BESAS L464 CERDA L451 OLDEY AR3 CBL ILM J40 RIC RAVNN (RNAV)-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J40 RIC NOTTINGHAM-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J40 RIC RAVNN (RNAV)-STAR
Bangor (BGR)	BESAS L464 CERDA LUCTI L454 BERGH HTO LFV J79
	BESAS L464 LAMER L453 AZEZU BERGH OWENZ HTO LFV J79
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK HTO LFV
Bedford (BED)	BESAS L464 CERDA L451 OLDEY AR3 CLB DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR
	or BESAS L464 LAMER L453 AZEZU BERGH OWENZ HTO ORW GRAYM-STAR
	or BESAS L464 CERDA LUCTI L454 BERGH OWENZ HTO ORW GRAYM-STAR
	or JUELE L463 NUCAR AR3 CLB DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR
Boston (BOS)	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM KEMPR SBY J79 JFK NORWICH-STAR
	or BESAS L464 CERDA L451 OLDEY AR3 CLB ILM KEMPR SBY J49 JFK INNDY (RNAV)-STAR
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK INNDY (RNAV)-STAR
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK NORWICH-STAR
	or BESAS L464 LAMER L453 AZEZU BERGH L454 JFK NORWICH-STAR
	or BESAS L464 LAMER L453 AZEZU BERGH L454 JFK INNDY (RNAV)-STAR
	or JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY J79 JFK NORWICH-STAR
Charlotte (CLT)	BESAS L464 CERDA L451 OLDEY CHS CHESTERFIELD-STAR
	or BESAS L464 CERDA L451 OLDEY CHS HUSTN (RNAV)-STAR

Terminals	Route
	or JUELE L463 NUCAR AR3 OLDEY CHS CHESTERFIELD-STAR
	or JUELE L463 NUCAR AR3 OLDEY CHS HUSTN
Chicago O'Hare (ORD)	(RNAV)-STAR JUELE L463 NUCAR AR3 OLDEY AR4 CH SPA HMV FLM J24 BIGXX ROYKO (RNAV)-STAR
Cincinnati (CVG)	BESAS L464 CERDA L451 OLDEY METTA CHS SPA HMV JAKIE (RNAV)-STAR
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK J24 HVQ HNN JAVIT-STAR
	JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA
Cleveland (CLE)	HMV JAKIE (RNAV)-STAR BESAS L464 CERDA L451 OLDEY METTA CHS
	or
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG HVQ TVT KEATN-STAR
	or
	JUELE L463 NUCAR AR3 OLDEY METTA CHS CAE HVQ TVT KEATN-STAR
Dayton (DAY)	BESAS L464 CERDA L451 OLDEY METTA CHS CAE SPA HMV FLM KEKEE-STAR
	or
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK J24 HVQ HNN
	or JUELE L463 NUCAR AR3 OLDEY METTA CHS CAE
	SPA HMV FLM KEKEE–STAR
Detroit (DTW)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG HNN WEEDA-STAR
	or
	BESAS L464 CERDA L451 OLDEY METTA CHS SPA HNN WEEDA-STAR
	or JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA
Indianapolis (IND)	HNN WEEDA-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8
	ECG IIU V51 DECEE DECEE-STAR
	or BESAS L464 CERDA L451 OLDEY METTA CHS SPA CAE VXV J89 IIU V51 DECEE DECEE-STAR.
	or
	JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA CAE VXV J89 IIU V51 DECEE DECEE-STAR
Kennedy (JFK)	BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ CAMRN
	BESAS L464 CERDA LNHOM L452 OXANA AR8
	ecg ORF J121 SIE CAMRN-STAR
	BESAS L464 CERDA LUCTI L454 OWENZ CAMRN .
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR
	JUELE L463 NUCAR AR3 PANAL DIW WETRO
La Guardia (LGA)	CEBEE SWL J121 SIE CAMRN-STAR BESAS L464 LAMER L453 AZEZU BERGH L454
	OWENZ CAMRN
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG HPW J191 PXT KORRY-STAR

Terminals	Route
	or BESAS L464 CERDA LUCTI L454 OWENZ CAMRN .
	or BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J40 TYI HPW J191 PXT KORRY-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J40 TYI HPW J191 PXT KORRY-STAR
Louisville (SDF)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG HCH DARBY-STAR
	BESAS L464 CERDA L451 OLDEY METTA CHS SPA HCH DARBY-STAR
	or JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA HCH DARBY-STAR
Montreal (CYMX), (CYUL)	BESAS L464 LAMER L453 AZEZU BERGH L454
	JFK J37 ALB J6 PLB PLATTSBURGH-STAR or
	JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY
Maurinkaus (MANII)	J79 JFK J37 ALB J6 PLB PLATTSBURGH-STAR
Morristown (MMU)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK JAIKE (RNAV)-STAR
	or BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ
	or BESAS L464 CERDA LUCTI L454 OWENZ or
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR
Newark (EWR)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK DYLIN-STAR
	Or BESAS L464 CERDA LNHOM L452 OXANA AR8
	ecg fak Phlbo (RNAV)-STAR or
	BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ CYN GXU RBV V249 METRO
	or
	BESAS L464 CERDA LUCTI L454 BERGH L454 OWENZ CYN GXU RBV V249 METRO or
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK DYLIN-STAR
	or BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK PHLBO (RNAV)-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J109 FAK DYLIN-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J109 FAK PHLBO (RNAV)-STAR
Ottawa (CYOW)	BESAS L464 CERDA LUCTI L454 JFK SYR J599
	BESAS L464 LAMER L453 AZEZU BERGH L454 JFK SYR J599
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SYR J599
	= :

Terminals	Route
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM SYR J599or
Philadelphia (PHL)	JUELE L463 NUCAR AR3 CLB ILM SYR J599 BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SWL RADDS CEDAR LAKE-STAR
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW WETRO CEBEE SWL RADDS CEDAR LAKE-STAR
Providence (PVD)	BESAS L464 LAMER L453 AZEZU B24 SIE BESAS L464 CERDA LUCTI L454 BERGH OWENZ HTO JORDN
	or BESAS L464 LAMER L453 AZEZU BERGH OWENZ HTO JORDN
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SWL J174 HTO JORDN
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW SWL J174 HTO JORDN
	or JUELE L463 NUCAR AR3 PANAL DIW SWL J174
Quebec (CYQB)	HTO JORDNBESAS L464 CERDA LUCTI L454 JFK PLB J560
	or BESAS L464 LAMER L453 AZEZU BERGH L454 JFK PLB J560
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG ORF SBY J209 VILLS SAX J6 PLB J560
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW J174 ORF SBY J209 VILLS SAX J6 PLB J560
	JUELE L463 NUCAR AR3 PANAL DIW J174 ORF
Raleigh/Durham (RDU)	SBY J209 VILLS SAX J6 PLB J560 BESAS L464 CERDA L451 OLDEY ILM
	BRADE-STARor
Teterboro (TEB)	JUELE L463 NUCAR ILM BRADE-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK JAIKE (RNAV)-STAR
	or
	BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZor
	BESAS L464 CERDA LUCTI L454 OWENZ
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J109 FAK JAIKE
Toronto (CYYZ)	(RNAV)-STARBESAS L464 LAMER L453 AZEZU BERGH L454
	JFK J63 HUO CFB J95 BUF YOUTH (RNAV)-STAR
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM
	J109 BUF YOUTH (RNAV)-STARor
	JUELE L463 NUCAR AR3 CLB ILM J109 BUF YOUTH (RNAV)-STAR
Washington (DCA)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC IRONS-STAR

		Times
Terminals	Route	(UTC)
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC OJAAY (RNAV)-STAR	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	J40 RIC IRONS-STAR	
	Or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J40 RIC OJAAY (RNAV)-STAR	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J40 RIC	
	IRONS-STARor	
	JUELE L463 NUCAR AR3 CLB ILM J40 RIC OJAAY	
	(RNAV)-STAR	
Washington (IAD)	BESAS L464 CERDA LNHOM L452 OXANA ECG	
	FAK BARIN (RNAV)-STAR	
	BESAS L464 CERDA LNHOM L452 OXANA ECG	
	FAK COATT-STAR	
	Or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK BARIN (RNAV)-STAR	
	or	
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	J109 FAK COATT-STAR	
	or JUELE L463 NUCAR AR3 CLB ILM J109 FAK	
	BARIN (RNAV)-STAR	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK	
White Plains (HPN)	COATT-STARBESAS L464 CERDA L451 OLDEY ECG ORF J121	
,	SIE BOUNO-STAR	
	Or	
	JUELE L463 NUCAR AR3 PANAL DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR	
	or	
	BESAS L464 CERDA LUCTI L454 OWENZ	
	or BESAS L464 LAMER L453 AZEZU BERGH L454	
	OWENZ	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
Windsor Locks (BDL)	ECG ORF J121 SIE BOUNO-STAR BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
,	KEMPR SBY J79 JFK DPK DPK-STAR	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK DPK DPK-STAR	
	or	
	JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY	
Winning (OVINO)	J79 JFK DPK DPK-STAR	
Winnipeg (CYWG)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG IIU J99 BAE MSP	
	or	
	BESAS L464 CERDA L451 OLDEY METTA CHS	
	VXV J89 IIU J99 BAE MSP	
	JUELE L463 NUCAR AR3 OLDEY METTA CHS VXV	
	J89 IIU J99 BAE MSP	
SARASOTA-BRADENTON AREA (SRQ)	TAV IZE OAE IEO DIO OTT OTAD	4400 0000
Baltimore (BWI)	TAY J75 CAE J52 RIC OTT-STAR	1100-0300
	(GPS or DME/DME-IRU equipped) TAY J75 CAE	
	J52 RIC RAVNN (RNAV)-STAR	1100-0300

erminals Charlotte (CLT)	Route TAY J85 IRQ UNARM-STAR	Times (UTC)
Sharlotte (SE1)	or	
	(Turbojets-GPS or DME/DME IRU equipped) TAY J85 IRQ ADENA (RNAV)-STAR	
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK	
,	FISSK (RNAV)-STAR	1100-0300
	(non-advanced RNAV only) CTY J91 ATL J89 IIU	
Objects O'llers (ODD)	OKK V285 CLEFT OXI CGT	1100-0300
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	
	(RNAV)-STARor	0000–2359
	(non-advanced RNAV only) CTY J91 ATL CADIT	
	GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33	0000 0050
Cincinnati (CVG)	OXI KNOX-STAR(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR	0000–2359
monnaci (ova)	or	
	(all others) CTY J91 VXV HARDU-STAR	
Cleveland (CLE)	PIE J119 TAY J85 TVT040 KEATN KEATN-STAR	
columbus (CMH) Pallas/Ft. Worth (DFW)	PIE J119 TAY J85 HVQ HNN BREMN-STAR (Water) SRQ Q100 REDFN Q105 HRV J58 AEX	
	CQY	
enver (DEN)	(Water) Q100 REDFN Q105 HRV J58 SPS J168 LAA QUAIL-STAR	
Petroit/Wayne (DTW)	PIE TAY J85 SPA HNN WEEDA-STAR	
etroit Satellites: Ann Arbor (ARB), Pontiac (PTK), Willow		
un (YIP)	PIE J119 TAY J85 IRQ J99 VXV J43 FLM DQN	
	CRUXX-STAR	
Young (DET)	PIE J119 TAY J85 DJB LLEEO-STAR	4000 0000
ort Lauderdale (FLL)	(all others) RSW FORTL–STAR	1030-0300
	(GPS or DME/DME-IRU equipped) RSW FORTL	
	JINGL (RNAV)-STAR	
ouston (HOU)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	
	COLUMBIA (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) SZW J2 SJI	
	COLUMBIA (RNAV)-STAR	
	or	
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	
louston (IAH)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	
. ,	WOLDE (RNAV)-STAR	
	Or	
	(GPS or DME/DME-IRU equipped) SZW J2 SJI WOLDE (RNAV)-STAR	
	or	
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	
ndianapolis (IND)	CTY J91 ATL J89 IIU DECEE-STAR	
a Guardia (LGA)	TAY J75 DUNKN J210 VAN FLO J207 RDU J55	
ouisville (LOU, SDF)	HPW J191 PXT KORRY-STAR CTY J91 ATL HCH DARBY-STAR	
finneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STAR	
lashville (BNA)	CTY J91 ATL GQO VOLLS-STAR	1100-0300
Newark (EWR)	TAY J75 CAE J51 FAK DYLIN-STAR	1100-0300
	or (GPS or DME/DME-IRU equipped) TAY J75 CAE	
	J51 FAK PHLBO (RNAV)-STAR	1100-0300
Philadelphia (PHL)	TAY J75 CAE J51 FAK DPNT-STAR	
Pittsburgh (PIT)	TAY J75 CAE PSK J53 EKN IHD NESTO-STAR	0700 0000
Windsor Locks (BDL)	TAY J75 DUNKN J210 J79 JFK DPK DPK-STAR	0700–0000
AVANNAH (SAV)	CHE 170 TVI 140 DIC OTT CTAD	1100 0400
Baltimore (BWI)	CHS J79 TYI J40 RIC OTT-STAR	1100-0400

Terminals Philadelphia (PHL) Washington Dulles (IAD)	Route CHS J121 SWL SWL SWL034 RADDS VCN-STAR J207 RDU FAK COATT-STAR or (GPS or DME/DME-IRU equipped J207 RDU FAK BARIN-STAR	Effective Times (UTC) 1100-0400
TAMPA/ST PETERSBURG METRO AREA (TPA, SPG, PIE, TPF)		
Atlanta (ATL)	SZW LGC-STAR	
Baltimore (BWI)	(RNAV only) SZW HONIE (RNAV)-STAR TAY J75 CAE J52 RIC OTT-STAR	1100-0400
Boston (BOS) Charlotte (CLT)	(GPS or DME/DME-IRU equipped) TAY J75 CAE J52 RIC RAVNN (RNAV)-STAR TAY J75 DUNKN J210 J79 JFK ORW-STAR TAY J85 IRQ UNARM-STAR	1100-0400 1100-0400
Chicago Midway (MDW)	(Turbojets-GPS or DME/DME IRU equipped) TAY J85 IRQ ADENA (RNAV)-STAR (/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR	1100-0300
Chicago O'Hare (ORD)	or (non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT(/E/G/R/J/L/Q only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK MZZ ROYKO (RNAV)-STAR or	1100-0300 0000-2359
Cincinnati (CVG)	(non-advanced RNAV only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR	0000–2359
Cleveland Metro (CLE)	PIE J119 TAY J85 TVT040 KEATN KEATN-STAR or	
Columbus (CMH)	CTY J91 HNN TVT KEATN-STAR PIE J119 TAY J85 HVQ HNN BREMN-STAR or	
Denver (DEN)	CTY J91 HNN BREMN-STAR SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR	
Detroit/Wayne (DTW) Detroit Satellites: Ann Arbor (ARB), Pontiac (PTK), Young	TAY J85 SPA HNN WEEDA-STAR	
(DET)	CTY J91 VXV J43 FLM DQN CRUXX-STAR CTY J91 VXV J43 FLM DQN V98 VQQ CRUXX PIE J119 TAY J85 DJB LLEEO-STAR	
(HWO), Opa Locka (OPF)	(all others) RSW FORTL-STAR	1030-0300
Fort Myers (RSW), (FMY)	(GPS OR DME/DME-IRU equipped) SABEE RXXAN JINGL (RNAV)-STAR(Turbojets-GPS or DME/DME-IRU equipped) SRQ	
	TYNEE (RNAV)-STARVRB	1020 0200
Fort Pierce (FPR)	(GPS or DME/DME-IRU equipped) SIMMR REMIS Q100 LEV COLUMBIA (RNAV)-STAR	1030-0300 1000-0300
	or (GPS or DME/DME-IRU equipped) SZW J2 SJI COLUMBIA (RNAV)-STAR	1000-0300
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	1000-0300

Terminals	Route	Effective Times (UTC)
Houston (IAH)	(GPS or DME/DME-IRU equipped) SIMMR REMIS Q100 LEV WOLDE (RNAV)-STAR	1000-0300
	(GPS or DME/DME–IRU equipped) SZW J2 SJI WOLDE (RNAV)–STAR	1000-0300
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	1000-0300
Indianapolis (IND) Kennedy (JFK)	CTY J91 ATL J89 IIU DECEE-STAR TAY J75 J210 J121 SIE CAMRN-STAR	
Key West (EYW) La Guardia (LGA)	RSW J41TAY J75 DUNKN J210 VAN FLO J207 RDU J55	1030-0300
Louisville (SDF)	HPW J191 PXT KORRY-STARCTY J91 ATL HCH DARBY-STAR	1100-0400
Miami (MIA)	(all others) RSW CYY CYY-STAR	1030-0300
	or (Turbojets-GPS or DME/DME-IRU equipped) RSW CYY SSCOT (RNAV)-STAR	
Minneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STARCTY J91 ATL GOO VOLLS-STAR	
Newark (EWR)	TAY J75 CAE J51 FAK DYLIN-STAR	1100-0400
	(GPS or DME/DME-IRU equipped) TAY J75 CAE	
	J51 FAK PHLBO (RNAV)-STAR	1100-0400
Philadelphia (PHL)	TAY J75 CAE J51 FAK DPNT-STAR	1100-0400
Pittsburgh (PIT)	TAY J75 CAE PSK EKN IHD NESTO-STARTAY J75 CAE BUZZY-STAR	
Washington Dulles (IAD)	TAY J75 CAE J51 FAK COATT-STAR	1100-0400
Washington Natl (DCA)	TAY J75 CAE J52 RIC IRONS-STAR	1100-0400
5. S. C.	or GPS or DME/DME-IRU equipped) TAY J75 CAE	
	J52 RIC OJAAY (RNAV)-STAR	1100-0400
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped)	1100-0400
West I aim beach (i bi)	SABEE JOOOE WLACE (RNAV)–STAR	
Windsor Locks (BDL) From St Petersburg (PIE) only:	TAY J75 DUNKN J210 J79 JFK DPK DPK-STAR	0700-0000
Detroit Satellites:	TAY J85 SPA HNN WEEDA-STAR	
Ann Arbor (ARB), Pontiac (PTK) Willow		
Run (YIP)	CTY J91 VXV J43 FLM DQN CRUXX-STAR	
Windsor (CYQG), Young (DET)	PIE J119 TAY J85 DJB LLEEO-STAR	

SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR ATLANTA HARTSFIELD INTL ARPT (JETS AND TURBOPROPS)

NORTHEAST

Traffic originating Mortil and East of 1100 to M	
	MOL WHINZ-STAR
	or
	MOL FLCON (RNAV)-STAR
	J145 ODF WHINZ-STAR
	or
	J145 ODF FLCON (RNAV)-STAR
	VXV WHINZ-STAR
	or
	VXV FLCON (RNAV)-STAR
	J186 ODF WHINZ-STAR
	or
	J186 ODF FLCON (RNAV)-STAR
	SPA ODF WHINZ-STAR
	or
	SPA ODF FLCON (RNAV)-STAR
SOUTHEAST	
Traffic originating South of a line from ATL to F	ONLL to East of ISO file:
	IRQ SINCA-STAR
	or
	IRQ CANUK (RNAV)-STAR
	DBN SINCA-STAR
	or
	DBN CANUK (RNAV)-STAR
SOUTHWEST	
Traffic originating West of J89 to South and W	est of J14 file:
	MEI LGC-STAR
	or
	MEI HONIE (RNAV)-STAR
	SZW LGC-STAR
	or
	SZW HONIE (RNAV)-STAR
	MGM LGG-STAR
	or
	MGM HONIE (RNAV)-STAR
NORTHWEST	Main Horiz (Minte) Olimination
Traffic originating West and North of J43 to No	
	BWG RMG-STAR
	or
	BWG ERLIN (RNAV)-STAR
	, ,
	BNA RMG-STAR
	or
	BNA ERLIN (RNAV)-STAR
	MEM RMG-STAR
	or
	MEM ERLIN (RNAV-STAR)

SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR ATLANTA TERMINAL AREA AIRPORTS (SATELLITE AIRPORTS ONLY JETS AND TURBOPROPS)

NORTHEAST	
Traffic originating North and East of a line from	ATL to VXV to North of a line from ATL to RDU file:
	J48 ODF AWSON-STAR
	J145 ODF AWSON-STAR
	VXV AWSON-STAR
	J186 ODF AWSON-STAR
	SPA ODF AWSON-STAR
SOUTHEAST	
Traffic originating South of a line from ATL to R	DU, to East of J89 file:
	IRQ TRBOW-STAR
	DBN TRBOW-STAR
SOUTHWEST	
Traffic originating West of J89 to South and We	est of J14 file:
	MEI LGC MIKEE-STAR
	SZW LGC MIKEE-STAR
	MGM LGC MIKEE-STAR
NORTHWEST	
Traffic originating West and North of a line from	ATI to VXV to North of I14 file
	GOO BUNNI-STAR
	ROZ BUNNI-STAR
SPECIAL HIG	H ALTITUDE ARRIVAL ROUTES
FOR CHA	RLOTTE TERMINAL AREA
NORTHEAST	
Traffic originating North and East of J53 to Nor	
Traffic originating North and East of J53 to Nor	LYH MAJIC-STAR
Traffic originating North and East of J53 to Nor	LYH MAJIC-STARRDU SUDSY (RNAV)-STAR
Traffic originating North and East of J53 to Nor	LYH MAJIC-STAR
Traffic originating North and East of J53 to Nor	LYH MAJIC-STARRDU SUDSY (RNAV)-STARROA MAJIC-STAR
Traffic originating North and East of J53 to Nor SOUTHEAST Traffic originating South of a line from CLT to F	LYH MAJIC-STARRDU SUDSY (RNAV)-STARROA MAJIC-STAR
Traffic originating North and East of J53 to Nor	LYH MAJIC–STAR RDU SUDSY (RNAV)–STAR ROA MAJIC–STAR DU to South and East of J51 file: FLO CTF–STAR
Traffic originating North and East of J53 to Nor SOUTHEAST Traffic originating South of a line from CLT to F	LYH MAJIC-STARRDU SUDSY (RNAV)-STARROA MAJIC-STAR
SOUTHEAST Traffic originating South of a line from CLT to R SOUTHWEST	LYH MAJIC-STAR. RDU SUDSY (RNAV)-STAR. ROA MAJIC-STAR. DU to South and East of J51 file: FLO CTF-STAR. FLO HUSTN (RNAV)-STAR.
Traffic originating North and East of J53 to Nor SOUTHEAST Traffic originating South of a line from CLT to F	LYH MAJIC-STAR RDU SUDSY (RNAV)-STAR ROA MAJIC-STAR DU to South and East of J51 file: FLO CTF-STAR FLO HUSTN (RNAV)-STAR
SOUTHEAST Traffic originating South of a line from CLT to R SOUTHWEST	LYH MAJIC-STAR RDU SUDSY (RNAV)-STAR ROA MAJIC-STAR DU to South and East of J51 file: FLO CTF-STAR FLO HUSTN (RNAV)-STAR 3 file: ATL ADENA (RNAV)-STAR
SOUTHEAST Traffic originating South of a line from CLT to F SOUTHWEST Traffic originating West of J51 to South of J118	LYH MAJIC-STAR. RDU SUDSY (RNAV)-STAR. ROA MAJIC-STAR. DU to South and East of J51 file: FLO CTF-STAR. FLO HUSTN (RNAV)-STAR. 3 file: ATL ADENA (RNAV)-STAR. ATL UNARM-STAR.
Traffic originating North and East of J53 to Nor SOUTHEAST Traffic originating South of a line from CLT to F SOUTHWEST Traffic originating West of J51 to South of J118	LYH MAJIC-STAR. RDU SUDSY (RNAV)-STAR ROA MAJIC-STAR DU to South and East of J51 file: FLO CTF-STAR FLO HUSTN (RNAV)-STAR 8 file: ATL ADENA (RNAV)-STAR IRQ ADENA (RNAV)-STAR
SOUTHEAST Traffic originating South of a line from CLT to F SOUTHWEST Traffic originating West of J51 to South of J118	LYH MAJIC-STAR. RDU SUDSY (RNAV)-STAR. ROA MAJIC-STAR. DU to South and East of J51 file: FLO CTF-STAR. FLO HUSTN (RNAV)-STAR. 3 file: ATL ADENA (RNAV)-STAR. ATL UNARM-STAR.
Traffic originating North and East of J53 to Northeast SOUTHEAST Traffic originating South of a line from CLT to F SOUTHWEST Traffic originating West of J51 to South of J118 NORTHWEST	LYH MAJIC-STAR RDU SUDSY (RNAV)-STAR ROA MAJIC-STAR DU to South and East of J51 file: FLO CTF-STAR FLO HUSTN (RNAV)-STAR 3 file: ATL ADENA (RNAV)-STAR ATL UNARM-STAR IRQ ADENA (RNAV)-STAR IRQ UNARM-STAR IRQ UNARM-STAR
SOUTHEAST Traffic originating South of a line from CLT to F SOUTHWEST Traffic originating West of J51 to South of J118	LYH MAJIC-STAR. RDU SUDSY (RNAV)-STAR. ROA MAJIC-STAR. DU to South and East of J51 file: FLO CTF-STAR FLO HUSTN (RNAV)-STAR. 3 file: ATL ADENA (RNAV)-STAR ATL UNARM-STAR IRQ ADENA (RNAV)-STAR IRQ UNARM-STAR
Traffic originating North and East of J53 to Northeast SOUTHEAST Traffic originating South of a line from CLT to F SOUTHWEST Traffic originating West of J51 to South of J118 NORTHWEST	LYH MAJIC-STAR RDU SUDSY (RNAV)-STAR ROA MAJIC-STAR DU to South and East of J51 file: FLO CTF-STAR FLO HUSTN (RNAV)-STAR 3 file: ATL ADENA (RNAV)-STAR ATL UNARM-STAR IRQ ADENA (RNAV)-STAR IRQ UNARM-STAR IRQ UNARM-STAR

SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR MEMPHIS TERMINAL AREA

Traffic entering Memphis ARTCC north of J118:		
	BNA WILDER-STAR	
	BWG WILDER-STAR	
	PXV WILDER-STAR	
NORTHWEST		
Traffic entering Memphis ARTCC on or west of J	35:	
	FAM GQE-STAR	
	ARG GQE-STAR	
	SGF ARG GQE-STAR	
	RZC GQE-STAR	
	FSM GQE-STAR	1100-0200
SOUTHEAST		
Traffic entering Memphis ARTCC south of J118:		
	VUZ HLI-STAR (MONDAY-FRIDAY)	
SOUTHWEST	GQO HLI-STAR	1100-0200
Traffic entering Memphis ARTCC on or south of	16:	
	LIT MARVELL-STAR	
	TXK MARVELL-STAR	
	ELD MARVELL-STAR	
	SQS MARVELL-STAR	
SPECIAL HIGH A	LTITUDE DIRECTIONAL ROUTES	
		Effective
		Times
Torminals	Pouto	
Terminals	Route	(UTC)
Traffic entering Miami Center (ZMA) for northbound	Caribbean flights originating from Santo Domingo	(UTC)
	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463	(UTC)
Traffic entering Miami Center (ZMA) for northbound	Caribbean flights originating from Santo Domingo	(UTC)
Traffic entering Miami Center (ZMA) for northbound	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463	(UTC)
Traffic entering Miami Center (ZMA) for northbound	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)-STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STARor JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL DEKAL—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STARor JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL DEKAL—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STARor JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL DEKAL—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STARor or JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL DEKAL—STARor	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)
Traffic entering Miami Center (ZMA) for northbound FLL	Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)—STAR	(UTC)

RETAK A636 ZIN A315 HODGY ZQA 054V.....

	Route	Times (UTC)
Traffic overflying Atlanta Center originating north a	ond east of a line from TYS to LAL (except DAY and PSK CAE SAV OMN BITHO-STAR	d CVG) for ZTL to MCO: 1100-0400
	J83 SPA CAE SAV OMN BITHO-STAR	1100-0400
	(GPS or DME/DME-equipped) PSK CAE SAV OMN CWRLD (RNAV)-STAR	1100-0400
	(GPS or DME/DME-IRU equipped) J83 SPA CAE SAV OMN CWRLD (RNAV)-STAR	1100-0400
Traffic overflying Atlanta Center Eastbound origina	ting South of a line from DFW to JFK:	
BDL	GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR	
BOS	(Turbojet only) GRD J209 RDU J207 FKN J79 JFK ORW-STAR	
	(Turboprop only) SIE J121 HTO V308 ORW	
	V16 WOONS	
BWI	SPA J14 RIC OTT-STAR	
	(GPS or DME/DME.IRU equipped) SPA J14	
	RIC RAVNN (RNAV)-STAR	
DCA	SPA J14 RIC IRONS-STAR	
	or	
	(GPS or DME/DME-IRU equipped) SPA J14	
EW/D	RIC OJAAY (RNAV)-STAR SPA J14 J15 FAK DYLIN-STAR	
EWR	or	
	(GPS or DME/DME.IRU equipped) SPA J14	
	J51 FAK PHLBO (RNAV)-STAR	
IAD	SPA J14 J51 FAK COATT-STARR	
JFK	GRD J209 ORF J121 SIE CAMRN-STAR	
LGA	AHN J208 HPW J191 PXT KORRY-STAR	
PHL	SPA J14 J51 FAK DPNT-STAR	
Northbound from over VXV with destination of CMF		
	VXV J91 HNN BREMN-STAR	
Traffic overflying Atlanta Center Northbound from C		
	SPA J85 HVQ HNN BREMN-STAR	
Traffic overflying Atlanta Center Northbound from		
Traffic arrestring Aklanta Contan Caribbarrad arisin	PSK HVQ HNN BREMN-STAR	
Traffic overflying Atlanta Center Southbound origin (except DAY and CVG) with destinations of FLL, FN	MY, MCO, MIA, PBI, RSW, SRQ and TPA file:	4400 0000
	PSK CAE	1100-0300
	J83 SPA J85 AMG	1100-0300
Traffic overflying Atlanta Center Southbound origin (with DAY and CVG) with destinations of FLL, FMY,	=	
	VXV J91 ATL OTK	1100-0300
	BNA J73 SZWor	1100-0300
	MGM J20 SZW	1100-0300
	BNA J73 SZW	1100-0300
	MGM J20 SZW	1100-0300

	Route	Effective Times (UTC)
Traffic originating South of Wilmington VORTAC (IL		(010)
EWR	ILM J109 FAK DYLIN-STARor or (GPS or DME/DME.IRU equipped) ILM J109	1100-0300
FRG	FAK PHLBO (RNAV)-STAR	1100-0300
LGA	CEBEE SWL J121 SIE CAMRN-STARILM TYI HPW J191 PXT KORRY-STAR	1100-0300 1100-0300
Traffic overflying Ormond Beach VORTAC (OMN) de	estined MIA:	
OMN	OMN J79 VRB HEATT-STAR	
Traffic entering Miami Center (ZMA) for southboun Nagua (MDCY):	d Caribbean flights on L452/L453/L454 to La Ro	omana (MDLR) and
ZMA	LETON L450 GTK ASIVO	
	or LNHOM L452 GTK ASIVO	
	LAMER L464 CERDA L453 ASIVO	
	or MLLER M594 CERDA L459 ASIVOor	
	NUCAR L463 RNDLY ASIVO	
Traffic entering Miami Center (ZMA) for southboun ZMA	d Caribbean flights on L452/L453/L454 to Puert LETON L450 SEKAR A554 PTAor	o Plata (MDPP):
	LNHOM L452 GTK A554 PTA	
	or LAMER L453 MACKI B891 PTA	
	LUCTI L454 MNDEZ M594 CERDA L453 MACKI B891 PTA	
	or MLLER M594 CERDA L453 MACKI B891 PTA	
	or NUCAR L463 RNDLY SEKAR A554 PTA	
	or WATRS M596 PTA	
Traffic entering Miami Center (ZMA) for southboun ZMA	LETON L450 SEKAR A554 CDO	Domingo (MDSD):
	or LNHOM L452 GTK L450 SEKAR A554 CDO or	
	LAMER L453 ASIVO CDO	
	or LUCTI L454 MNDEZ M594 CERDA L453 ASIVO CDO	
	or MLLER M594 CERDA L453 ASIVO CDO	
	or	
	NUCAR L463 RNDLY SEKAR A554 CDO	

	Route	Effective Times (UTC)
Traffic entering Miami Center (ZMA) for southbound ZMA	Caribbean flights on L452/L453/L454 to Port at LETON L450 GTK G444 OBN	u Prince (MTPP):
	LNHOM L452 GTK G444 OBN	
	LAMER L464 CERDA M594 GTK G444 OBN .	
Traffic entering Miami Center (ZMA) for southbound ZMA	Caribbean flights on L452/L453/L454 to Saint . LETON L451 ELMUC L451 ANU	Johns Island (TAPA):
	LNHOM L452 JORGG L451 ELMUC L451	
	ANUor	
	LAMER L453 CERDA L451 ELMUC L451 ANU	
	or LUCTI L454 ELMUC L451 ANU	
Traffic entering Miami Center (ZMA) for southbound ZMA	Caribbean flights on L452/L453/L454 to Bridge LETON L451 ELMUC L454 ILURI A555 BGI or	town (TBPB):
	LNHOM L452 JORGG L451 ELMUC L454 ILURI A555 BGI	
	or LAMER L453 CERDA L451 ELMUC L454	
	ILURI A555 BGI	
	or LUCTI L454 ELMUC L454 ILURI A555 BGI	
Traffic entering Miami Center (ZMA) for southbound ZMA	Caribbean flights on L452/L453/L454 to Fort do LETON L451 ELMUC L454 ILURI A555 FOF	e France (TFFF):
	or LNHOM L452 JORGG L451 ELMUC L454 ILURI A555 FOF	
	or	
	ILURI A555 FOF	
	or LUCTI L454 ELMUC L454 ILURI A555 FOF	
Traffic entering Miami Center (ZMA) for southbound		Caso (TEEG) and Sain
Barthelemy (TFFJ) and Oranjestad-Roosevelt (TNCE		
	or LNHOM L452 JORGG L451 ELMUC L451 PJM	
	or LAMER L453 CERDA L451 ELMUC L451 PJM	
	or LUCTI L454 ELMUC L451 PJM	
Traffic entering Miami Center (ZMA) for southbound		a Pitre (TFFR):
ZMA	R888 PPRor	
	LNHOM L452 JORGG L451 ELMUC L454 LEEOO MODUX R888 PPR	
	or LAMER L453 CERDA L451 ELMUC L454 LEEOO MODUX R888 PPR	
	or LUCTI L454 FLMUC L454 LEEQO MODUX	

R888 PPR

Effective Times (UTC)

Route

Traffic entering Miami Center (ZMA) for southbound (TIST):	d Caribbean flights on L452/L453/L454 to Saint Thomas Virgin Islands
ZMA	LETON L451 ELMUC L454 PANMO JETSS
	LNHOM L452 JORGG L451 ELMUC L454
	PANMO JETSS
	or
	LAMER L453 CERDA L451 ELMUC L454
	PANMO JETSS
	or
	LUCTI L454 ELMUC L454 PANMO JETSS
Traffic entering Miami Center (7MA) for southhouse	d Caribbean flights on L452/L453/L454 to Saint Croix Virgin Islands
(TISX):	d danibbean nights on E402/ E400/ E404 to Saint Grow Virgin Islands
ZMA	LETON L451 ELMUC L454 PANMO COY
	LNHOM L452 JORGG L451 ELMUC L454
	PANMO COY
	or
	LAMER L453 CERDA L451 ELMUC L454
	PANMO COY
	or
	LUCTI L454 ELMUC L454 PANMO COY
Tariffic and all Mineri Ocator (7MA) for each this	d One in the case of in the case of the ca
	d Caribbean flights on L452/L453/L454 to Aguadilla (TJBQ):
ZMA	or
	LNHOM L452 JORGG L451 ELMUC BQN
	or
	LAMER L453 CERDA L451 ELMUC BQN
	or
	LUCTI L454 ELMUC BQN
Traffic antoning Miner: Contag (7MA) for another and	d Caribbaca flights on LAEO /LAEO /LAEA to Con Luca /TUC).
ZMA	d Caribbean flights on L452/L453/L454 to San Juan (TJIG): LETON L451 ELMUC IDAHO BEANO
ZIVIA	or
	LNHOM L452 JORGG L451 ELMUC IDAHO
	BEANO
	or
	LAMER L453 CERDA L451 ELMUC IDAHO
	BEANO
	or
	LUCTI L454 ELMUC IDAHO BEANO
Traffic entering Miami Center (7MA) for couthhouse	Coribboon flights on LAE2 /LAE2 /LAE4 to Moveguez /TIM7)
ZMA	d Caribbean flights on L452/L453/L454 to Mayaguez (TJMZ): LETON L451 ELMUC MAZ
ZIVIA	or
	LNHOM L452 JORGG L451 ELMUC MAZ
	or
	LAMER L453 CERDA L451 ELMUC MAZ
	or
	LUCTI L454 ELMUC MAZ

	Route	(UTC)
Traffic entering Miami Center (ZMA) for southbound ZMA	Caribbean flights on L452/L453/L454 to Ponce LETON L451 ELMUC PSE	(TJPS):
	LNHOM L452 JORGG L451 ELMUC PSE	
	LAMER L453 CERDA L451 ELMUC PSE or	
	LUCTI L454 ELMUC PSE	
Traffic entering Miami Center (ZMA) for southbound ZMA	LETON L451 ELMUC IDAHO ROO6	ıan (TJSJ):
	or LNHOM L452 JORGG L451 ELMUC IDAHO R006	
	or LAMER L453 CERDA L451 ELMUC IDAHO R006	
	or LUCTI L454 ELMUC IDAHO R006	
Traffic entering Miami Center (ZMA) for southbound Charlestown (TKPN):	Caribbean flights on L452/L453/L454 to Golder	n Rock (TKPK) and
ZMA	LETON L451 ELMUC L454 LEEOO DANDE G633 SKB	
	LNHOM L452 JORGG L451 ELMUC L454 LEEOO DANDE G633 SKB	
	or LAMER L453 CERDA L451 ELMUC L454	
	or	
	LUCTI L454 ELMUC L454 LEE00 DANDE G633 SKB	
Traffic entering Miami Center (ZMA) for southbound of Spain (TTPP):	Caribbean flights on L452/L453/L454 to Crown	Point (TTCP) and Port
ZMA	LETON L451 ELMUC G431 DDP G449 POS or	
	LNHOM L452 JORGG L451 ELMUC G431 DDP G449 POSor	
	LAMER L453 CERDA L451 ELMUC G431 DDP G449 POS	
	or LUCTI L454 ELMUC G431 DDP G449 POS or	
	GTK L452 ANADA G449 POS	

PREFERRED IFR ROUTES HIGH ALTITUDE—SINGLE DIRECTION ROUTES

Airway	Segment Fixes	Direction Effective	Times (UTC)
J14	Greensboro, NC to Richmond, VA	Northeast	1100-0300
J37	Coyle, NJ to Spartanburg, SC	Southwest	1100-0300
J40	Wilmington, NC to Richmond, VA	North	1100-0300
J48	Pottstown, PA to Foothills, GA	Southwest	1100-0300
J51	Columbia, SC to Yardley, NJ	Northeast	1100-0300
J52	Columbia, SC to Richmond, VA	Northeast	1100-0300
J55	Florence, SC to HUBBS Int., VA	Northeast	1100-0300
J75	Modena, PA to Greensboro, NC	Southwest	1100-0300
J89	Atlanta, GA to HITTR Int, FL	South	1100-0300
J91	Cross City, FL to Atlanta, GA	North	1100-0300
J109	Wilmington, NC to Buffalo, NY	North	1100-0300
J165	Charleston, SC to Richmond, VA	North	1100-0300
J191	Wilmington, NC to Robbinsville, NJ	North	1100-0300
J193	HUBBS Int., VA to Wilmington, NC	South	1100-0300
J207	Florence, SC to Franklin, VA	Northeast	1100-0300
J208	Athens, GA to Hopewell, VA	Northeast	1100-0300
J209	Greenwood, SC to Norfolk, VA	Northeast	1100-0300

458 Q-ROUTES

GULF OF MEXICO "Q ROUTES"

These area navigation routes extend more than 12 miles off shore in airspace controlled by the Federal Aviation Administration (FAA). Additional regulatory information for these routes can be found in the Notices to Airmen Publication, Part 3, International Notices to Airmen.

These routes have a Minimum Obstruction Clearance Altitude (MOCA) of 1500 feet (MSL). The Minimum Enroute Altitude (MEA) for these routes is 6000 feet (MSL).

Q100

LEV VORTAC

REDFN N28°52.98'/W088°42.11'
ROZZI N28°18.87'/W086°42.31'
REMIS N27°53.04'/W085°15.47'

SRO VORTAC

0102

LEZ VORTAC

BLVNS N28°22.94'/W088°02.05' BUNNZ N28°00.58'/W086°45.76' BACCA N27°35.51'/W085°20.66' CIGAR N27°29.61'/W084'46.99' BAGGS N27°08.06'/W082°50.45'

CYY VORTAC

0105

HRV VORTAC

FATSO N29°41.40'/W089°47.08'
REDFN N28°52.98'/W088°42.11'
BLVNS N28°22.94'/W088°02.05'

O-ROUTES REGULATORY

Q1, Q3, Q5, Q7, Q9 and Q11 are preferred single direction (Southbound) Q routes; flight planning Northbound not authorized.

Q routes are RNAV routes that require the use of GNSS or DME/DME/IRU RNAV, unless otherwise indicated. Please note that this section does not apply to Q routes in the Gulf of Mexico. Gulf of Mexico Q routes are explained in the Southeast and South Central A/FD volumes. Q routes listed in this AF/D volume have at least part of one of their leg segments within this volume's area of coverage.

GNSS and DME/DME/IRU RNAV operations are authorized along Q routes at FL 180 and above. GNSS and DME/DME/IRU RNAV MEAs will only be published if above FL 180.

DME facilities that have been assessed for RNAV operations are listed below. Q routes with no DME facilities listed are limited to GNSS RNAV operations only. Those routes will have an enroute chart note "GNSS REQUIRED".

Route Q1	Segment ELMAA-ERAVE	DME BTG, OLM, HQM, HUH, UBG
•	ERAVE-EASON	BTG, OLM, HQM, HUH, LTJ, CVO, DSD, OED, UBG, ONP, EUG
	EASON-EBINY	CVO, DSD, OED, BTG, UBG, ONP, EUG, LMT
	EBINY-ENVIE	CVO, OED, EUG, LMT, RBL, ENI, ONP, FJS
	ENVIE-ETCHY	OED, PYE, OAK, LIN, ECA, LMT, RBL, ENI, SAC, FJS
	ETCHY-POINT REYES	LIN, ECA, RBL, ENI, SAC, OAK
Q2	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-HOBOL	BZA, GBN, BLH, EED, PXR, IPL, TFD, DRK, TUS
	HOBOL-ITUCO	TFD, GBN, BLH, PXR, TUS, CIE, SSO
	ITUCO-NEWMAN	EWM, TFD, PXR, CIE, SSO, TUS, TCS
Q3	FEPOT-FAMUK	OLM, TOU, HQM, CVO, BTG, DSD, LTJ, UBG, ONP, EUG
	FAMUK-FRFLY	BTG, DSD, OED, CVO, EUG, ONP, UBG, RBL, LMT
	FRFLY-FINER	OED, EUG, RBL, LMT, ENI, CVO, FJS
	FINER-FOWND	OED, PYE, ECA, LIN, OAK, ENI, RBL, LMT, SAC, FJS
	FOWND-POINT REYES	LIN, ECA, PYE, RBL, SAC, ENI
Q4	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-SCOLE	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SCOLE-SPTFR	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SPTFR-ZEBOL	EED, IPL, BZA, GBN, TFD, PXR, BLH
	ZEBOL-SKTTR	PXR, BLH, BZA, GBN, TFD, TUS, SSO, CIE, SVC, TCS
	SKTTR-EL PASO	EWM, CUS, SVC, TCS, SSO, CIE, ELP, DMN, CME

Route	Segment	DME
Q5	HAROB-HISKU	OLM, ONP, CVO, EUG, HQM, UBG, BTG, LTJ, DSD, HUH
	HISKU-HARPR	ONP, CVO, EUG, LTJ, DSD, UBG, BTG, RBL, OED, LMT, FJS, LKV
	HARPR-HOMEG	CVO, EUG, OED, RBL, LMT, ENI, FJS, LKV
	HOMEG-HUPTU	SAC, PYE, LIN, OAK, ECA, LMT, RBL, ENI, OED, FJS
07	HUPTU-STIKM	OAK, ECA, PYE, LIN, SAC, ENI, RBL
Q7	JINMO-JOGEN	CVO, HQM, LTJ, UBG, BTG, ONP, IMB, EUG, OLM, DSD, YKM, PDT, SEA
	JOGEN-JUNEJ	LTJ, IMB, UBG, EUG, CVO, RBL, LMT, FMG, DSD, LKV, OED, BTG
	JUNEJ–JAGWA JAGWA–AVENAL	RBL, LMT, FMG, LIN, SAC, ECA, ENI, MOD, SWR, OAK, LKV, CZQ, AVE, SNS
Q9	SUMMA-SMIGE	OAK, MOD, ECA, EHF, PRB, AVE, SNS, CZQ OLM, UBG, SEA, YKM, BTG, ONP, IMB, HQM, PDT, EUG, LTJ, CVO, DSD, OED,
Qэ	SUMINA-SIMIGE	EPH, MWH
	SMIGE-SUNBE	IMB, UBG, EUG, IMB, RBL, LMT, FMG, SAC, OED, CVO, LKV, DSD, BTG
	SUNBE-REBRG	RBL, LMT, FMG, SAC, ECA, MVA, CZQ, OAK, EHF, PMD, LKV, LIN, MOD, AVE, OED,
	SOURCE MEDICA	SWR
	REBRG-DERBB	CZQ, PMD, EHF, LAX, RZS, AVE, MOD, ECA
Q11	PAAGE-PAWLI	EPH, UBG, CVO, EUG, HQM, YKM, OLM, PDT, BTG, ONP, IMB, LTJ, DSD, LKV,
-		OED, SEA
	PAWLI-PITVE	EUG, FMG, SAC, IMB, LKV, OED, DSD, RBL, LMT, CVO, REO
	PITVE-PUSHH	FMG, SAC, LIN, SWR, MOD, OAL, RBL, LKV, LMT, MVA, CZQ
	PUSHH-LOS ANGELES	SAC, ECA, FMG, LIN, OAL, MOD, EHF, LAX, PMD, PDZ, HEC, OCN, CZQ, AVE, RZS
Q13	All segments	None; GNSS required
Q15	All segments	None; GNSS required
Q19	PLESS-NASHVILLE	ENL, GQO, PXV, BNA, IIU, FAM, BWG, CSX
Q20	CORONA-HONDS	CNX, ABQ, ACH, ONM, TXO, LVS, TCC, CME
	HONDS-UNNOS	CNX, INK, CME, TXO, TCC
	UNNOS-FUSCO	FST, ACH, INK, CME, SJT, TXO, TCC
	FUSCO-JUNCTION	ABI, CWK, CSI, INK, LZZ, JCT, SJT, STV, FST
Q21	JONEZ-RAZORBACK	BYP, EOS, TUL, TXK, ADM, RZC, OKM
Q22	GUSTI-OYSTY	AEX, DAS, MCB, LLA, BTR, LCH, HRV, LFT, LEV
	OYSTY-ACMES	RQR, GCV, MCB, BTR, PCU, GPT, HRV, LEV, SJI
033	ACMES-CATLN	SJI, MGM, MCB, BFM, GPT, GCV, HRV, CEW, MVC, PCU, MEI
Q23 Q24	FORT SMITH-RAZORBACK LAKE CHARLES-BATON	
Q24	ROUGE	AEX, DAS, LCH, MCB, LFT, BTR
	BATON ROUGE-IRUBE	AEX, LEV, MCB, LCH, RQR, HRV, BTR, GCV, MCB, PCU, SJI, LBY
	IRUBE-PAYTN	GCV, MCB, JYU, PCU, MEI, HRV, CEW, SJI
Q25	MEEOW-WALNUT RIDGE	ELD, MEM, LIT, FAM, RZC
•	WALNUT RIDGE-WLSUN	MEM, STL, BWG, PXV, ENL, FAM, ARG, BNA, CSX, TTH
	WLSUN-POCKET CITY	BWG, PXV, ENL, BNA, TTH
Q26	WALNUT RIDGE-DEVAC	LIT, JKS,GQO, MEM, BNA, FAM, ARG, DYR, VUZ, RMG
Q27	FORT SMITH-ZALDA	OKM, SGF, RZC, EOS, TUL
Q28	GRAZN-PYRMD	EIC, LIT, ELD, OKM, TXK
	PYRMD-HAKAT	ARG, LIT, FAM, ELD, SGF, RZC, MEM, TXK
	HAKAT-ESTEE	ARG, LIT, FAM, SGF, MEM
	ESTEE-POCKET CITY	ARG, CSX, FAM, PXV, ENL, MEM, STL, BWG, TTH, BNA
Q29	HARES-MEMPHIS	MEM, ARG, LIT, JAN, ELD, SQS
	MEMPHIS-SIDAE	MEM, PXV, BNA, BWG, ARG, ENL
030	SIDAE-POCKET CITY	PXV, TTH, BWG, ENL
Q30	SIDON-VULCAN DHART-JODOX	GLH, MEM, VUZ, JAN, JYU, MEI, MGM, SQS, RMG
Q31	JODOX-MARVELL	SQS, LIT, TXK SQS, LIT, ELD, MEM, ARG
	MARVELL-TIIDE	ARG, BWG, PXV, FAM, LIT, MEM, ENL, TTH
	TIIDE-POCKET CITY	BWG, PXV, ENL, TTH
Q32	EL DORADO-GAGLE	AEX, JAN, MEM, SQS, SWB, ELD, LIT, TXK
	GAGLE-CRAMM	JAN, SQS, MEM, ARG, VUZ, BNA, LIT
	CRAMM-NASHVILLE	BWG, MEM, VUZ, BNA, GQO
	NASHVILLE-SWAPP	BWG, IIU, PXV, VXV, BNA, GQO
Q33	DHART-LITTLE ROCK	AEX, ELD, LIT, TXK, SWB, ARG, MEM, SQS
	LITTLE ROCK-PROWL	ELD, SGF, FAM, LIT, ARG, MEM, RZC, CSX, STL
Q34	TEXARKANA-MATIE	LIT, SWB, TXK, BYP, EIC, ELD, SQS
	MATIE-MEMPHIS	LIT, ARG, MEM, ELD, SQS
	MEMPHIS-SWAPP	BWG, ARG, MEM, MKL, SQS,PXV, BNA, GQO, IIU, VXV
Q35	KIMBERLY-NEERO	LTJ, PDT, DSD, IMB, LKV, BOI, REO, BAM, SDO
	NEERO-WINEN	BQU, SDO, BAM, REO, BVL, ILC, DTA, ELY, CDC, MLF, BCE
	WINEN-CORKR	CDC, BCE, BLD, ILC, MLF, TBC, PGS, INW, DRK
	CORKR-DRAKE	TBC, BCE, BLD, DRK, PGS, FLG, GCN, INW, TFD

460 Q-ROUTES

Route	Segment	DME
Q36	RAZORBACK-TWITS	RZC, MEM, SGF, BUM, TUL, EOS, FAM, ARG, LIT
	TWITS-DEPEC	MEM, GQO, BNA, BWG, FAM, ARG, PXV, IIU
	DEPEC-NASHVILLE	GQO, BWG, BNA, PXV, IIU
	NASHVILLE-SWAPP	VXV, BWG, BNA, GQO, PXV, IIU
030		
Q38	ROKIT-INCIN	DAS, LCH, SWB, IAH, LFK, HUB, AEX
	INCIN-LAREY	JAN, MCB, SWB, AEX
	LAREY-BESOM	JAN, JYU, MEI, SQS, VUZ
Q40	ALEXANDRIA-DOOMS	AEX, SWB, LCH, JAN, HEZ, MCB
	DOOMS-WINAP	JAN, SQS, MEI, MCB
	WINAP-MISLE	MEI, VUZ, JYU
Q42	KIRKSVILLE-STRUK	CID, IOW, UIN, LMN, IRK, BDF, STL, DEC, ENL, CSX
¥ ·-	STRUK-DANVILLE	ENL, IOW, UIN, BDF, DEC, STL, CSX, SPI, TTH, BVT, JOT, VHP, OXI, ENL, OKK,
	STROK-DAINVILLE	
	5	OBK, GIJ, FWA, GSH, IRK
	DANVILLE-MUNCIE	GIJ, SPI, BDF, OBK, OKK, VHP, BVT, DEC, GSH, FWA, JOT, TTH, OXI, ROD, FLM
	MUNCIE-HIDON	FLM, VHP, GSH, TTH, GIJ, OKK, FWA, ROD, OXI, CRL, GSH, APE, DJB, DXO, HNN,
		AIR, HVQ, CXR, EWC
	HIDON-BUBAA	AIR, APE, HNN, CXR, HVQ, EWC, DJB
	BUBAA-PSYKO	AIR, APE, DJB, CXR, HNN, EWC, SLT, CSN, JHW, ETG, PSB
	PSYKO-BRNAN	PSB, JHW, EWC, AIR, ETG, CSN, EMI, SLT
	BRNAN-MAALS	EMI, SLT, CSN, EWC, PSB, ETG, SAX, RBV, HNK, HUO, SIE
	MAALS-SUZIE	ETG, EMI, CSN, HUO, SIE, JFK, PSB, SLT, HNK
	SUZIE-EAST TEXAS	JFK, EMI, PSB, SLT, HNK, SIE, RBV, SAX, HUO, CYN
	EAST TEXAS-ELIOT	HUO, RBV, EMI, CYN, SAX, JFK, PSB, HNK
Q104	DEFUN-HEVVN	PIE, PZD, CRG, SZW, TAY, JYU, CEW, MGM, OTK, CRG
	HEVVN-PLYER	PIE, ORL, OMN, SRQ, TAY, LAL, CRG, SZW, PZD
	PLYER-SWABE	PIE, ORL, OMN, SRQ, TAY
	SWABE-ST PETERSBURG	LAL, ORL, OMN, SRQ, PHK, PIE
	ST PETERSBURG-	PHK, PBI, SRQ, PIE, VRB, ORL, FLL, LAL, OMN
	CYPRESS	, , , , , ,
Q106		LAL, ORL, OMN, PHK, PIE, CRG, VRB, TAY, OTK, PZD, AMG, SZW
Q100	SMELZ-BULZI	
	BULZI-DRABK	AMG, PZD, TAY, CRG, SZW, MGM, OTK, JYU, CEW, SJI
	DRABK-GADAY	MGM, PZD, OTK, JYU, SZW, CEW, SJI
Q108	GADAY-CLAWZ	MGM, SJI, CEW, JYU, PZD, OTK, MCN, SZW, LGC, TAY, AMG
Q110	THNOR-JAYMC	SRQ, VRB, PHK, PIE, LAL, VKZ, ORL, PBI
	JAYMC-RVERO	VKZ, VRB, PHK, PIE, LAL, SRQ, ORL, OMN, PBI, DHP
	RVERO-KPASA	OMN, PIE, PBI, SRQ, ORL, LAL
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, SZW, PIE, TAY, PZD, OTK
	GULFR-FEONA	TAY, MCN, PZD, CRG, OTK, SZW, AMG, MCN, ATL, MGM
Q112	DEFUN-HEVVN	PIE, OTK, CRG, OMN, LAL, SZW, SRQ, ORL, VRB
QIIZ		
0110	HEVVN-INPIN	JYU, PZD, CEW, SZW, MGM, OTK, TAY, AMG, PIE, CRG
Q116	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK
	GULFR-CEEYA	MCN, AMG, PZD, OTK, SZW, TAY
Q118	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-LENIE	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK, MCN
Q501	VIXIS-GOPHER	ECK, FNT, APN, SSM, GRR, MBL, SAW, BAE, MNM, DLL, AUW, ODI, STE, FGT, EAU,
-		DLH, GEP, BRD, MCW, MSP, ASP, TVC, GRB, RWF
	GOPHER-SOBME	FGT, BRD, MCW, GEP, ABR, FAR, DLH, ODI, RWF, FSD
Q502	KENPA-GOPHER	SSM, FNT, ECK, APN, SAW, GRB, BAE, DLL, AUW, ODI, FGT, DLH, EAU, MCW,
Q302	KENFA-GOFTIEK	
		MSP, MNM, ASP, TVC, GEP, RWF, BRD
	GOPHER-SOBME	FGT, DLH, ODI, MCW, ABR, FAR, MSP, GEP, RWF, FSD, BRD
Q504	NOTAP-CESNA	SSM, ECK, APN, GLR, PLN, ISQ, MNM, DLL, RHI, DLH, GEP, FGT, ODI, ASP, TVC,
		SAW, GRB, BRD
	CESNA-HEMDI	ODI, GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, DLL, BRD
Q505	OMAGA-RIMBE	SSM, TVC, ASP, SAW, GRB
-	RIMBE-CESNA	SSM, RHI, DLL, DLH, GEP, FGT, TVC, SAW, GRB, BRD, ODI
	CESNA-HEMDI	GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, BRD, ODI, GRB

HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

RNAV Routing Pitch and Catch Points

The purpose of this section of the Special High Altitude Routes is to present user routing options for flight within the initial HAR Phase I expansion airspace. Users are able to fly user-preferred routes, referred to as non-restrictive routing (NRR), between specific fixes described by pitch (entry into) and catch (exit out of) fixes in the HAR airspace. Pitch points indicate an end of departure procedures, preferred IFR routings, or other established routing programs where a flight can begin a segment of NRR. The catch point indicates where a flight ends a segment of NRR and joins published arrival procedures, preferred IFR routing, or other established routing programs.

The HAR Phase I expansion airspace is defined as that airspace at and above FL 350 in fourteen of the western and southern Air Route Traffic Control Centers (ARTCCs). The airspace includes Minneapolis (ZMP), Chicago (ZAU), Kansas City (ZKC), Denver (ZDV), Salt Lake City (ZLC), Oakland (ZOA), Seattle Centers (ZSE), Los Angeles (ZLA), Albuquerque (ZAB), Fort Worth (ZFW), Memphis (ZME), and Houston (ZHU). Jacksonville (ZJX) and Miami (ZMA) are included for east-west routes only.

To develop a flight plan, select pitch and catch points based upon your desired route across the Phase I airspace. Filing requirements to pitch points, and from catch points, remain unchanged from current procedures. For the portion of the route between the pitch and catch points, non-restrictive routing is permitted.


Where pitch points for a specific airport are not identified, aircraft should file an appropriate departure procedure (DP), or any other user preferred routing prior to the NRR portion of their routing. Where catch points for a specific airport are not identified aircraft should file, after the NRR portion of their routing, an appropriate arrival procedure or other user preferred routing to their destination.

Additionally, information concerning the location and schedule of Special Use Airspace (SUA) and Air Traffic Control Assigned Airspace (ATCAA) can be found on the Web Site: http://sua.faa.gov/sua/Welcome.do. ATCAA refers to airspace in the high altitude structure supporting military and other special operations. Users are encouraged to file around these areas when they are scheduled to be active, thereby avoiding unplanned reroutes around them.

In conjunction with the HAR program RNAV routes have been established to provide for a systematic flow of air traffic in specific portions of the enroute flight environment. The designator for these RNAV routes begin with the letter Q, for example, Q-501. Where those routes aid in the efficient orderly management of air traffic they will be published as preferred IFR routes.

High Altitude Redesign (HAR) Phase One Expansion Airspace

Except as noted, flights entering HAR expansion airspace may pitch



HAR Special High Altitude Pitch (entry) Points for Nonrestrictive Routing for Airports Located Outside HAR Phase I Expansion Airspace

Westbound traffic originating outside of HAR airspace entering ZMP, ZAU, ZKC and ZME can begin non-restrictive routing over any of the following pitch points (listed from north to south):

DLH, CESNA, GEP, BAE, MKG, GRR, PMM, GSH, CADIZ, FWA, VHP, FLM, IIU, PXV, SGF, RZC, BNA, SALMS, VUZ, BOYDD, MIF

Traffic originating outside of HAR airspace may also begin Nonrestrictive Routing upon crossing the pitch line depicted on the associated graphic.

HAR Special High Altitude Pitch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists pitch points for airports within the HAR Phase I expansion airspace.

Albuquerque ABQ, GUP, HANOS or ZUN

Austin ABI, FUZ, JCT, MQP, NAVYS, SJT or TNV

Boca Raton, FL TBIRD KPASA Q118 LENIE

or

TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI

or TBIRD SMELZ Q106 GADAY

Burbank includes GMN, MARKS

Santa Monica

and Van Nuys DAG LAS

HEC EED

or PMD BLH

Chicago Terminal Area IOW, PLL275065, MZV or BAE

Dallas/Fort Worth Terminal Area ABI, LBB, GTH, CDS, MRMAC, IRW, TUL, MLC, TXK

ELD, SWB

or

Aircraft destined the Chicago terminal area

Except MDW

EAKER MIDEE BDF BRADFORD-STAR

Or

MLC J105 SGF BDF BRADFORD-STAR

Denver Terminal Area PUB, DVC, DBL, RLG, EKR, LAR, MBW, CYS, BFF, HANKI, NATTI, ASHBY, BELKE,

CABET, WEEDS, OR BINKE

Fort Lauderdale (or) THNDR KPASA Q118 LENIE

Fort Lauderdale Executive

or THNDR KPASA Q116 CEEYA

.

THNDR KPASA Q110 FEONA

or

THNDR SMELZ Q106 GADAY

THNDR SMELZ Q106 BULZI

Houston Bush LIT, EMG, MLC, JCT

or

Aircraft destined Atlanta Terminal Area LCH Q24 PAYTN HONIE-RNAV STAR

or

Aircraft joining J37 to the northeast, BPT GUSTI Q22 CATLN

or

Aircraft joining J42 to the northeast, ELD Q32 J42

464 HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

LIT, EMG, MLC, JCT, Houston Hobby

Aircraft joining J42 to the northeast, ELD Q32 J42

Jacksonville, FL TAY

Kansas City Terminal Area TIFTO, CATTS or KENTN

GMN, RZS Los Angeles, includes Ontario or

> DAG LAS TRM EED or

TRM PKE

DOBNE, MOSBI, NICLE, TRALR or ZELOT Las Vegas

Long Beach includes GMN SNS, EHF, LANDO

Orange County

TRM PKE or

TRM EED

Memphis BNA, HAAWK, SALMS or SQS Miami Terminal Area WINCO KPASA Q118 LENIE

> or WINCO KPASA Q116 CEEYA

WINCO KPASA Q110 FEONA

WINCO SMELZ Q106 GADAY

WINCO SMELZ 0106 BULZI

Milwaukee GREAS

Minneapolis Terminal Area* ONL, ABR, FAR, OBH, OVR, FOD

New Orleans Terminal Area AEX, MEI, SQS, KAPLN Orlando Terminal Area WEBBS BRUTS Q118 LENIE

WEBBS GULFR Q116 CEEYA

or or

WEBBS BULZI Q106 GADAY

or

WEBBS FEONA

or

WEBBS BULZI

Palm Beach, FL TBIRD KPASA Q118 LENIE

TBIRD KPASA Q116 CEEYA TBIRD KPASA Q110 FEONA

TBIRD SMELZ Q106 BULZI TBIRD SMELZ Q106 GADAY

TRM JOTNU BLD Palm Springs

TRM EED

TRM PKE

CHILY, CIE, CULTS, RSK, DOVEE, GCN, MESSI, SJN, DRYHT or MOHAK Phoenix

Portland, OR PDT, TIMEE Salt Lake City HVE, DTA, MLF, BCE, OAL, MTU, BVL, OCS, TWF, DBS, BPI

TCH J56 CHE

TCH J173 EKR

Saint Louis VIH, MAP, MYERZ, MCM

HLV MCI

FUZ, SJT, MQP, ABI

Aircraft North of LFK, LFK Aircraft South of HUB, ELA

Aircraft South of LFK and North of HUB LCH

San Diego TRM FFD

or

TRM PKF

TRM JOTNU BLD

San Francisco Bay Area GALLI, INSLO, HAROL JSICA Oakland GALLI, INSLO, HAROL JSICA

San Jose GALLI or INSLO

Seattle BLUIT

Southwest Florida Airports

(RSW/FMY)

San Antonio Terminal Area

JOCKS KPASA Q118 LENIE

JOCKS KPASA 0116 CEEYA JOCKS KPASA Q110 FEONA

JOCKS SMELZ Q106 GADAY

JOCKS SMELZ Q106 BULZI

Tampa Terminal Area FEONA, BULZI

BRUTS 0118 LENIE

or

GULFR Q116 CEEYA or BULZI Q106 GADAY

Catch Points for Airports Located Outside HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to specific destinations which are outside the HAR Phase I airspace.

Atlanta Terminal Area

Aircraft through ZME airspace from ZKC airspace east of FAM, Pless Q19 BNA

Aircraft through ZME airspace from ZKC airspace west of FAM, ARG Q26 DEVAC

MEM

Aircraft through ZME airspace from ZID airspace west of a line from VHP to

Aircraft through ZME airspace from ZID airspace east of a line from VHP to

BWG, BWG

Aircraft through ZME airspace from ZFW airspace, MEM

MEI HONIE (RNAV)-STAR

PATYN HONIE (RNAV)-STAR

^{*}MSP area departures with destinations east of 93 degrees west longitude via preferred IFR routing.

466 HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

Baltimore–Washington* GIJ. GEP. FLM. IIU. BAE. VHP. WHETT. BNA or VUZ

Boston* GEP, CRL, ECK, IIU, BNA or VUZ

Buffalo* GEP, CRL
Hartford Bradley* GEP, CRL
Canton-Akron* GIJ, VHP, GEP
Charlotte BNA, VUZ
Cincinnati Terminal Area BNA, PXV

or

Aircraft north of SLC, JOT

Aircraft over or south of SLC, ENL

or

SLC or SFO departures, ENL, JOT

Cleveland Terminal Area* OBK

Detroit Terminal Area BAE MKG POLAR-STAR

or

VHP FWA MIZAR-STAR

Detroit Young VHP FWA

or

LAN SPRTN-STAR

Indianapolis Terminal Area BIB, SPI, JOT
Louisville ENL. MEM

Newark* GEP, VHP, FLM, IIU, BNA, VUZ

or

IOW GIJ J554 CRL J584 SLT FQM

New York Kennedy* GEP, VHP, FLM, IIU, BNA, VUZ

or

DBQ J94 PMM J70 LVZ LENDY-STAR

New York LaGuardia* GIJ, GEP, VHP, BAE, FLM, IIU, BNA, VUZ
Philadelphia Terminal Area* GIJ, GEP, VHP, BAE, WHETT, BNA, VUZ

Pittsburgh Terminal Area* VHP, GIJ, BAE, GEP
Pontiac LFD, LAN, VHP, FWA, GEP

Providence JHW, HEMDI, CESNA, GEP, GRB, TVC, ASP, VHP, IIU, BNA, VUZ

 Raleigh-Durham
 FLM, IIU, BNA, VUZ

 Toronto Terminal Area
 ECK, SVM, SSM, GEP

 Teterboro*
 GEP, VHP, CRL, BNA, VUZ

Washington Dulles/National* GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA, VUZ

White Plains* GEP, VHP, CRL, FLM, IIU, BNA, VUZ

Willow Run* LAN, LFD, VHP, FWA, GEP

*Eastbound aircraft over flying ZMP center airspace entering Toronto center airspace, file direct SSM or via J63, J522, Q505, Q504, Q502, Q501

or

Entering ZAU or ZOB airspace from north of DPR J16 MCW, GEP

or

Entering ZAU or ZOB airspace from or south of DPR J16 MCW, CRL.

HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

Catch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to airports which are below HAR Phase I airspace.

Albuquerque Terminal Area CURLY CURLY-STAR

ESPAN FRIHO-STAR

LAVAN LAVAN-STAR

FTI FRIHO-STAR

MIERA MIERA-STAR

Austin Terminal Area Aircraft west of a north-south line at LFK, BLEWE

Aircraft east of a north-south line at LFK,IDU

LLO

Boca Raton, FL CEW DEFUN Q112 INPIN SHDAY (RNAV)-STAR

Aircraft through ZHU remain south of ZME and ZTL airspace

DEFUN 0112 INPIN SHDAY (RNAV)-STAR

Aircraft through ZHU remain south of ZME and ZTL airspace

SZW INPIN SHDAY (RNAV)-STAR

Chicago Midway CVA MOTIF-STAR

PIA MOTIF-STAR

DBQ CVA MOTIF-STAR

LMN MOTIF-STAR

Chicago O'Hare Terminal Area GEP DLL MSN JVL JANESVILLE-STAR

TVC PULLMAN-STAR

FOD DBQ JVL JANESVILLE-STAR

MCW JANESVILLE-STAR

GCK IRK BRADFORD-STAR

Dallas/Fort Worth Terminal Area IRW, LOSZY, FSM, LIT, SQS, MLU, AEX, JUMBO, TQA, TURKI, HEATR

Aircraft through ZME airspace from north and west of PXV, RZC, Q23 FSM

Aircraft through ZME airspace from east of PXV, PXV Q25 MEEOW

Aircraft through ZME airspace from J6 down to, but not including J52, LIT, SQS

Aircraft through ZME airspace from J52 and south of J52, SQS

Denver Terminal Area OATHE DANDD-STAR

HGO QUAIL-STAR

LOPEC-STAR

ALS LARKS-STAR

HBU POWDR-STAR

EKR TOMSN-STAR

CHE TOMSN-STAR

BFF LANDR-STAR

LBF SAYGE-STAR

HCT SAYGE-STAR

RSK LARKS-STAR

LAA QUAIL-STAR

GCK J154 RYLIE DANDD-STAR

OCS J154 ALPOE RAMMS-STAR

YANKI J114 SNY LANDR-STAR

Aircraft filed BIL or east, MBW RAMMS-STAR

Ft Lauderdale or CEW DEFUN Q104 PIE SWAGS (RNAV)-STAR

Ft Lauderdale Executive Aircraft through ZHU airspace remain south ZME and ZTL

airspace

SZW HEVVN 0104 PIE SWAGS (RNAV)-STAR

Houston Bush CRP. CVE. LLO. LUKIY. SAT

Aircraft south and east of LLA, LLA

MISLE Q40 AEX

Aircraft north and east of SJI, SJI

Aircraft east of PXV. PXV 031 DHART SWB

Aircraft north and west of PXV, PROWL Q33 DHART SWB

Houston Hobby CRP, ELLVR, SAT, SWB

or

Aircraft south and east of GIRLY, GIRLY

Aircraft north and east of SJI, SJI

BESOM Q38 ROKIT ROKIT-STAR

Aircraft east of PXV, PXV Q29 HARES SWB

Aircraft north and west of PXV, PROWL Q33 DHART SWB

Jacksonville **GADAY ZOOSS TAY**

Aircraft through ZHU airspace remain south of ZME and ZTL

airspace

ZOOSS TAY

John Wavne-Orange County HEC. PGS. BLD

Aircraft south of TBC from ZAB airspace, HIPPI

Kansas City Terminal Area LMN BRAYMER-STAR

PWE ROBINSON-STAR

EMP JHAWK-STAR

DILCO, LIDAT, IGM Las Vegas

Aircraft over PGA or north of PGA KSINO

Aircraft south of PGA PGS LYNSY

Los Angeles Terminal Area Aircraft North of TBC, HEC, PGS

Aircraft South of TBC from ZAB airspace, HIPPI,

MESSI

CEW DEFUN Q104 CYY DEEDS (RNAV)-STAR Miami Terminal Area

Aircraft through ZHU airspace remain south ZME and ZTL airspace

SZW HEVVN Q104 CYY DEEDS (RNAV)-STAR

Minneapolis Terminal Area Aircraft from north, west, south,

FAR GOPHER-STAR

RWF SKETR-STAR or ALO KASPR-STAR

BRD GOPHER-STAR

BAE EAU CLAIRE-STAR

FOD TWOLF-STAR

Memphis Terminal Area ARG, BWG, FSM, PXV, LIT, RZC, SQS, VUZ, BNA, GQO, ELD

Naples, FL CEW DEFUN 0104 PLYER PIKKR (RNAV)-STAR

Aircraft through ZHU AIRSPACE remain south of ZME and ZTL

airspace

SZW HEVVN 0104 PLYER PIKKR (RNAV)-STAR

Nashville CCT, GHM, GUITR, TINGS, VOLLS New Orleans Terminal Area BLUEZ, GPT, LCH, MCB, TBD, FATSO

Oakland II A

KATTS PAMMY

Aircraft over or south of a line ILC J16 DVC

REANA KATTS PAMMY

Aircraft from north of ILC, JOPER PAMMY

KATTS PAMMY

Aircraft over or south of ILC, REANA KATTS PAMMY

Orlando Terminal Area GADAY Q108 CLAWZ LEESE-STAR

Aircraft through ZHU airspace remain south of ZME/ZTL

airspace

OTK LEESE-STAR

470 HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

Palm Beach, FL CEW DEFUN Q112 INPIN GULLO (RNAV)-STAR

Aircraft through ZHU airspace remain south of ZME and ZTL

airspace

r

SZW INPIN GULLO (RNAV)-STAR

Phoenix CORKR DRK

or

Aircraft from ZDV airspace,

GUP

Aircraft from ZAB airspace,

ZUN, MOHAK, SSO

or

VYLLA TUS

Phoenix Satellites FLG, SSO, MOHAK

or

VYLLA, TUS

Portland, OR Terminal Area ARNIT BONVL-STAR

LARNO BONVL-STAR

or

MOXEE MOXEE-STAR

St. Louis Terminal Area SGF TRAKE-STAR

or

BUM TRAKE-STAR

ANX TRAKE-STAR

r

LMN IRK RIVRS-STAR

RBS VANDALIA-STAR

Salt Lake City Terminal Area JNC J12 HELPR SPANE-STAR

or

EKR MTU SPANE-STAR or

BCE DTA-TCH

or MLF DTA-TCH

or

BVL BONNEVILLE-STAR

or

BYI BEARR-STAR

or

PIH BEARR-STAR

or

DBS BRIGHAM CITY-STAR

or

JAC BRIGHAM CITY-STAR or

BPI BRIGHAM CITY-STAR

or

OCS BRIGHAM CITY-STAR

San Diego Terminal Area EED, LAX, GBN

Santa Ana HEC, PGS, BLD, HIPPI

San Antonio Terminal Area IDU, CSI, JCT, LLO, CRP, LRD

or

West of a north-south line at LFK, BLEWE

10

East of a north-south line at LFK, IDU

San Francisco FMG GOLDEN GATE-STAR

or

MVA MODESTO-STAR

ENI GOLDEN GATE-STAR

or

OAL MODESTO-STAR

or

South of a line ILC to DVC,

REANA KATTS OAL MODESTO-STAR

San Jose FMG HYP EL NIDO-STAR

or

OAL HYP EL NIDO-STAR

or

ENI GOLDEN GATE-STAR

or

South of a line ILC to DVC, REANA KATTS KICHI CANDA EL NIDO-STAR

Seattle Terminal Area Aircraft From northeast, southeast, south,

TEMPL GLASR-STAR

or

SUNED CHINS-STAR

or

BTG OLMYPIA-STAR

Southwest Florida Airports CEW DEFUN Q104 SWABE JOSFF-STAR
RSW and FMY Aircraft through ZHU airspace remain south of ZME and ZTL

airspace

or

SZW HEVVN Q104 SWABE JOSFF-STAR

Tampa Terminal Area CEW DEFUN Q104 HEVVN DARBS-STAR

Aircraft through ZHU airspace remain south of ZME and ZTL

airspace

or

SZW DARBS-STAR

Tucson DRK PXR

or

MOHAK GBN

VFR WAYPOINTS

VISUAL FLIGHT RULES (VFR) WAYPOINTS

VFR Waypoint names consist of five letters beginning with "VP". Stand-alone VFR Waypoints are portrayed on VFR Charts using the same four-point star symbol currently used for Instrument Flight Rules (IFR) Waypoints.

VFR Waypoints collocated with Visual Checkpoints (Visual Reporting Points) are portrayed with a Visual Check Point flag. The VFR Waypoint name is shown in parentheses adjacent to the Visual Check Point name.

VFR Waypoint names are not intended to be pronounceable and shall not be used in ATC communications.

CAUTION: GPS accuracy necessitates extra vigilance for other aircraft when navigating near any fix retrieved from a GPS database.

RAITIMORE-WASHINGTON TERMINAL AREA CHART/FLYWAY CHART

BALTIMORI	E-WASHINGTON TERMINAL AREA CHARTA	/FLYWAY CHART
WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPAXI		N38°34.57′/W076°20.38′
VPONX		N39°06.65′/W076°55.92′
VPOOP		N38°56.32′/W076°36.90′
	BOSTON HELICOPTER CHART	
VPBAY	DOSTON HELIOOFTEN OHANT	N42°16.17′/W070°49.48′
VPBLT		N42°19.67′/W070°53.40′
VPCGS		N42°22.08′/W071°03.13′
VPEVS		N42°23.52′/W071°04.10′
VPFEN		N42°12.58′/W071°08.88′
VPFRE		N42°25.03′/W071°12.32′
VPGVL		N42°21.88′/W070°52.18′
VPHAM		N42°30.13′/W071°07.15′
VPPIK		N42°20.37′/W071°15.93′
VPOUA		N42°12.10′/W071°04.78′
VPQUB		N42°12.60′/W070°59.83′
VPSPF		N42°24.20′/W071°09.47′
VPTOB		N42°31.42′/W070°59.82′
VPWAN	<u> </u>	N42°36.88′/W071°19.45′
	BOSTON TERMINAL AREA CHART	
VPCOH	Cohasset	N42°13.58′/W070°48.94′
VPCUT	Cuttyhunk Harbor	N41°25.50′/W070°55.03′
VPFRA	Framingham Shopping Center	N42°18.16′/W071°23.65′
VPHOL	Woods Hole	N41°31.06′/W070°40.60′
VPHUL	Hull	N42°18.20′/W070°55.30′
VPLPT	Nantucket Great Point	N41°23.41′/W070°02.78′
VPNED	Needham Towers	N42°18.51′/W071°14.64′
VPPEA	Peabody Shopping Center	N42°32.52′/W070°56.69′
VPROC	Rockingham Race Track	N42°46.29′/W071°13.57′
VPSCI	Scituate	N42°11.89′/W070°43.69′
VPTPT	Nantucket Third Point	N41°18.51′/W070°03.37′
VPTUC	Tuckernuck	N41°18.31′/W070°15.43′
VPWAK	Wakefield	N42°30.72′/W071°05.24′
VPWAN	Wang Towers	N42°36.88′/W071°19.45′
	CHARLOTTE SECTIONAL CHART	
VPATO		N34°37.37′/W076°31.47′
VPAVA		N34°57.00′/W077°16.50′
VPBFE		N32°16.38′/W080°47.50′
VPBRA		N36°13.75′/W076°08.08′
VPGCE		N36°03.90′/W076°36.42′
VPGHI		N35°15.30′/W075°31.25′
VPGI0		N35°32.50′/W076°37.33′
VPKJU		N35°26.58′/W076°10.22′
VPLMN		N34°55.43′/W077°46.42′
VPMAB		N34°42.20′/W077°03.50′
VPNPO	ISLE OF PALMS	N32°47.78′/W079°46.45′
VPOKY		N35°06.53′/W075°59.17′
VPREP		N32°33.98′/W080°21.82′
VPRRS		N33°25.45′/W079°07.60′
VPUMO		N35°35.63′/W075°28.08′
VPWZ0		N36°00.87′/W075°40.07′
VPZIE		N32°01.62′/W080°53.42′

CHICAGO SECTIONAL CHART

CHICAGO SECTIONAL CHART			
WAYPOINT IDENT VPCOH	COLLOCATED VFR CHECKPOINT	LOCATION N31°49.35′/W081°51.07′	
	DENVER TERMINAL AREA CHART/FL	YWAY CHART	
VPBEN		N39°44.28′/W104°26.00′	
VPFTG		N39°44.35′/W104°32.75′	
VPNIC	NORTH INTERCHANGE	N39°58.90′/W104°59.27′	
	HOUSTON TERMINAL AREA CHART/FL	YWAY CHART	
WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION	
VPBWY		N29°46.25′/W095°09.24′	
VPDTN		N29°46.59′/W095°22.01′	
VPGLA		N30°08.32′/W095°06.62′	
VPGLB		N30°07.80′/W094°55.70′	
VPKTY		N29°47.05′/W095°44.92′	
VPPLN		N30°08.80′/W095°50.42′	
VPRSN		N29°30.00′/W095°41.00′	
VPSND		N29°23.13′/W095°28.86′	
VPSNT		N29°49.29′/W094°53.94′	
VPTNE		N29°47.48′/W095°03.34′	
VPTNW		N29°47.06′/W095°33.81′	
VPTRK		N29°24.06′/W095°10.44′	
	JACKSONVILLE SECTIONAL C	HART	
VPAFI		N31°49.35′/W081°51.07′	
VPAFY		N30°07.00′/W081°21.33′	
VPBEC		N29°46.25′/W081°15.10′	
VPCJA		N29°30.00′/W081°06.00′	
VPCKY		N28°46.50′/W082°34.00′	
VPCNY		N28°30.00′/W080°45.00′	
VPDAD	DADE CITY	N28°22.57′/W082°11.25′	
VPDAR		N31°22.38′/W081°24.13′	
VPDFI		N29°00.17′/W081°20.85′	
VPDUT		N27°37.70′/W082°09.10′	
VPEAR	CLEARWATER BEACH	N27°58.67′/W082°49.83′	
VPEGV		N29°39.97′/W081°24.87′	
VPFFU		N28°57.08′/W081°00.33′	
VPGPE	ST PETE BEACH	N27°43.50′/W082°44.67′	
VPHAA	011212 82.1011	N30°04.02′/W083°40.02′	
VPHUC		N28°19.87′/W082°43.77′	
VPIWA	MIDWAY	N31°48.33′/W081°25.85′	
VPJMY		N29°26.92′/W081°18.27′	
VPKER	LAKE PARKER	N28°04.00′/W081°56.00′	
VPLEV		N28°48.00′/W080°52.00′	
VPLJA		N29°00.00′/W080°51.00′	
VPMAI		N30°50.02′/W084°56.63′	
VPTLH		N30°32.70′/W083°52.22′	
VPXZY		N29°35.00′/W083°10.00′	
VPYIW		N30°42.28′/W081°27.25′	
VPZIE		N32°01.62′/W080°53.42′	
KANSAS CITY SECTIONAL CHART			
VPAGO		N37°50.33′/W090°29.03′	
VPBEK		N37°15.07′/W092°30.67′	
VPDEN		N37°46.75′/W092°19.20′	
VPENE		N37°44.75′/W091°55.78′	
VPESS		N36°59.48′/W091°00.88′	
VPFME		N37°41.00′/W092°38.33′	
VPGXY		N37°15.50′/W091°40.17′	
VPMBE		N37°11.08′/W090°27.92′	
VPMKE		N37°11.08′/W090°27.92 N37°24.47′/W092°40.00′	
VPROV		N38°01.72′/W091°12.81′	
VPUTT		N37°52.05′/W092°01.20′	
*1 011		1437 32.03 / 44032 01.20	

474 VFR WAYPOINTS

WAYPOINT IDENT VPWOC	COLLOCATED VFR CHECKPOINT	LOCATION N37°18.03′/W092°18.63′
VPWRO VPXIZ		N37°39.12′/W091°45.68′ N37°26.60′/W092°05.42′
VPAIZ		
	KANSAS CITY TERMINAL ARE	EA CHART
VPATN	ATCHISON	N39°33.62′/W095°07.65′
VPBGS	BLUE SPRINGS	N39°01.82′/W094°16.32′
VPBSP	BONNER SPRINGS	N39°03.78′/W094°53.10′
VPCHB	CHOUTEAU BRIDGE	N39°08.77′/W094°32.03′
VPDS0	DE SOTO	N38°58.68′/W094°58.48′
VPESG	EXCELSIOR SPRINGS	N39°20.68′/W094°13.77′
VPGTB	GARRETSBURG	N39°40.92′/W094°41.45′
VPLAT	LATHROP WATER TANK	N39°32.87′/W094°20.00′
VPLEN	LENEXA	N38°57.77′/W094°43.68′
VPLVL VPMCL	LONGVIEW LAKE MC LOUTH	N38°54.63′/W094°28.28′ N39°11.65′/W095°12.50′
VPNHA	NASHUA	N39°17.83′/W093°12.50
VPSCX	SPORTS COMPLEX	N39°03.00′/W094°29.02′
VPSKR	SUGAR CREEK REFINERY	N39°07.00′/W094°27.02′
VPSPK	SWOPE PARK	N39°00.47′/W094°31.93′
VPTSK	TWIN STACKS	N39°09.05′/W094°38.22′
VPWOF	WORLDS OF FUN	N39°10.42′/W094°29.12′
	W	
	KLAMATH FALLS SECTIONAL	L CHARI
VPORO		N43°57.38′/W123°02.22′
	LOS ANGELES HELICOPTER	CHART
	LOO ANGLELO NELIOON TEN	•
VPANA		N33°44.43′/W117°50.03′
VPART	MAGNOLIA	N33°51.45′/W117°58.92′
VPAUT	HWY 91 & 55	N33°50.63′/W117°49.57′
VPBOB VPCAR		N33°59.60′/W117°21.45′ N33°49.90′/W118°17.23′
VPCNG	CONEJO GRADE US HWY 101	N34°12.54′/W118°17.23
VPCOR	CONEJO CINADE CO TIWT TOT	N33°52.90′/W117°32.95′
VPCRX		N34°01.40′/W117°44.88′
VPCSU	CSU CHANNEL ISLANDS	N34°09.76′/W119°02.53′
VPDOW		N33°56.47′/W118°05.80′
VPELA		N34°00.98′/W118°10.35′
VPETY		N33°38.70′/W117°44.12′
VPFCB		N34°02.03′/W118°01.63′
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71′/W119°10.39′
VPGOL		N34°09.33′/W118°17.37′
VPIMP		N33°55.85′/W118°16.85′
VPKAT		N33°48.23′/W117°54.22′
VPKEL		N34°03.92′/W117°48.40′
VPLAC		N34°03.75′/W118°14.93′
VPLLU		N34°03.85′/W117°17.82′
VPLQM	QUEEN MARY	N33°45.17′/W118°11.37′
VPLRT	SANTA ANITA RACE TRACK	N34°08.45′/W118°02.65′
VPLVT VPMDR	VINCENT THOMAS BRIDGE	N33°44.97'/W118°16.32' N33°59.27'/W118°23.97'
VPNEW	NEWHALL PASS	N34°20.18′/W118°30.72′
VPNUY	INLWITALL FAGO	N34°20.18 /W118°30.72 N34°09.63'/W118°28.18'
VPPCH		N33°28.07′/W117°40.32′
VPPKC		N34°03.32′/W118°12.83′
VPPOR		N34°00.10′/W117°50.12′
VPRRT		N33°59.37′/W118°16.83′
VPSEP		N34°05.80′/W118°28.63′
VPSFR		N34°17.45′/W118°28.07′
VPSTC	SATICOY BRIDGE	N34°16.62′/W119°08.34′
VPSTK		N34°13.97′/W118°24.60′

VFR WAYPOINTS Los angeles sectional chart

LOS ANGELES SECTIONAL CHART			
WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION	
VPCNG	CONEJO GRADE US HWY 101	N34°12.54′/W118°59.61′	
VPCSU	CSU CHANNEL ISLANDS	N34°09.76′/W119°02.53′	
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71′/W119°10.39′	
VPSTC	SATICOY BRIDGE	N34°16.62′/W119°08.34′	
	LOS ANGELES TERMINAL AREA CHAR	T/FLYWAY CHART	
VPCNG	CONEJO GRADE US HWY 101	N34°12.54′/W118°59.61′	
VPCSU	CSU CHANNEL ISLANDS	N34°09.76′/W119°02.53′	
VPGTY	GETTY CENTER	N34°04.84′/W118°28.66′	
VPLBP	BANNING PASS	N33°56.05′/W116°59.63′	
VPLCC	CHAFFEY COLLEGE	N34°08.87′/W117°34.33′	
VPLCP	CAJON PASS	N34°18.07′/W117°27.68′	
VPLDL	DISNEYLAND	N33°48.72′/W117°55.13′	
VPLDP	DANA POINT	N33°27.62′/W117°42.87′	
VPLDS VPLFX	DODGER STADIUM 91/605 INTERCHANGE	N34°04.42′/W118°14.42′ N33°52.38′/W118°06.08′	
VPLGP	GRIFFITH PARK OBSERVATORY	N34°07.10′/W118°18.02′	
VPLHF	110/405 FWYS	N33°51.42′/W118°17.10′	
VPLHP	HUNTINGTON PIER	N33°39.32′/W118°00.25′	
VPLKH	KING HARBOR	N33°50.75′/W118°23.88′	
VPLLC	L.A. COLISEUM	N34°00.83′/W118°17.27′	
VPLLM	LAKE MATHEWS	N33°50.58′/W117°26.85′	
VPLMM	MAGIC MOUNTAIN	N34°26.20′/W118°36.28′	
VPLMS	MILE SQUARE PARK	N33°43.40′/W117°56.77′	
VPLPD	PRADO DAM	N33°53.40′/W117°38.48′	
VPLPP	PACIFIC PALISADES	N34°02.13′/W118°32.15′	
VPLQM	QUEEN MARY	N33°45.17′/W118°11.37′	
VPLRB	ROSE BOWL	N34°09.67′/W118°10.05′	
VPLRT	SANTA ANITA RACE TRACK	N34°08.45′/W118°02.65′	
VPLSA	SANTA ANA CANYON	N33°52.03′/W117°42.68′	
VPLSB	SANTA FE FLOOD BASIN	N34°07.72′/W117°57.30′	
VPLSC VPLSF	STATE COLLEGE SAN FERNANDO RESERVOIR	N33°52.97′/W117°53.13′	
VPLSP	SAN FERNANDO RESERVOIR SIGNAL PEAK	N34°17.87′/W118°29.00′ N33°36.33′/W117°48.63′	
VPLSR	HAWTHORNE & 405 FREEWAY	N33°53.07′/W118°21.13′	
VPLSS	SANTA SUSANA PASS	N34°16.00′/W118°21.13	
VPLTW	TUJUNGA WASH & FOOTHILL	N34°16.40′/W118°20.30′	
VPLVT	VINCENT THOMAS BRIDGE	N33°44.97′/W118°16.32′	
VPLWT	WATER TANK	N34°10.82′/W118°46.27′	
VPNEW	NEWHALL PASS	N34°20.18′/W118°30.72′	
VPSTC	SATICOY BRIDGE	N34°16.62′/W119°08.34′	
	MIAMI SECTIONAL CHA	RT	
VPACH	HOLLYWOOD BEACH	N26°00.92′/W080°06.93′	
VPBOV		N27°57.00′/W080°46.75′	
VPCLE		N26°27.07′/W082°00.88′	
VPCTE		N26°09.28′/W081°20.70′	
VPDAD	DADE CITY	N28°22.57′/W082°11.25′	
VPDUT		N27°37.70′/W082°09.10′	
VPDZE		N27°19.00′/W080°44.17′	
VPEAR	CLEARWATER BEACH	N27°58.67′/W082°49.83′	
VPEDY	ANDYTOWN TOLLGATE	N26°08.78′/W080°28.00′	
VPFAH	OT DETE DEACH	N26°25.40′/W081°29.67′	
VPGPE	ST PETE BEACH	N27°43.50′/W082°44.67′	
VPHRO VPHUC		N27°05.97′/W082°12.20′ N28°19.87′/W082°43.77′	
VPHUC VPIBR		N28°19.87′/W082°43.77′ N27°12.47′/W081°40.22′	
VPKER	LAKE PARKER	N27 12.47 /W081 40.22 N28°04.00′/W081°56.00′	
VI ILL	LANL FARNER	N20 04.00 / W001 30.00	

GULFSTREAM PARK

PUMPING STATION

RANGER STATION

N24°40.08′/W081°20.55′ N24°49.07′/W080°49.17′

N25°58.57′/W080°08.17′

N26°28.30'/W080°26.75'

N25°50.67'/W080°55.18'

N25°22.92′/W080°36.58′

N27°03.00′/W080°35.00′

VPKOE

VPLYY VPMB0

VPOBA

VPRBI

VPRNL

VPWMO

MIAMI TERMINAL AREA CHART/FLYWAY CHART

	MIAMI IEKMINAL AKEA GNAKI/FLI	WAT CHART
WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPACH	HOLLYWOOD BEACH	N26°00.92′/W080°06.93′
VPEDY	ANDYTOWN TOLLGATE	N26°08.78′/W080°28.00′
VPMBO	GULFSTREAM PARK	N25°58.57′W080°08.17′
VPOBA	PUMPING STATION	
	PUMPING STATION	N26°28.30′/W080°26.75′
VPRBI	 	N25°50.67′/W080°55.18′
VPRNL	RANGER STATION	N25°22.92′/W080°36.58′
	NEW ORLEANS SECTIONAL (
VPGPT		N30°25.95′/W089°05.62′
VPLIP	PHILLIPS INLET	N30°16.23′/W085°59.25′
VPMAI		N30°50.02′/W084°56.63′
VPMOB		N30°23.00′/W088°31.72′
VPRAM		N30°18.95′/W089°35.88′
VPRER		N30°13.87′/W085°20.67′
VPRIV		N30°54.85′/W087°57.82′
VPSAW		N30°49.65′/W089°07.42′
VPTHR		N30°19.93′/W087°08.50′
	NEW YORK HELICOPTER CI	HART
VPJAY		N40°59.00′/W073°07.00′
VPLYD		N40°57.37′/W073°29.59′
VPROK		N40°52.70′/W073°44.24′
VI KOK		
	PHOENIX TERMINAL AREA CHART/FI	
VPALL	ALLENVILLE	N33°20.97′/W112°35.20′
VPAQU	AQUEDUCT PUMPING STATION	N33°40.05′/W112°41.38′
VPARM	ARROWHEAD MALL	N33°38.52′/W112°13.48′
VPAWG	AHWATUKEE GOLF COURSE	N33°19.98′/W111°59.08′
VPAZM	ARIZONA MILLS	N33°23.43′/W111°57.88′
VPBAR	BARTLETT DAM	N33°49.10′/W111°37.92′
VPCCC	COUNTRY CLUB & CANAL	N33°30.73′/W111°50.37′
VPCNL	CANAL	N33°33.23′/W111°46.89°
VPFRB	FIREBIRD LAKE	N33°16.35′/W111°58.10′
VPFTN	FOUNTAIN HILLS	N33°36.12′/W111°42.72′
VPGLX	GILA CROSSING	N33°16.55′/W112°10.08′
VPGPP	GLENDALE POWER PLANT	N33°33.27′/W112°13.00′
VPMAR	MARICOPA	N33°03.42′/W112°02.88′
VPMHS	MESQUITE HIGH SCHOOL	N33°20.53′/W111°49.58′
VPNRV	NEW RIVER	N33°55.08′/W112°08.45′
VPNTT	NORTH TEST TRACK	N33°03.50′/W111°55.83′
VPPIR	PIR	N33°22.52′/W112°18.90′
VPQTR	QUINTERO GOLF COURSE	N33°49.53′/W112°23.58′
VPRVC	RIO VERDE COMMUNITY	N33°44.37′/W111°39.62′
VPSMC	SOUTH MOUNTAIN COLLEGE	N33°23.02′/W112°02.12′
VPSQP	SQUAW PEAK	N33°32.83′/W112°01.27′
VPSSS	SUPERSTITION SPRINGS MALL	N33°23.50′/W111°41.37′
VPSTN	SANTAN MOUNTAINS	N33°09.23′/W111°40.92′
VPSTT	SOUTH TEST TRACK	N32°56.25′/W111°59.67′
VPZZZ		N33°20.18′/W111°26.53′
	ST LOUIS TERMINAL AREA CHART/F	LYWAY CHART
VPAGN	TV ANTENNA	N38°32.08′/W090°22.42′
VPBPE		N38°23.80′/W090°20.38′
VPCJY	HOLIDAY SHORES	N38°55.00′/W089°56.00′
VPCOJ	WINFIELD DAM	N39°00.28′/W090°41.23′
VPDFA	JEFFERSON BARRACKS BRIDGE	N38°29.18′/W090°16.47′
VPEAZ	BUSCH STADIUM	N38°37.43′/W090°11.55′
VPEDZ	WATER TANKS	N38°45.30′/W090°34.87′
VPEGR	GAS TANKS	N38°35.80′/W090°19.32′
VPEOX	ST PETERS	N38°47.17′/W090°39.25′
LOX	OT LIEU	1100 41.11 / 11000 09.20

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPFAI	HOWELL ISLAND	N38°40.00′/W090°43.00′
VPFFY		N38°55.37′/W090°17.30′
VPGPF		N38°35.60′/W090°26.92′
VPGVI		N38°32.30′/W090°27.80′
VPHRQ	CHAIN OF ROCKS BRIDGE	N38°45.88′/W090°10.42′
VPIBO	WATERLOO	N38°20.00′/W090°09.00′
VPJMU	HORSESHOE LAKE	N38°41.00′/W090°05.00′
VPKNY	PACIFIC	N38°29.00′/W090°44.00′
VPLES	ST CHARLES	N38°47.00′/W090°30.00′
VPLIW	SIX FLAGS	N38°30.67′/W090°40.47′
VPLXU	GATEWAY ARCH	N38°37.50′/W090°11.00′
VPNSY	WOOD RIVER REFINERIES	N38°50.00′/W090°05.00′
VPNZY	WENTZVILLE	N38°48.83′/W090°50.98′
VPRAZ	JERSEYVILLE	N39°07.00′/W090°20.00′
VPRMO	FOREST PARK	N38°38.00′/W090°17.00′
VPWKO	COLUMBIA	N38°27.00′/W090°12.00′
VPXXI	MILLSTADT	N38°27.50′/W090°05.68′
VPYID	MOSENTHEIN ISLAND	N38°43.00′/W090°12.25′

SALT LAKE CITY HELICOPTER CHART

VPAIR	SALTAIR	N40°44.85′/W112°11.22′
VPBEE	SOUTH INTERCHANGE	N40°38.18'/W111°54.23'
VPBRN	BARN	N40°54.28′/W112°10.15′
VPCAP	STATE CAPITOL	N40°46.67′/W111°53.25′
VPCHS		N40°42.28'/W112°05.92'
VPCOP	BINGHAM COPPER MINE	N40°31.38′/W112°09.00′
VPCWY	CAUSEWAY	N41°05.37′/W112°07.17′
VPCYN	PARLEYS CANYON	N40°42.67′/W111°48.10′
VPFPC	FREE PORT CENTER	N41°05.92'/W112°02.27'
VPFPK	FRANCIS PEAK	N41°01.98′/W111°50.30′
VPGFS	GARFIELD STACK	N40°43.28′/W112°11.88′
VPHVE	SPAGHETTI BOWL	N40°43.50′/W111°54.22′
VPJRT	JORDAN RIVER TEMPLE	N40°35.02′/W111°55.58′
VPKSL	KSL ANTENNA	N40°46.80′/W112°05.80′
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08′/W111°53.57′
VPMDH	MCKAY DEE HOSPITAL	N41°11.50′/W111°57.08′
VPMMT	MICROWAVE TOWERS	N40°48.50′/W111°53.37′
VPMSH		N41°01.67′/W112°02.47′
VPNSL		N40°50.15′/W111°54.90′
VPNTP		N41°03.57′/W112°14.23′
VPOGE	GRAIN ELEVATOR	N41°13.13′/W112°00.45′
VPOPS	POWER STATION	N41°20.38′/W112°02.78′
VPPEN	STATE PRISON	N40°29.88′/W111°53.62′
VPPPT	PROMONTORY POINT	N41°12.28′/W112°25.73′
VPPTM	POINT OF THE MOUNTAIN	N40°27.42′/W111°54.83′
VPPVO	PROVO CANYON	N40°18.77′/W111°39.45′
VPRWY		N40°48.48′/W112°00.33′
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83′/W111°54.85′
VPTIP	SOUTH TIP	N40°50.93′/W112°10.92′
VPWBR	WEBER CANYON	N41°08.17′/W111°54.83′
VPWBT		N40°38.00′/W112°03.33′

SALT LAKE CITY TERMINAL AREA CHART/FLYWAY CHART

VPAIR	SALTAIR	N40°44.85′/W112°11.22′
VPBEE	SOUTH INTERCHANGE	N40°38.18′/W111°54.23′
VPBRN	BARN	N40°54.28′/W112°10.15′
VPCAP	STATE CAPITOL	N40°46.67′/W111°53.25′
VPCHS		N40°42.28′/W112°05.92′
VPCOP	BINGHAM COPPER MINE	N40°31.38′/W112°09.00′
VPCVI	CENTERVILLE INTERCHANGE	N40°55.30′/W111°53.43′
VPCWY	CAUSEWAY	N41°05.37′/W112°07.17′
VPCYN	PARLEYS CANYON	N40°42.67′/W111°48.10′
VPFPC	FREE PORT CENTER	N41°05.92′/W112°02.27′
VPFPK	FRANCIS PEAK	N41°01.98′/W111°50.30′
VPGFS	GARFIELD STACK	N40°43.28′/W112°11.88′

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPHVE	SPAGHETTI BOWL	N40°43.50′/W111°54.22′
VPJRT	JORDAN RIVER TEMPLE	N40°35.02′/W111°55.58′
VPKSL	KSL ANTENNA	N40°46.80′/W112°05.80′
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08′/W111°53.57′
VPMDH	MCKAY DEE HOSPITAL	N41°11.50′/W111°57.08′
VPMMT	MICROWAVE TOWERS	N40°48.50′/W111°53.37′
VPMSH		N41°01.67′/W112°02.47′
VPNSL		N40°50.15′/W111°54.90′
VPNTP		N41°03.57′/W112°14.23′
VPOGE	GRAIN ELEVATOR	N41°13.13′/W112°00.45′
VPOPS	POWER STATION	N41°20.38′/W112°02.78′
VPPEN	STATE PRISON	N40°29.88′/W111°53.62′
VPPPT	PROMONTORY POINT	N41°12.28′/W112°25.73′
VPPTM	POINT OF THE MOUNTAIN	N40°27.42′/W111°54.83′
VPPVO	PROVO CANYON	N40°18.77′/W111°39.45′
VPRWY		N40°48.48′/W112°00.33′
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83′/W111°54.85′
VPTIP	SOUTH TIP	N40°50.93′/W112°10.92′
VPUOU	U OF U EVENTS CENTER	N40°45.73′/W111°50.28′
VPWBR	WEBER CANYON	N41°08.17′/W111°54.83′
VPWBT		N40°38.00′/W112°03.33′
VPZ00	HOGLE ZOO	N40°45.00′/W111°48.95′

SAN DIEGO TERMINAL AREA CHART/FLYWAY CHART

VPLDP	DANA POINT	N33°27.62′/W117°42.87′
VPLSP	SIGNAL PEAK	N33°36.33′/W117°48.63′
VPOCN		N33°14.15′/W117°26.63′
VPSBC	BARONA CASINO	N32°56.25′/W116°52.60′
VPSBL		N33°05.18′/W117°18.55′
VPSBM	BLACK MOUNTAIN	N32°58.87′/W117°07.00′
VPSCF		N32°48.55′/W117°09.17′
VPSCM	COWLES MOUNTAIN	N32°48.72′/W117°01.97′
VPSCP	CRYSTAL PIER	N32°47.77′/W117°15.42′
VPSCR		N32°39.37′/W117°07.30′
VPSFB	IRON MOUNTAIN	N32°58.25′/W116°57.33′
VPSLJ	LAKE JENNINGS	N32°51.53′/W116°53.28′
VPSMB		N32°45.57′/W117°12.22′
VPSMP		N33°22.70′/W117°36.75′
VPSMS	MOUNT SOLEDAD	N32°50.40′/W117°15.10′
VPSMV		N32°45.75′/W117°09.80′
VPSMW	MOUNT WOODSON	N33°00.52′/W116°58.23′
VPSOP	OTAY MESA PRISON	N32°35.82′/W116°55.28′
VPSOT	LOWER OTAY LAKE	N32°37.73′/W116°55.38′
VPSPL	SOUTH POINT LOMA	N32°39.90′/W117°14.55′
VPSPP	POWER PLANT	N33°08.25′/W117°20.23′
VPSQS	QUALCOMM STADIUM	N32°46.98′/W117°07.23′
VPSRT	DEL MAR RACE TRACK	N32°58.58′/W117°15.95′
VPSSM	SAN MIGUEL MOUNTAIN	N32°41.78′/W116°56.18′
VPSSV	SAN VICENTE ISLAND	N32°55.53′/W116°55.00′
VPSTP	TORREY PINES GOLF COURSE	N32°54.17′/W117°14.68′
VPSVA		N33°11.48′/W117°16.38′

SAN FRANCISCO SECTIONAL CHART

VPKBG KINGSBURY GRADE N38°58.75′/W119°53.20′

SAN FRANCISCO TERMINAL AREA CHART/FLYWAY CHART

VPALT	ALTAMONT PASS	N37°44.35′/W121°35.42′
VPANT	ANTIOCH BRIDGE	N38°01.45′/W121°45.02′
VPBBR	BENICIA BRIDGE	N38°02.50′/W122°07.45′
VPCAL	CALAVERAS RESERVOIR	N37°28.16′/W121°48.93′
VPCBT	LAKE CHABOT	N37°43.68′/W122°06.94′
VPCOY	COYOTE HILLS	N37°32.50′/W122°05.06′
VPCQZ	CARQUINEZ BRIDGE	N38°03.66′/W122°13.52′
VPCRL		N37°11.00′/W121°41.06′
VPCRY	CRYSTAL SPRINGS CAUSEWAY	N37°30.56′/W122°21.10′

SE, 17 DEC 2009 to 11 FEB 2010

479

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCSH	CAL STATE UNIVERSITY	N37°39.52′/W122°03.52′
VPDAM	DEL VALLE DAM	N37°36.91′/W121°44.78′
VPDLR		N37°07.00′/W121°47.06′
VPDUB	DUBLIN	N37°42.06′/W121°55.36′
VPEMB	EMBASSY SUITES	N37°26.05′/W121°53.83′
VPGGF	GOLDEN GATE FIELDS	N37°53.07′/W122°18.71′
VPGIL	GILROY	N37°01.37′/W121°33.99′
VPHHH	HAMILTON	N38°03.58′/W122°30.66′
VPKGO	KGO	N37°31.58′/W122°06.10′
VPLEX	LEXINGTON RESERVOIR	N37°11.66′/W121°59.18′
VPMID	MID-SPAN SAN MATEO BRIDGE	N37°36.28′/W122°11.81′
VPMOR	MORMON TEMPLE	N37°48.46′/W122°11.95′
VPNUM	NUMMI PLANT	N37°29.56′/W121°56.58′
VPPAC		N37°38.00′/W122°32.07′
VPPRU	PRUNEYARD	N37°17.33′/W121°56.01′
VPSAR	SARATOGA	N37°15.26′/W122°02.33′
VPSLA	SLAC/LINEAR ACCELERATOR	N37°24.75′/W122°14.35′
VPSTB	STINSON BEACH	N37°54.45′/W122°40.41′
VPSUN	SUNOL GOLF COURSE	N37°34.85′/W121°53.23′
VPUTC	U.T.C.	N37°13.93′/W121°41.35′
VPWAL	WALNUT CREEK	N37°53.78′/W122°04.30′
VPWAM		N37°30.28′/W122°10.00′
VPWFR	CEMENT PLANT	N37°30.88′/W122°12.26′
	TAMPA/ORLANDO TERMINAL AREA CHAR	T/FLYWAY CHART
VPBOV		N27°57.00′/W080°46.75′
VPCNY		N28°30.00′/W080°45.00′
VPDAD	DADE CITY	N28°22.57′/W082°11.25′
VPDFI		N29°00.17′/W081°20.85′
VPDUT		N27°37.70′/W082°09.10′
VPEAR	CLEARWATER BEACH	N27°58.67′/W082°49.83′
VPFFU		N28°57.08′/W081°00.33′
VPGPE	ST PETE BEACH	N27°43.50′/W082°44.67′
VPHUC		N28°19.87′/W082°43.77′
VPKER	LAKE PARKER	N28°04.00′/W081°56.00′
VPLEV		N28°48.00′/W080°52.00′
VPLJA		N29°00.00′/W080°51.00′
	WACHINGTON CECTIONAL C	HADT

WASHINGTON SECTIONAL CHART

VPACE	 N38°07.82′/W076°48.75′
VPAXI	 N38°34.57′/W076°20.38′
VPBRA	 N36°13.75′/W076°08.08′
VPGCE	 N36°03.90′/W076°36.42′
VPWZ0	N36°00.87′/W075°40.07′

INTENTIONALLY LEFT BLANK

INTENTIONALLY LEFT BLANK

VOR RECEIVER CHECK

VOR RECEIVER CHECKPOINTS AND VOR TEST FACILITIES (VOT)

The use of VOR airborne and ground checkpoints is explained in Aeronautical Information Manual. Basic Flight Information and ATC Procedures.

NOTE: Under columns headed "Type of Checkpoint" & "Type of VOT Facility" G stands for ground. A/ stands for airborne followed by figures (2300 or 1000–3000) indicating the altitudes above mean sea level at which the check should be conducted. Facilities are listed in alphabetical order, in the state where the checkpoints or VOTs are located.

ALABAMA VOR RECEIVER CHECKPOINTS

Facil	lity Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Broo	okley (Mobile Downtown)	112.8/BFM	G	313	1.68	On runup area for rwy 14. VOR grand receiver checkpoint OTS indef.
Cair	ns AAF (Fort Rucker)	111.2/OZR	G	066	1.0	On runup pad Twy F.
Ente	erprise Muni	116.6/EDN	A/2000	341	7.4	Red/white twr.
Mon	roeville (Monroe Co Arpt)	116.8/MVC	G	196	0.6	Rwy 03 runup area/turnaround pad.
Mon	tgomery (Montgomery Rgnl/					
l Da	annelly Field)	112.1/MGM	G	318	6.2	On Twy C north of Twy A.
Talla	adega Muni	108.8/TDG	A/2000	084	9.0	Over center of segmented circle.
Crim	nson (Tuscaloosa Rgnl)	117.8/LDK	G	238	4.2	On centerline of Twy midway between ramp and rwy.

VOR TEST FACILITIES (VOT)

Facility Name		Type VOT	
(Airport Name)	Freq.	Facility	Remarks
Birmingham-Shuttlesworth Intl	110.0	G	

Huntsville Intl-Carl T Jones Fld 111.0

FLORIDA VOR RECEIVER CHECKPOINTS

		Type			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Cypress (Naples Muni)	108.6/CYY	G	121	0.6	On runup area Rwy 32.
Crestview (Bob Sikes)	115.9/CEW	A/1200	106	8.6	Over rotating bcn.
Lakeland Linder Rgnl	116.0/LAL	G	038	0.5	On NE end of Twy C.
	116.0/LAL	G	283	1.1	On Twy A-1.
Melbourne Intl	110.0/MLB	G	184	0.6	SW corner of arpt at intersection of Twy C and D.
Ocala Intl-Jim Taylor Fld	113.7/OCF	G	167	1.0	On taxiway E adjacent to E9.
Orlando (Executive)	112.2/ORL	G	324	.5	On Twy E near AER 13.
		G	311	.5	On Twy H near AER 13.
Pahokee (Palm Beach Co Glades)	115.4/PHK	A/1500	022	13	Over radio twr at intersection of 2 canals.
Panama City-Bay Co Intl	114.3/PFN	G	190	0.5	Main terminal ramp.

Remarks

Unuseable E of Twy F.

		Type Check Pt. Gnd.	Azimuth from Fac.	Dist. from Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
		G	154	0.6	Rwy 32 run-up/Twy G.
		G	208	0.6	Rwy 5 run-up/Twy D.
St. Petersburg-Clearwater Intl	116.4/PIE	G	046	0.4	On circle located NE end of Twy M.
Vero Beach Muni	117.3/VRB	G	111	4.4	Runup area Rwy 29R.
	-,	G	114	4	Compass rose on taxiway E.
		G	116	3.6	Runup area Rwy 11R.
V	OR TEST FA	CILITIES	(VOT)		
Facility Name		Type VOT			

Facility Name	Type VOT				
(Airport Name)	Freq.	Facility			
Daytona Beach Intl	111.0	G			
Jacksonville Intl	111.0	G			
Miami Intl	112.0	G			
Palm Beach Intl	109.0	G			
Tallahassee Rgnl	111.0	G			
Tamna Intl	111 0	G			

GEORGIA

VOR RECEIVER CHECKPOINTS

		Type	0		
		Check	Azimuth	Dist.	
		Pt.	from	from	
	- "	Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Athens (Madison Muni)	109.6/AHN	A/2000	199	21	Over center of rwy.
Athens (Athens/Ben Epps)	109.6/AHN	G	284	0.5	Twy A2.
Atlanta (Dekalb-Peachtree)	116.6/PDK	G	004	0.5	On runup area Rwy 20L. VOR ground checkpoint unavailable.
		G	218	0.5	On runup area Rwys 02L and 02R.
Brunswick (Malcolm McKinnon)	109.8/SSI	A/1050	029	7.2	Over rotating bcn.
Columbus Metropolitan	117.1/CSG	G	146	7.1	FBO ramp in front of ASOS equipment.
Dublin (W H 'Bud' Barron)	113.1/DBN	G	270	7.6	Ramp.
Foothills (Toccoa RG Letourneau Fld)	113.4/ODF	A/2000	179	6	Over rotating bcn.
Hunter	111.6/SVN	A/1500	090	15.5	Over lighthouse.
Hunter AAF	111.6/SVN	G	271	1.2	On Twy 6.
Lawson AAF	111.4/LSF	G	356	.6	On painted circle at
					taxiway intersection 580' NW of twr.
Macon	114.2/MCN	A/2000	028	13.6	Over oil tank.
		A/2000	320	9.5	Over dam.
Pecan (Southwest Georgia Rgnl)	116.1/PZD	A/1000	145	9	Over rotating bcn E side of arpt.
Rome (Richard B Russel)	115.4/RMG	G	348	11.5	At intersection of twy 200' S of terminal building. VOR ground checkpoint unavailable.
Savannah	112.7/SAV	A/1500	097	19.6	Over red and white lighthouse.
Valdosta Rgnl	114.8/OTK	G	131	0.6	On taxiway at apch end rwy 35.
Vienna (Crisp County-Cordele)	116.5/VNA	A/1300	226	19	Over center of NE/SW rwy.
Waycross-Ware Co	110.2/AYS	A/1200	099	8	Over fire twr W side arpt.

VOR RECEIVER CHECK VOR TEST FACILITIES (VOT)

Facility Name		Type VOT	
(Airport Name)	Freq.	Facility	Remarks
Atlanta (Hartsfield-Jackson Atlanta Intl)	111.0	G	
(Atlanta Muni)	111.0	G	VOT OTS indef.
Brunswick Golden Isles	111.0	G	
Savannah /Hilton Hoad Intl	111 0	G	

KENTUCKY

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Central City (Muhlenberg Co)	109.8/CCT	A/2500	153	10.6	Over intersection of Rwy 23 and central taxiway.
Clarksville (Campbell AAF)	110.6/CKV	G	307	4.9	On taxiway 6 center romeo helipad.
Clarksville (Hopkinsville-Christian Co)	110.6/CKV	A/2000	345	13.5	Over hangar.
Fort Knox (Godman AAF)	109.6/FTK	A/2000	270	9.2	W of Godman AAF over a 298 ft twr.
Frankfort (Capital City)	109.4/FFT	G	082	.7	Runup pad Rwy 24.
Fld)	116.1/LOZ	G	033	3.8	On parking ramp taxiway entry.
Owensboro-Daviess Co	108.6/OWB	G	176	.7	On taxiway at apch end Rwy 36.

VOR TEST FACILITIES (VOT)

Facility Name		Type VOT	
(Airport Name)	Freq.	Facility	Remarks
Louisville Intl-Standiford Fld	111.0	G	

VOR RECEIVER CHECK NORTH CAROLINA

VOR RECEIVER CHECKPOINTS

		Type			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Barretts Mountain (Hickory Rgnl)	110.8/BZM	A/2200	229	10.2	Over apch end Rwy 24.
Cofield (Tri-Co)	114.6/CVI	A/4500	259	15.3	Distance 20/25.
Fayetteville Rgnl/Grannis Fld	108.8/FAY	G	278	0.6	On runup area Rwy 04.
Greensboro (Lexington Muni)	116.2/GS0	A/2300	228	22	Over rotating bcn atop W end of building.
Greensboro (Piedmont Triad Intl)	116.2/GS0	G	036	3.5	On Twy M3. Checkpoint OTS indef.
Greensboro (Smith Reynolds)	116.2/GSO	A/2000	297	13.5	Over atct.
Kinston Rgnl Jetport At Stallings Fld	109.6/IS0	G	230	3.1	Twy A between A4 and A5.
Raleigh-Durham Intl	117.2/RDU	G	244	0.85	At end of taxiway to Rwy 05R.
Sugarloaf Mountain (Asheville Rgnl)	112.2/SUG	A/3200	280	13.6	Over atct. Airborne checkpoint unusable indef.
Tar River	117.8/TYI	A/1500	260	5.8	Over smoke stack at power house.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Charlotte (Charlotte/Douglas Intl)	112.0 110.0	G G	

SOUTH CAROLINA

VOR RECEIVER CHECKPOINTS

		Type			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Charleston AFB/Intl	113.5/CHS	G	225	.7	Runup pad Rwy 03.
	113.5/CHS	G	009	.5	Runup pad Rwy 21.
	113.5/CHS	G	337	1.2	Runup pad Rwy 15.
	113.5/CHS	G	331	0.3	Runup area for Rwy 33.
Electric City (Anderson Rgnl)	108.6/ELW	G	039	5.5	On ramp in front of terminal bldg.
Grand Strand	117.6/CRE	A/1100	238	6	Over white water tank.
	117.6/CRE	G	213	0.7	On runup pad Rwy 05.
Greenwood Co	115.5/GRD	G	250	.7	End of taxiway at Rwy 09

VOR TEST FACILITIES (VOT)

Facility Name	cility Name Type VOT		
(Airport Name)	Freq.	Facility	Remarks
Charleston AFB/Intl	111.0	G	

VOR RECEIVER CHECK TENNESSEE

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Hinch Mountain (Crossville Memorial-Whitson Fld)	117.6/HCH	A/2900	336	11	Over metal hangar.
	117.6/HCH	G	335	11.5	Runup area between taxiway and rwy at center of fld.
Holston Mountain (Tri-Cities Rgnl TN/VA)	114.6/HMV	G	286	13.7	On ramp S of terminal building.
Jackson (McKellar–Sipes Rgnl)	112.0/MKL		256	0.6	At south end of ramp at fire station.
Nashville (Lebanon Muni) Tullahoma Rgnl/Wm Northern Fld	114.1/BNA	A/2000 A/1800	082 003	18 5.0	Over midfield. Over Normandy Dam.

VOR TEST FACILITIES (VOT)

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Knoxville (McGhee-Tyson)	112.0	G	
Memphis Intl		G	
Nashville Intl	108.6	G	
Smyrna	110.2	G	

PUERTO RICO

VOR RECEIVER CHECKPOINTS

		Type			
		Check Azimuth		Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Borinquen (Rafael Hernandez)	113.5/BQN	G	271	2.2	On apch end of Rwy 08.

VIRGIN ISLANDS

VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freg/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Saint Thomas (Cyril E. King)	108.6/STT	G AB/ALI	маg 118	3.5	On taxiway North of Main
					ramp. VOR gnd checkpoint unusable.

INTENTIONALLY LEFT BLANK

INTENTIONALLY LEFT BLANK

The following tabulation lists all reported parachute jumping sites in the area of coverage of this directory. Unless otherwise indicated, all activities are conducted during daylight hours and under VFR conditions. The busiest periods of activity are normally on weekends and holidays, but jumps can be expected at anytime during the week at the locations listed. Jumps within restricted airspace are not listed.

All times are local and altitudes MSL unless otherwise specified.

Contact facility and frequency is listed at the end of the remarks, when available, in bold face type.

Refer to Federal Aviation Regulations, Part 105 for required procedures relating to parachute jumping.

Organizations desiring listing of their jumping activities in this publication should contact the nearest FSS, tower or ARTCC.

Qualified parachute jumping sites will be depicted on the appropriate visual chart(s).

Note: (c) in this publication indicates that the parachute jump area is charted.

To qualify for charting, a jump area must meet the following criteria:

- (1) Be in operation for at least 1 year.
- (2) Operate year round (at least on weekends).
- (3) Log 4,000 or more jumps each year.

In addition, jump sites can be nominated by FAA Regions if special circumstances require charting.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
	ALABAMA		
Allen Army Heliport	11 NM; 253° Wiregrass	12,500	1 NM radius. SR-SS weekends and holidays.
(c) Bayou La Batre, Roy E.Ray Arpt	12 NM; 217° Brookley	12,500	Daily SR-SS
Bessemer, Old Bessemer Arpt	16 NM; 057° Brookwood	10,000	1030-SS weekends
(c) Cullman, Folsom Fld Arpt	36 NM; 001° Vulcan	14,500	3 NM radius. SR-SS Sat-Sun, other times by NOTAM.
(c) Dothan, Hatch Army Heliport	10.3 NM; 290° Wiregrass	12,500 AGL	1 NM SR-SS weekends and holidays.
(c) Elberta, Horak Arpt	11 NM; 268° Saufley	14,000	Daily 0700-1/2 hour after SS.
Ellis Drop Zone	15 NM; 220° Decatur	1,500	0.4 NM radius. Occasional use
Eutaw Muni Arpt	30 NM; 200° Crimson	13,000 AGL	Weekends and holidays
Gadsden, Northeast Alabama Rgnl Arpt	3 NM; 230° Gadsden	14,000	Weekends and holidays 0900-SS.
Harvest, Epps Arpk	9 NM; 297° Rocket	13,500	Daily SR-SS
(c) Hazel Green	7 NM; 355° Rocket	14,000	7 NM radius. Daily SR-SS. Occasional night use.
Headland Muni Arpt	8 NM; 070° Wiregrass	15,000	Weekdays 1200-SS; Sat-Sun, and holidays SR-SS
Jones Drop Zone	6 NM; 276° Rocket	1,500	0.25 NM radius. Occasional use
Kilby Drop Zone	13 NM; 014° Montgomery	1,500	0.2 NM radius. Occasional use
Moundville Arpt	18 NM; 198° Tuscaloosa	12,000 AGL	5 NM radius. 0900–SS on weekends, occasionally weekdays by Notam.
Pell City, St Clair Co Arpt	10 NM; 263° Talladega	15,500	5 NM radius. SR-SS daily except Mon-Tue.
Pinson, Industrial Park	12 NM; 085° Vulcan	10,500	0800–SS Sat–Sun, occasionally weekday and ngt use.
Prattville-Grouby Fld Arpt	17 NM; 300° Montgomery	2,000	10NM radius. For specific times call 334–953–7325.
Redstone Drop Zone	9 NM; 220° Rocket	1,500	0.2 NM radius. Occasional use
Renda Drop Zone	8 NM; 234° Talledega	1,500	0.25 NM radius. Occasional use
Tac Runkle Drop Zone	19 NM; 280° Cairns	3,500 AGL	Occasional use
Tommy Drop Zone	17 NM; 235° Montgomery	1,500	0.2 NM radius. Occasional use
(c) Tuskegee, Moton Fld Muni	2 NM; 198° Tuskegee	12,500	3 NM radius. Occasionally on weekends.
Vincent	37 NM; 130° Vulcan	10,000	5 NM radius. Weekends 0900-SS.
Warrior	11 NM; 350° Vulcan	12,500	Daily SR-SS
Weaver, McMinn Arpt	15 NM; 047° Talladega	12,500	1 NM radius. Daily SR-SS, occasional night use.
(c) Wetumpka Muni	18 NM; 356° Montgomery	10,000	Daily SR-SS
	FLORIDA	45.000	5.114 " 05.00 "
Arcadia Muni		15,000	5 NM radius. SR–SS daily, occasional ngt use.
Avon Park Executive Arpt		4,000	4 NM radius. Daily SR-SS
Brandon, Sod Farm		15,000	0830–1830 weekends
(c) Bunnell, Flagler County Arpt		14,000	3 NM radius. SR–SS daily. Occasional nights.
Chassahowitzka Drop Zone	38 NM; 010° St. Petersburg	4,000	0.25 NM radius. Occasional use

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
(c) Clewiston, Airglades Arpt	19 NM; 097° LaBelle	13,500	1 NM radius. Daily SR-SS
(c) Coleman, Freeflight Arpt		15,000	3 NM radius. Daily SR-SS.
(c) Deland Muni–Sidney H Taylor Fld	17 NM; 210° Ormond Beach	15,000	1 NM radius. SR-SS Sat, Sun, occasionally weekdays.
Englewood, Buchan Arpt		15,000 AGL	2 NM radius. Sunday 1000-SS
Florabama Drop Zone		14,000	2 NM radius. Fri-Sun 0830-SS.
(c) Homestead General Aviation		15,000	5 NM radius. 24 hrs daily.
Jacksonville, Herlong Arpt	15 NM; 255° Craig	15,000	1 NM radius. Daily SR-SS with prior notification to JAX APP CON.
Key West		7,000	0.2 NM radius. Occasional use.
(c) La Belle, Sundance Farms Arpt (c) Lake Wales Muni		12,500 18,000	1 NM radius. Daily SR-SS. 7 NM radius, 24 hrs daily. Miami Center 127.2
(c) MacDill AFB(c) Melanie's Arpt		10,000 13,000	0600–1100 Sun. Over Rwy 31 3 NM radius. SR–SS Sat–Sun, holidays and other times by
(c) Myakka City	18 NM; 097° Sarasota	12,500	NOTAM. 5 NM radius, 24 hrs daily
(c) New Smyrna Beach, Massey Ranch			
Airpark	22 NM; 150° Ormond Beach	15,000	NM radius SR-SS weekends, occasionally weekdays.
(c) Palatka Muni–Lt. Kay Larkin Fld (c) Pahokee, Palm Beach Co Glades	36 NM; 079° Gainesville	12,500 17,500	3 NM radius. Daily, SR-SS 3 NM radius, 0800-1800 daily.
Arpt	at i allokee	17,500	5 NW Tadius, 0000-1000 daily.
(c) Quincy Muni Arpt	10 NM; 288° Seminole	15,000	Daily SR-SS
St. Augustine		12,500	Sat-Sun occasionally weekdays
(c) Sebastian Muni(c) Shell Creek Airpark		14,000	2 NM radius. Daily SR-SS. 1 NM radius. SR-SS weekends,
(c) Sugar Loaf Shores Arpt	_	13,000 14,000	holidays. 2 NM radius. SR–SS.
Sun City		12,500	2 1111 1441451 511 551
(c) Titusville, Arthur Dunn Air Park (c) Umatilla Muni Arpt		13,500 13,000 AGL	1 NM radius, SR–SS daily. 2 NM radius. SR–SS. Occasional night use.
Wakulla Co Arpt	35 NM; 180° Seminole	13,500	3 NM radius. SR-SS weekends occasionally weekdays.
(C) Williston Muni Arpt	22 NM; 210° Gators	11,000	Tallahassee Rgnl Tower 135.8 2.5 NM radius. SR–SS Fri, Sat and Sun. Jacksonville Center 118.6
(c) Zephyrhills Muni	16 NM; 330° Lakeland	20,000	E of Rwy 18-36. Daily SR-2300
	GEORGIA		
Bunker Hill Drop Zone		8,000	1 NM radius. SR-1 hr after SS
•	,	,,,,,	daily, irregular intervals. Mass military jumps from multiple acft.
(c) Cedartown, Polk Co Arpt-Cornelius Moore Fld	9 NM; 188° Rome	15,000	3 NM radius. SR-SS daily, occasionally nights.
Claxton–Evans Co Arpt(c) Dahlonega, Lumpkin County	33.6 NM; 276° Savannah	7,500	0900–SS Sat and Sun
	23 NM; 193° Harris	15,000	1 NM radius. SR to 1 hr after SS daily irregular intervals. Mass
Dahlonega Highway 76 Drop Zone	11 NM: 231° Harris	3.000	military jumps from multiple acft. Occasional use.
Fort Benning, Box Spring Drop Zone		3,000	Occasional use.
Fort Benning, Eelbeck Drop Zone		3,000	Occasional use.
(c) Fort Benning, EuBanks Drop Zone	16 NM; 171° Columbus	12,500	Daily 0500-1900
(c) Fort Benning, Fryar Field Drop Zone		13,000	0.5 NM radius, Continuous.
(c) Fort Benning, Gardner Drop Zone Fort Benning, Lawson AAF (Fort Benning)	17 NM; 171° Columbus	12,500 12,500	Daily 0500–1900 1 NM radius. Daily SR–SS
Fort Benning, Lae Drop Zone	21 NM; 166° Columbus	3,000	Occasional use
Fort Benning, Ledo Drop Zone	14 NM; 090° Lawson	3,000	Occasional use
Fort Benning, McKenna Drop Zone		3,000	Occasional use
(c) Fort Benning, York Drop Zone Fort Valley, Miami Valley Farms Arpt		12,500 14,000	Daily 0500–1900 1 NM radius, Daily 0900–SS
Locust Grove, Mallards			· ·
	17.5 NM; 118° Atlanta	13,500	Sat, Sun and holidays SR–SS. Occasional ngt jumps
(c) Monroe-Walton Co Arpt Plantation Airpark, Moore Drop Zone		13,500 1,500 AGL	5 NM radius. Daily 0800–2100. 1 NM radius. Occasional use. Mass Military jumps from multiple acft.
(c) Rome, Richard B. Russell Arpt St Marys Arpt		15,000 12,000	5 NM radius. SR-SS Weekends. 2 NM radius. Daily 0700-1859.

PARACHUTE JUMPING AREAS

LOCATION Thomaston-Upson Co	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC 35 NM; 296° Macon	MAXIMUM ALTITUDE 14,500	REMARKS 1 NM radius. Sat–Sun occasionally
Tifton Henry Tift Myers Arnt	1 NM; 090° Tift Myers	15,000	weekdays. 5 NM radius. Daily 0700–1800.
	8 NM; 100° Waycross	12,500	1 NM radius. Daily 1000–1800.
	14 NM; 245° Harris	8,000	1 NM radius. SR to 1 hr after SS daily, irregular intervals. Mass military jumps from multiple acft.
	KENTUCKY		
Elizabethtown, Addington Fld	12 NM; 285° New Hope	11,000	3 NM radius, SR-SS Weekends and noon-SS weekdays.
Elkton, Standard Fld(c) Flemingsburg, Fleming Mason Arpt .	16 NM; 045° Clarksville 27 NM; 103° Falmouth	12,000 12,500	5 NM radius. Continuous. 1 NM radius. SR-SS Sat-Sun and holidays.
Ft. Campbell, Bastogne Drop Zone	8 NM; 274° Clarksville	3,000	0600–2330 Mon–Fri and occasional weekends. Military use.
Ft. Campbell, Corregidor Drop Zone	11 NM; 270° Clarksville	3,000	0600–2330 Mon–Fri and occasional weekends. Military
Ft. Campbell, Los Banos Drop Zone	10 NM; 270° Clarksville	3,000	use. 0600–2330 Mon–Fri and occasional weekends. Military
Ft. Campbell, Suckchon Drop Zone	10 NM; 270° Clarksville	3,000	use. 0600–2330 Mon–Fri and occasional weekends. Military
Glasgow Muni Arpt	24 NM; 073° Bowling Green	8,000	use. 5 mi radius. SR-SS weekends and holidays
(c) Greenville, Muhlenberg Co Arpt	10 NM; 149° Central City	13,500	5 mi. radius. Daily SR-SS.
	7 NM; 149° Central City	2,000	2 NM radius. Intermittent. Military use.
(c) Hopkinsville–Christian Co	14 NM; 352° Clarksville	14,500	3 NM radius, 0900–1600 Tue–Fri; occasional weekends.
Owensboro, Windy Hollow Drag Strip	6 NM; 205° Owensboro	8,000	2 NM radius. 0800–SS Sun, holidays occasionally other times
	NODTH CARCHINA		umes
	NORTH CAROLINA		
(c) Cherry Point, Cannon Drop Zone	9 NM; 184° Cherry Point Tacan	10,500	3 NM radius. Weekends and holidays, occasional use weekdays.
	22 NM; 030° Fayetteville	4,500	1 NM radius. Sat & Sun afternoons
(c) Fayetteville, Southern Comforts Arpt	9 NM; 220 Fayetteville	14,000	3 NM radius. Fri–Mon and holidays SR–SS.
Greensboro, Southeast Greensboro Arpt	18 NM; 115° Greensboro	12,000	1 NM radius. 0800–2000 Sat and Sun.
	8 NM; 339° Liberty	11,000	3 NM radius. 0800-1600 Fri-Sun.
	22 NM; 040° Kinston	15,500 15,000	Daily SR–SS. 3 NM radius. SR–SS daily,
(c) Julicaville, awaii of cert Alpt	27 NW, Barretts Wountain	15,000	occasional night.
	22 NM; 060° Raleigh–Durham	15,500	30 min before SR-30 min after SS daily. Occasional ngt.
	13 NM; 152° Sandhills 11 NM; 150° Sandhills	17,500 17,500	0600–1900 Daily. Continuous.
	26 NM; 250° Fayetteville	13,500	0800–1700 Mon–Fri.
	29 NM; 296° Raleigh/Durham	12,000	1 NM radius. 0900–SS Weekends; occasionally other times.
	8.75 NM; 143° Sandhills	12,500	Sat, Sun and holidays. Weekdays on request.
	17 NM; 280° Fayetteville	12,500 AGL	Continuous.
(C) KOCKY MOUNT	9.5 NM; 285° Tar River 27.2 NM; 209° Wilmington	12,500	Sat, Sun and holidays 0900–SS.
Thomasville. Fairgrove Arnt	13 NM; 201° Greensboro	12,000 14,000	3 NM radius. 0800–2100 daily. Weekends and holidays.
	23 NM; 351° Wilmington	15,000 AGL	3 NM radius. Sat–Sun SR–SS.
	27.6 NM; 069° Kinston	14,999 AGL	2 NM radius. SR-SS daily, occasional night use.
	SOUTH CAROLINA		
(c) Rarnwell Ronl Arnt	15 NM; 343° Allendale	12,500	Daily SR-SS.
	38.25 NM; 067° Savannah	10,000	1.0 NM radius. Sat, Sun and holidays SR–SS.
	16.5 NM; 223° Fort Mill	13,500 AGL	1 NM radius. Daily 0800-SS.
	14 NM; 343° Electric City	12,000	Daily SR-SS.
COMMINIA, FUIL JACKSUM	10 NM; 020° Columbia	10,000	1 NM radius. Weekends, occasional weekdays.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
(c) Green Sea Arpt		15,000	3 NM radius. Weekends and occasional weekdays SR-SS.
(c) Loris, Twin City Arpt(c) North AF Aux Arpt	15 NM; 340° Grand Strand 15 NM; 186° Columbia	12,000 2,000	Weekends, holidays 0800–SS. ½ NM radius. Mon–Fri 0800–2200. Military personnel and heavy equipment.
St George Arpt Timmonsville, Huggins Arpt (c) Walterboro, Lowcountry Rgnl Arpt	17 NM; 192° Vance	17,900 12,500 12,500 AGL	SR-1 hr after SS. Daily SR-SS. Weekends.
	TENNESSEE		
Campbell Co. Chattanooga Clarksville, Outlaw Fld.	28.9 NM; 336° Volunteer 13 NM; 087° Choo Choo Over Clarksville	13,500 10,000 14,000 AGL	2 NM radius. 0800-one hr byd SS. Continuous. 4 NM radius. Daily SR-SS, occasional ngts.
Crossville Meml-Whitson Fld	11.5 NM; 335° Hitch Mountain	14,500	1 NM radius. Daily SR-1 hr after SS, occasional nights.
(c) Dunlap	30 NM; 335° Choo Choo 4.1 NM; 302° Clarksville 13 NM; 212° Livingston	9,000 12,500 12,500	5 NM radius. SR-SS Daily. Daily. Weekends.
(c) Paris, Henry Co	44.3 NM; 357° Jacks Creek 10 NM; 133° Volunteer 26 NM; 210° McKellar	13,500 13,500 14,000 AGL	5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS. Occasional ngt jumps.
Tullahoma Rgnl Arpt/WM Northern Fid	14.1 NM; 139° Shelbyville	15,000	5 NM radius. SR–SS primarily weekends with occasional nights.
Whifferdill	25 NM; 303° Nashville	11,500	2 NM radius. Weekends SR-SS.
	PUERTO RICO		
(c) Arecibo, Antonio/Nery/Juarbe Pol Arpt.	25 NM; 105° Borinquen	12,500	0600–1800 weekends & holidays.
(c) Humacao Arpt	20.9 NM; 159° San Juan	15,000	2.5 NM radius. Weekends SR-SS, occasionally holiday SR-SS.
	VIRGIN ISLANDS		
St. Croix, Ordinance Drop Zone		2,000	0700–1400 Mon–Fri. 5 NM radius from 17°49'N 064°52'W.
St. Thomas, Cyril E. King No. 1 St. Thomas, Cyril E. King No. 2		15,000 15,000	17 40 N 004 02 W.

The purpose of this bulletin is to provide major changes in aeronautical information that have occurred since the last publication date of each Sectional Aeronautical, VFR Terminal Area, and Helicopter Route Charts listed. The general policy is to include only those changes to controlled airspace and special use airspace that present a hazardous condition or impose a restriction on the pilot, and major changes to airports and radio navigational facilities, thereby providing the VFR pilot with the essential data necessary to update and maintain chart currency. The data is grouped by type and then by effective date. When a new edition of the Aeronautical Chart is published, the corrective tabulation will be removed from this bulletin. Inasmuch as this Bulletin provides major changes only, pilots should consult the airport listing in this directory for all new information. Users of U.S. World Aeronautical Charts (WAC) and U.S. Gulf Coast VFR Aeronautical Charts should consult the appropriate Sectional and VFR Terminal Area Charts for revisions.

Military Training Routes (MTRs) are shown on Sectional Aeronautical Charts, VFR Terminal Area, and Helicopter Route Charts. Only the route centerline, direction of flight and the route designator are shown — route widths and altitudes are not shown. Since these routes are subject to change every 56 days and the charts are reissued generally every 6 months, routes with a change in the alignment of the charted route centerline will be listed in this Aeronautical Chart Bulletin below. You are advised to contact the nearest FSS for route dimensions and current status for those routes affecting your flight.

ATLANTA SECTIONAL 83rd Edition. 27 Aug 2009

```
OBSTRUCTIONS
27 Aug 2009 No Major Changes.
22 Oct 2009 Add obst 1327'MSL (310'AGL)UC, 34°21'17"N, 87°41'54"W. Add obst 1114'MSL (346'AGL)UC, 34°37'03"N, 82°05'12"W. Add obst 1629'MSL (285'AGL)UC, 36°04'48"N, 84°31'00"W.
Add obst 879'MSL (296'AGL)UC, 32°54'16"N, 86°30'27"W.
Add obst 1183'MSL (227'AGL)UC, 35°04'04"N, 86°30'50"W.
Add obst 569'MSL (285'AGL)UC, 33°52'09"N, 81°07'44"W.
17 Dec 2009 Add obst 751'MSL (420'AGL)UĆ, 32°04'46"N, 86°24'32"W. Add obst 1010'MSL (600'AGL)UC, 32°49'46"N, 87°25'47"W.
Add obst 794'MSL (310'AGL)UC, 32°38'32"N, 86°45'19"W. Add obst 999'MSL (320'AGL)UC, 35°57'38"N, 87°45'23"W.
```

AIRPORTS

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete POWELL arpt, 36°02'40"N, 084°00'16"W. Change CTAF 122.9 to 122.8 at ROBBINS arpt, 33°58'16"N, 86°22'49"W.

17 Dec 2009 Add CHARLOTTE/DOUGLAS INTL ATCT 133.35. 35°12'48"N. 80°56'56"W.

Add RP 34 to ASHVILLE RGNL arpt, 35°26'10"N, 82°32'30"W.

NAVAIDS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

AIRSPACE

27 Aug 2009 – 22 Oct 2009 No Major Changes.
17 Dec 2009 Revise ANNISTON, AL Class E: That airspace extending upward from the surface within 5.5 radius of Anniston Metropolitan Airport and that airspace extending upward from 700 feet above the surface within a 12.7-mile radius of Anniston Metropolitan Airport and within a 9.5-mile radius of Talladega Municipal Airport and within a 11.5-mile radius of St. Clair County Airport, excluding that airspace within Restricted Area R-2101 when the restricted area is active.

Add CLAYTON, GA Class E: That airspace extending upward from 700 feet above the surface within a 6.9-mile radius of the Heaven's Landing Airport.

Add SALUDA, SC Class E: That airspace extending upward from 700 feet above the surface within a 6.3-mile radius of the Saluda County Airport

SPECIAL USE AIRSPACE

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

17 Dec 2009 Change MEF 15 to 16 in quadrant 32°00′-32°30′N, 85°00′- 85°30′W.

ATLANTA TERMINAL AREA CHART 80th Edition. 27 Aug 2009

OBSTRUCTIONS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

27 Aug 2009 - 17 Dec 2009 No Major Changes.

27 Aug 2009 - 17 Dec 2009 No Major Changes.

27 Aug 2009 - 17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

CG-21 WORLD AFRONAUTICAL CHART 40th Edition, 24 Sep 2009

OBSTRUCTIONS

22 Oct 2009 Add obst 1348'MSL (600'AGL), 34°15'06"N, 84°59'12"W. Change obst from 312'MSL to 1312'MSL, $33^{\circ}35'33''N$, $083^{\circ}58'31''W$. **17 Dec 2009** No Major Changes.

AIRPORTS22 Oct 2009 Change elevation from 191' to 1911' at Blairsville arpt, 34°51'16"N, 083°59'50"W. Change runway orientation to 01/19 at Halifax-Northhampton Co Rgnl arpt, 36°19'47"N, 077°38'07"W. 17 Dec 2009 No Major Changes.

22 Oct 2009 - 17 Dec 2009 No Major Changes.

22 Oct 2009 - 17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 - 17 Dec 2009 No Major Changes.

CHARLOTTE SECTIONAL 86th Edition, 30 Jul 2009

```
OBSTRUCTIONS
```

27 Aug 2009 Add obst 727'MSL (310'AGL)UC, 35°00'34"N, 79°46'48"W. Add obst 537'MSL (310'AGL)UC, 34°02'15"N, 80°24'40"W. Add obst 268'MSL (263'AGL)UC, 35°47'45"N, 75°33'02"W.

Add obst 1335'MSL (575'AGL)UC, 35°12'56"N, 81°45'44"W. Add obst 404'MSL (300'AGL)UC, 34°11'08"N, 78°57'51"W.

22 Oct 2009 Add obst 768'MSL (499'AGL)UC, 34°59'54"N, 79°15'46"W.

Add obst 656'MSL (290'AGL)UC, 35°13'03'N, 80°00'55'W. Add obst 558'MSL (300'AGL)UC, 35°51'14"N, 78°53'39"W.

Add obst 326'MSL (310'AGL)UC, 34°51'44"N, 76°46'14"W. Add obst 844'MSL (390'AGL)UC, 35°07'18"N, 80°20'10"W. Add obst 365'MSL (300'AGL)UC, 34°10'08"N, 79°07'27"W.

Add obst 421'MSL (310'AGL)UC, 33°55'29"N, 79°54'56"N. Add obst 348'MSL (275'AGL)UC, 33°44'25"N, 79°56'04"W. Add obst 434'MSL (310'AGL)UC, 33°54'35"N, 80°01'52"W.

Add obst 1032'MSL (390'AGL)UC, 34°55'48"N, 80°38'59"W.

17 Dec 2009 No Major Changes.

AIRPORTS

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete RP* at JAARS-TOWNSEND arpt, 34°51'49"N, 80°44'52"W.

Delete JORDAN arpt, 33°32'23"N, 79°31'55"W.

17 Dec 2009 Add CHARLOTTE/DOUGLAS INTL ATCT frequency 133.35 (RWY 18R/36/L), 35°12'48"N, 80°56′56″W.

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete JOHNS ISLAND NDB. 32°42'05"N. 80°00'20"W.

17 Dec 2009 No Major Changes.

27 Aug 2009 Revise Albemarle, NC Class D; That airspace extending upward from the surface to and including 3,100 feet MSL within a 5.8-mile radius of Stanly County Airport and within 1.5 miles each side of the 043 degree bearing from Stanly County Airport to 7.8 miles Northeast. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory.

22 Oct 2009 No Major Changes.
17 Dec 2009 Change SHAW AFB CLASS C frequency from 385.6 to 285.4.

Add Hertford, NC Class E. That airspace extending upward from 700 feet above the surface of the Earth within a 6.5-mile radius of Harvey Point Defense Testing Activity and within 2 miles each side of the 199° bearing from the airport extending from the 6.5-mile radius to 9 miles southwest of the airport, and within a 6.5-mile radius of Harvey Point Defense Testing Activity and within 2 miles each side of the 018° bearing from the airport extending from the 6.5-mile radius to 9 miles northeast of the airport. Add Saluda, SC Class E. That airspace extending upward from 700 feet above the surface within a 6.3-mile radius of the Saluda County Airport.

SPECIAL USE AIRSPACE

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

CHARLOTTE TERMINAL AREA CHART 41st Edition. 30 Jul 2009

OBSTRUCTIONS

27 Aug 2009 Add obst 1335'MSL (575'AGL)UC, 35°12'56"N, 81°45'44"W. **22** Oct 2009 Add obst 844'MSL (390'AGL)UC, 35°07'18"N, 80°20'10"W.

17 Dec 2009 No Major Changes.

AIRPORTS

27 Aug 2009 Revise Albemarle, NC Class D; That airspace extending upward from the surface to and including 3,100 feet MSL within a 5.8-mile radius of Stanly County Airport and within 1.5 miles each side of the 043 degree bearing from Stanly County Airport to 7.8 miles Northeast. This Class D airspace area is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airport/Facility Directory. Revise Albemarle, NC Class E; That airspace extending upward from 700 feet above the surface within an 8-mile radius of Stanly County Airport.

Revise Albemarle, NC Class E; That airspace extending wuward from 700' above the surface within an 8-mile radius of Stanly County Airport.

8-mile radius of Stanly County Airport. **22 Oct 2009** Delete RP* at JAARS-TOWNSEND arpt, 34°51'49"N, 80°44'52"W.

17 Dec 2009 Add CHARLOTTE/DOUGLAS INTL ATCT frequency 133.35 (RWY 18R/36/L), 35°12'48"N, 80°56'56"W.

NAVAIDS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

AIRSPACE

27 Aug 2009 - 17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

CINCINNATI SECTIONAL 83rd Edition, 17 Dec 2009

OBSTRUCTIONS

17 Dec 2009 No Major Changes.

AIRPORTS

17 Dec 2009 No Major Changes.

NAVAIDS

17 Dec 2009 No Major Changes.

AIRSPACE

17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

17 Dec 2009 No Major Changes.

MISCELLANEOUS

CINCINNATI TERMINAL AREA CHART 22nd Edition. 17 Dec 2009

OBSTRUCTIONS

17 Dec 2009 No Major Changes.

AIRPORTS

17 Dec 2009 No Major Changes.

NAVAIDS

17 Dec 2009 No Major Changes.

AIRSPACE

17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

17 Dec 2009 No Major Changes.

MISCELLANEOUS

17 Dec 2009 No Major Changes.

IFR GULF OF MEXICO CENTRAL 1st Edition, 17 Dec 2009

OBSTRUCTIONS

17 Dec 2009 No Major Changes.

AIRPORTS

17 Dec 2009 No Major Changes.

NAVAIDS

17 Dec 2009 No Major Changes.

AIRSPACE

17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

17 Dec 2009 No Major Changes.

MISCELLANEOUS

17 Dec 2009 No Major Changes.

IFR GULF OF MEXICO WEST 1st Edition, 17 Dec 2009

OBSTRUCTIONS

17 Dec 2009 No Major Changes.

AIRPORTS

17 Dec 2009 No Major Changes.

NAVAIDS

17 Dec 2009 No Major Changes.

AIRSPACE

17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

17 Dec 2009 No Major Changes.

MISCELLANEOUS

JACKSONVILLE SECTIONAL 84th Edition, 27 Aug 2009

OBSTRUCTIONS

27 Aug 2009 No Major Changes.

22 Oct 2009 Add obst 632'MSL (622'AGL)UC, 27°55'55"N, 82°24'04"W.

Add obst 487'MSL (473'AGL)UC, 31°46'58"N, 81°26'27"W.

17 Dec 2009 No Major Changes.

AIRPORTS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

27 Aug 2009 - 17 Dec 2009 No Major Changes.

27 Aug 2009 - 17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MEMPHIS SECTIONAL 83rd Edition, 24 Sep 2009

OBSTRUCTIONS 22 Oct 2009 Add obst 505'MSL (328'AGL), 34°21'56"N, 90°38'14"W. Add obst 798'MSL (420'AGL)UC, 32°05'24"N, 90°39'59"W. Add obst 979'MSL (499'AGL)UC, 34°13'53"N, 93°16'47"W.

Add obst 495'MSL (330'AGL)UC, 33°39'16"N, 92°40'34"W. Add obst 945'MSL (645'AGL)UC, 33°38'59"N, 93°48'43"W. **17 Dec 2009** Add obst 779'MSL (311'AGL)UC, 32°52'06"N, 89°10'13"W.

Add obst 558'MSL (311'AGL)UC, 32°45'06"N, 90°08'26"W. Add obst 1465'MSL (304'AGL)UC, 36°05'39"N, 93°07'56"W. Add obst 711'MSL (305'AGL)UC, 35°12'53"N, 92°27'30"W. Add obst 820'MSL (311'AGL)UC, 32°58'38"N, 89°22'06"W. Add obst 852'MSL (499'AGL)UC, 32°08'05"N, 90°03'41"W.

Add obst 826'MSL (256'AGL)UC, 32°54'53"N, 89°15'18"W.

Add obst 788'MSL (260'AGL)UC, 35°28'15"N, 88°31'00"W. Change obst from 693'MSL (331'AGL)to 753'MSL (391'AGL), 32°28'00"N, 94°23'59"W.

Add obst 1624'MSL (339'AGL)UC, 36°02'15"N, 93°55'05"W. Add obst 724'MSL (475'AGL)UC, 35°39'50"N, 89°56'44"W.

22 Oct 2009 Add RP 35 to TUNICA MUNI arpt, 34°41'06"N, 90°20'52"W.

17 Dec 2009 FULTON ITAWAMBA CO arpt abandoned, 34°21'07"N, 88°22'38"W.

Delete abandoned arpt sym, 33°54′17″N, 94°50′43″W. Delete abandoned arpt sym, 33°07'46"N, 94°58'32"W.

NAVAIDS

22 Oct 2009 Shutdown PINHOOK NDB, 35°15′14″N, 88°12′15″W. Change bearing 294° to 293° from HAMILTON VORTAC(HAB) 34°11'42"N, 88°00'45"W.

17 Dec 2009 Shutdown CLARKSDALE NDB, 34°17'35"N, 90°30'56"W.

AIRSPACE

22 Oct - 17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

27 Oct 2009 Change MEF 10 to 11 in quadrant 33°30′00″-34°00′00″N, 93°30′00″-94°00′00″W.

MEMPHIS TERMINAL AREA CHART 41st Edition. 24 Sep 2009

OBSTRUCTIONS

22 Oct 2009 No Major Changes.

17 Dec 2009 Add obst 724'MSL (475'AGL)UC, 35°39'50"N, 89°56'44"W.

AIRPORTS

22 Oct 2009 Add RP 35 to TUNICA MUNI arpt, 34°41'06"N, 90°20'52"W.

17 Dec 2009 No Major Changes.

NAVAID:

22 Oct 2009 - 17 Dec 2009 No Major Changes.

AIRSPACE

22 Oct 2009 - 17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 - 17 Dec 2009 No Major Changes.

MIAMI SECTIONAL 85th Edition. 27 Aug 2009

OBSTRUCTIONS

27 Aug 2009 No Major Changes.

22 Oct 2009 Add obst 306'MSL (250'AGL)UC, 27°39'56"N, 81°22'11"W.

Add obst 632'MSL (622'AGL)UC, 27°55'55"N, 82°24'04"W.

17 Dec 2009 No Major Changes.

AIRPORTS

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete COXS HAMMOCK arpt, 27°04'18"N, 80°31'12"W.

17 Dec 2009 Change GWINN ATCT freq from 314.6 to 279.25, 26°54'30"N, 80°19'44"W.

Delete STRAZZULLA GROVES arpt, 27°29′51″N, 80°31′47″W.

NAVAIDS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

AIRSPACI

27 Aug 2009 - 22 Oct 2009 No Major Changes.

17 Dec 2009 Revise SARASOTA, FL Class E airspace. That airspace extending upward from the surface within 2.4 miles each side of the 140° bearing from the airport, extending from a 5-mile radius of Sarasota/Bradenton International Airport to 6.2 miles southeast of the airport and that airspace 2.4 miles each side of the 293° bearing from the airport, extending from a 5-mile radius of Sarasota/Bradenton International Airport to 7.9 miles northwest of the airport. This Class E airspace area is effective during the specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be continuously published in the Airport/Facility Directory. Revise SARASOTA, FL Class E airspace. That airspace extending upward from 700 feet above the surface within a 7.9-mile radius of the Sarasota/Bradenton International Airport.

SPECIAL USE AIRSPACE

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

17 Dec 2009 Change RP * to RP 10R at ST LUCIE COUNTY INTERNATIONAL arpt, 27°29′50″N,

80°22′21″W.

MIAMI TERMINAL AREA CHART 74th Edition. 27 Aug 2009

OBSTRUCTIONS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

AIRPORTS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

NAVAIDS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

AIRSPAC

27 Aug 2009 - 17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

NEW ORLEANS SECTIONAL 85th Edition, 19 Nov 2009

OBSTRUCTIONS

17 Dec 2009 Add obst 250' MSL (231' AGL), 30°26'08"N, 90°38'21"W. Add obst 852' MSL (499' AGL), 32°08'05"N, 90°03'41"W. Change obst from 544' MSL (310' AGL) to 644' MSL (410' AGL), 31°52'32"N, 90°10'15"W. Add obst 651' MSL (470' AGL), 31°44'31"N, 88°32'22"W.

AIRPORT

17 Dec 2009 Delete WOLF RIVER ARPT, 30°54′52"N, 89°26′40"W.

NAVAIDS

17 Dec 2009 No Major Changes.

AIRSPACE

17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

17 Dec 2009 No Major Changes.

MISCELLANEOUS

ORLANDO TERMINAL AREA CHART 39th Edition. 27 Aug 2009

OBSTRUCTIONS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

27 Aug 2009 - 17 Dec 2009 No Major Changes.

27 Aug 2009 - 17 Dec 2009 No Major Changes.

27 Aug 2009 - 17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

PUFRTO RICO-VIRGIN ISLAND TERMINAL AREA CHART 36th Edition, 22 Oct 2009

OBSTRUCTIONS

22 Oct 2009 - 17 Dec 2009 No Major Changes.

22 Oct 2009 - 17 Dec 2009 No Major Changes.

22 Oct 2009 - 17 Dec 2009 No Major Changes.

22 Oct 2009 - 17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

22 Oct 2009 - 17 Dec 2009 No Major Changes.

AERONAUTICAL CHART BULLETIN

ST. LOUIS SECTIONAL 81st Edition, 17 Dec 2009

OBSTRUCTIONS

17 Dec 2009 No Major Changes.

17 Dec 2009 No Major Changes.

NAVAIDS

17 Dec 2009 No Major Changes.

AIRSPACE

17 Dec 2009 No Major Changes.

SPECIAL USE AIRSPACE

17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

17 Dec 2009 No Major Changes.

MISCELLANEOUS

17 Dec 2009 No Major Changes.

TAMPA TERMINAL AREA CHART 39th Edition, 27 Aug 2009

OBSTRUCTIONS

27 Aug 2009 No Major Changes. 22 Oct 2009 Add obst 632'MSL (622'AGL)UC, 27°55'55"N, 82°24'04"W.

17 Dec 2009 No Major Changes.

27 Aug 2009 - 17 Dec 2009 No Major Changes.

27 Aug 2009 - 17 Dec 2009 No Major Changes.

AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

17 Dec 2009 Revise SARASOTA, FL Class E: That airspace extending upward from the surface within 2.4 miles each side of the 140° bearing from the airport, extending from a 5-mile radius of Sarasota/Bradenton International Airport to 6.2 miles southeast of the airport and that airspace 2.4 miles each side of the 293° bearing from the airport, extending from a 5-mile radius of Sarasota/Bradenton International Airport to 7.9 miles northwest of the airport. This Class E airspace area is effective during the specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be continuously published in the Airport/Facility Directory. Revise SARÁSOTA, FL Class E airspace. That airspace extending upward from 700 feet above the surface within a 7.9-mile radius of the Sarasota/Bradenton International Airport.

SPECIAL USE AIRSPACE

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

WASHINGTON SECTIONAL 86th Edition, 30 Jul 2009

OBSTRUCTIONS

27 Aug 2009 No Major Changes.

22 Oct 2009 Add obst 588'MSL (421' AGL) UC, 37°35'09"N, 77°15'47"W. Add obst 434'MSL (400' AGL) UC, 36°26'12"N, 76°43'25"W.

Add obst 3226'MSL (400' AGL) UC, 40°01'35"N, 78°48'07"W. Add obst 369'MSL (309' AGL) UC, 37°24'37"N, 76°32'51"W.

17 Dec 2009 Add obst 2857'MSL (262'AGL)UC, 39°45'14"N, 78°53'27"W.

27 Aug 2009 No Major Changes. **22 Oct 2009** Delete BOLLING AFB heliport, 38°50′34″N, 77°00′58″W.

17 Dec 2009 No Major Changes.

27 Aug 2009 No Major Changes. **22 Oct 2009** Delete LOUISA NDB, 38°01′14″N, 77°51′33″W.

17 Dec 2009 No Major Changes.

27 Aug 2009 – 22 Oct 2009 No Major Changes.
17 Dec 2009 Add HERTFORD, NC Class E: That airspace extending upward from 700 feet above the surface of the earth within a 6.5-mile radius of Harvey Point Defense Testing Activity and within 2 miles each side of the 199° bearing from the airport extending from the 6.5-mile radius to 9 miles southwest of the airport, and within a 6.5-mile radius of Harvey Point Defense Testing Activity and within 2 miles each side of the 018° bearing from the airport extending from the 6.5-mile radius to 9 miles northeast of the airport.

SPECIAL USE AIRSPACE

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 17 Dec 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 17 Dec 2009 No Major Changes.

SUPPLEMENTAL COMMUNICATION REFERENCE

Contained within this tabulation, and listed alphabetically by airport name, are all private—use airports charted on the U.S. IFR Enroute Low and High Altitude charts in the United States, having terminal approach and departure control facilities. Additionally, listed by country, are all Canadian and Mexican airports that appear on the U.S. IFR Enroute charts with approach and departure control services. All frequencies transmit and receive unless otherwise noted. Radials defining sectors are outbound from the facility.

	ST	

	UNITED STATES	
FACILITY		CHART & PANEL
	fort, IL (LL4Ø)	L-28H
Chi	icago App/Dep Con 133.1 285.6	
Glasgo	ow Industrial, MT (Ø7MT)	H-1E, 2F, L-13D
Sal	It Lake Center App/Dep Con 126.85 305.2	
USAF A	Academy Bullseye Aux Airstrip, CO (CO9Ø)	L-10F
AS	OS 118.325	
West I	(entucky Airpark, KY (5KY3)	L-16I
Me	mphis Center App/Dep Con 133.65 292.15	
Willian	n P Gwinn, FL (Ø6FA)	H-8I, L-23C
Gw	inn Tower 120.4 279.25 (Mon-Fri 1300-2100Z‡)	
Gn	d Con 121.65 279.25	
	CANADA	
FACILITY		CHART & PANEL
Abbots	sford, BC (CYXX)	H-1B, L-12F
	S 119.8 (1500–0700Z‡)	,
	toria Trml App/Dep Con 132.7 (Avbl on ground) 290.8	
	wer 119.4 (Inner) 121.0 (Outer) 295.0 (1500–0700Z‡) Gnd Con 121.8	
	119.4 295.0 (0700–1500Z‡) (Shape irregular to 4500')	
	Magny, QC (CYEY)	H-11B
	Intreal Center App/Dep Con 125.9	11-110
	an Muni, ON (CYIB)	L-14I
	122.3 (5 NM to 4500' No ground station)	5-141
	-Orillia (Lake Simcoe Rgnl), ON (CYLS)	H-11B, L-31D
	OS 122.55 (Pvt)	11 110, 2 010
	ronto Center App/Dep Con 124.025	
	ver, ON (CPF2)	L-31C
	ronto Center App/Dep Con 132.65	1-310
	rst, NB (CZBF)	L-32J
	ncton Center App/Dep Con 134.25	L=321
	ary Bay, BC (CZBB)	H-1B, L-1E
	S 125.5 (1500–0700Z‡)	11-15, 1-11
	ncouver App/Dep Con 132.3 363.8	
	wer 118.1 (Inner) 127.6 (Outer) (1500–0700Z‡) Gnd Con 124.3	
	118.1 (0700–1500Z‡ to 2000'. Vancouver Trml 125.2 above 2000'. Shape	
	egular to 2500'.)	
	· ,	L-31D
	ronto Trml App/Dep Con 119.3 253.1	L-31D
	on Muni, MB (CYBR)	H-2H
	nnipeg Center App/Dep Con 132.25 285.4	п-2п
	122.1 (5 NM to 4000')	
	ord, ON (CYFD)	L-31D
	ronto Trml App/Dep Con 128.27	L-31D
	ville-Thousand Islands Rgnl Tackaberry, ON (CNL3)	L-32G
	intreal Center App/Dep Con 134.675	L-32d
	int, QC (CZBM)	L-32G
	intreal Center App/Dep Con 132.35 MF 122.15 (5 NM to 3400')	L=32G
	gton Airpark, ON (CZBA)	L-31D
		L-31D
	ronto Center App/Dep Con 119.3 253.1	H-1C
	gar, BC (CYCG)	H-10
	ncouver Center App/Dep Con 134.2 227.3	
	122.1 (5 NM to 6500')	11 400 445 1 5:5
	Ilia/James T. Fld Muni, ON (CYCE)	H-10G, 11B, L-31D
	ronto Center App/Dep Con 135.30	
	ttetown, PE (CYYG)	H-11E, L-32J
	ncton Center App/Dep Con 135.65 384.8 MF 118.0 (5 NM to 3200')	
Chathe	am-Kent, ON (CNZ3)	H-10G, L-30G
	eveland Center App/Dep Con 132.25	

1

COILITY NAME Collingwood, ON (CNY3)	CHART & PANEL H-11B, L-31D
Toronto Center App/Dep Con 124.02	п-11В, L-31D
Cornwall Rgnl, ON (CYCC)	L-32G
Boston Center App/Dep Con 135.25 377.1	L 020
Cranbrook/Canadian Rockies Intl, BC (CYXC)	H-1C
Vancouver Center App/Dep Con 133.6 MF 122.3 (5 NM to 6100')	
Debert, NS (CCQ3)	H-11E, L-32J
Halifax Trml App/Dep Con 119.2	
Dighy, NS (CYID)	L-32J
Moncton Center App/Dep Con 123.9	
Downsview, DN (CYZD)	H-11B, L-31E
Toronto Center App Con 133.4 Toronto Center Dep Con 133.4	
MF 126.2 (1300–2300Z‡, 3 NM to 1700′)	
Drummondville, QC (CSC3)	L-32H
Montreal Center App/Dep Con 132.35	
Earlton (Timiskaming Rgnl), ON (CYXR)	H-11B
MF 122.0 (5 NM to 3800')	
AWOS 128.6	
Elliot Lake Muni, ON (CYEL)	L-31C
Toronto Center App/Dep Con 135.4	
Fort Frances Muni, ON (CYAG)	L-14H
Minneapolis Center App/Dep Con 120.9	
Fredericton Intl, NB (CYFC)	H-11E, L-32I
ATIS 127.55	
Moncton Center App/Dep Con 124.3 135.5 270.8 Tower 119.0 (1200–2000Z, DT 1100–1900Z) Gnd Con 121.7 (Ltd hrs)	
MF 119.0 (2000–1200Z, DT 1900–1100Z 5 NM to 3500')	
Goderich, ON (CYGD)	H-11B, L-31D
Toronto Center App/Dep 135.3 266.3	,
Greenwood, NS (CYZX)	H-11E, L-32J
ATIS 128.85 244.3 (1100-0000Z‡)	
App/Dep Con 120.6 335.9 Tower 119.5 126.2 236.6 324.3	
Gnd Con 133.75 289.4 Clnc Del 128.05 283.9	
Grimsby Air Park, ON (CNZ8)	L-31E
Toronto Trml App/Dep Con 128.27 268.75 Tower 125.0 308.475	
Halifax/Shearwater, NS (CYAW)	H-11E, L-32J
ATIS 129.175 (Ltd hrs)	
App/Dep Con 119.2 Tower 119.0 126.2 340.2 360.2 (Ltd hrs) Gnd Con 121.7 250.1	
Halifax/Stanfield Intl, NS (CYHZ)	H-11E, L-32J
ATIS 121.0	11–111, 1–525
Moncton Center App/Dep Con 118.7 119.2 128.55 135.3 225.2 363.8	
Tower 118.4 236.6 Gnd Con 121.9 275.8 Clnc Del 123.95	
Apron Advisory 122.125	
Hamilton, ON (CYHM)	H-10H, 11B, L-11B
ATIS 128.1	
Toronto Trml App/Dep Con 128.27 268.75 Tower 119.7 125.0	
Gnd Con 121.6	
Kingston, ON (CYGK)	H-11C, L-31E, 32F
Montreal Center App/Dep Con 135.05 398.4 (0400–1115Z‡)	
MF 122.5 (1115–0400Z‡ 5 NM to 3300′)	II 44D I 24D
Kitchener/Waterloo, ON (CYKF)	H-11B, L-31D
ATIS 125.1 (1200-0400Z‡) Toronto Trml App/Dep Con 128.275	
Waterloo Tower 126.0 118.55 (1200–0400Z‡) Gnd Con 121.8	
MF 126.0 (0400–1200Z‡ 5 NM to 4000')	
.achute, QC (CSE4)	L-32G
Montreal Center App Con 124.65 132.85 268.3	
Montreal Center Dep Con 132.85 268.3	
a Tuque, QC (CYLQ)	H-11C
Montreal Center App/Dep Con 134.5	
Langley, BC (CYNJ)	L-1E
ATIS 124.5 (1630-0230Z, DT 1530-0330Z)	
Victoria Trml 132.7 290.8 Tower 119.0 (1630–0230Z, DT 1530–0330Z)	
Gnd Con 121.9 MF 119.0 (0230–1630Z, DT 0330–1530Z 3 NM to 1900')	

CILITY NAME Leamington, ON (CLM2)	CHART & PANE L-30
Cleveland Center App/Dep Con 132.45	
Lethbridge, AB (CYQL)	H-1I
ATIS 124.4 (1300-0545Z‡)	
Edmonton Center App/Dep Con 132.75 265.2 MF 121.0 (5 NM to 6000')	
Lindsay, ON (CNF4)	L-31E, L-32
Toronto Center App/Dep 134.25	
Liverpool/South Shore Rgnl, NS (CYAU)	L-32
Moncton Center App/Dep Con 123.9	U 400 44E
London, ON (CYXU) ATIS 127.8 (1120-0345Z‡)	H-10G, 11B
Toronto Center App/Dep 135.3 135.625	L-30G, 31I
Tower 119.4 125.65 (1120–0345Z‡) Gnd Con 121.9	
MF 119.4 (0345–1120Z‡ 5 NM to 3000′)	
Manitowaning/Manitoulin East Muni, ON (CYEM)	L-31
Toronto Center App/Dep 135.4 260.9	2 01
Maniwaki, QC (CYMW)	L-32
Montreal Center App/Dep Con 126.57	
Mascouche, QC (CSK3)	L-32
MF 122.35 (5 NM to 2500'. No gnd station. Excluding the portion S of the	
N shore of Riviere des Milles-lles and 1 NM around Lac Agile Mascouche arpt.)	
Medicine Hat, AB (CYXH)	H-1
AWOS 124.875 (0345-1245Z‡)	
MF 122.2 (1245-0345Z‡ 5 NM to 5400')	
Midland/Huronia, ON (CYEE)	L-31
Toronto Center App/Dep 124.025	
Miramichi, NB (CYCH)	H-11E, L-32
Moncton Center App/Dep Con 123.7	
Moncton/Greater Moncton Intl, NB (CYQM)	H-11E, L-32
ATIS 128.65	
App/Dep 124.4 Tower 120.8 236.6 Gnd Con 121.8 275.8	
Apron Advisory 122.075	1 00
Mont-Laurier, QC (CSD4)	L-320
Montreal Center App/Dep Con 126.57	11 440 401/ 1 20/
Montreal Intl (Mirabel), QC (CYMX) ATIS 125.7	H-11C, 12K, L-32
Montreal Center App Con 124.65 132.85 268.3	
Montreal Dep Con 132.85	
MF 119.1 (7 NM shape irregular to 2000') VFR Advisory 134.15	
Montreal/Pierre Elliott Trudeau Intl, QC (CYUL)	H-11C, 12K, L-32
ATIS 133.7	110, 12, 2 02
Montreal Trml App Con 118.9 124.65 126.9 132.85 268.3	
Tower 119.9 267.1 Gnd Con 121.9 275.8 Clnc Del 125.6 Apron 122.075	
Montreal Trml Dep Con 118.9 (SE-S-SW) 124.65 268.3 (W-NW-NE)	
VFR Advisory 134.15	
Montreal/St-Hubert, QC (CYHU)	H-11C, L-32
ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9	
Montreal Center App/Dep Con 125.15 268.3	
St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)	
Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar	
0400–1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15	
Muskoka, ON (CYQA)	H-11B, L-31
AWOS 124.575	
MF 122.3 (5 NM to 3900')	
Nanaimo, BC (CYCD)	H-1B, L-1
Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500')	
North Bay, ON (CYYB)	H-11B, L31
ATIS 124.9 (1130-0300Z‡)	
Toronto Center App/Dep 121.225 127.25	
MF 118.3 (1130–0330Z‡ 7 NM to 5000′)	
Oshawa, ON (CYOO)	L-31
ATIS 125.675 (1130–0330Z‡)	
Toronto Trml App Con 133.4	
Tower 120.1 (1130–0330Z‡) Gnd Con 118.4	
Toronto Trml Dep Con 133.4 MF 120.1 (0330-1130Z‡ 5 NM to 3000')	

CILITY NAME	CHART & PANEI
Ottawa/Carp, ON (CYRP)	L-31E, 32F
ATIS 121.15	
Ottawa Trml App/Dep Con 128.175 252.5	
Ottawa/Gatineau, QC (CYND)	H-11C, L-320
Ottawa Trml App/Dep Con 127.7 128.175 252.5	
MF 122.3 (5 NM shape irregular to 2500')	
VFR Advisory Ottawa Trml 127.7	
Ottawa/MacDonald-Cartier Intl, ON (CYOW)	L-110
ATIS 121.15	
Ottawa App Con 135.15 Tower 118.8 120.1 341.3	
Gnd Con 121.9 Clnc Del 119.4	
Ottawa Dep Con 128.175	
Owen Sound/Billy Bishop Rgnl, ON (CYOS)	L-31[
Toronto Center App/Dep 132.575 290.6	
Pelee Island, ON (CYPT)	L-301
Cleveland Center App/Dep Con 126.35 360.0	
Pembroke, ON (CYTA)	H-11C, L-31E, 32
Montreal Center App/Dep Con 135.2	
Petawawa Advisory 126.4 250.1 (Mon-Fri 1300-2130Z‡, OT PPR)	
Penticton, BC (CYYF)	H-1I
Vancouver Center App/Dep Con 133.5 351.3 MF 118.5 (5 NM to 4100')	
Peterborough, ON (CYPQ)	H-11B, L-31E, 32
AWOS 126.925	
Toronto Center App/Dep 134.25	
Pincher Creek, AB (CZPC)	H-1
Edmonton Center App/Dep Con 132.75 265.2	
Pitt Meadows, BC (CYPK)	L-1
ATIS 125.0 (1500-0700Z‡)	
Vancouver Center App Con 128.6 352.7 (Outer)	
Pitt Tower 126.3 (1500-0700Z‡) Gnd Con 123.8	
Vancouver Center Dep Con 132.3 363.8 (South)	
MF 126.3 (0700-1500Z‡) (3NM to 2500')	
Quebec/Jean Lesage Intl, QC (CYQB)	H-11D, L-32H
ATIS 134.6	
Montreal Center App/Dep Con 124.0 127.85 135.025 270.9 322.8	
(185.65 Quebec Twr VFR acft at or below 3000') Tower 118.65 236.6	
Gnd Con 121.9 250.0	
Riviere Du Loup, QC (CYRI)	H-11I
AWOS 122.025 (Pvt)	
Montreal Center App/Dep Con 125.1 299.6	
Rouyn Noranda, QC (CYUY)	H-11
Montreal Center App/Dep Con 125.9	
MF 122.2 (5 NM to 4000')	
Saint John, NB (CYSJ)	H-11E, L-32
Moncton Center App/Dep Con 124.3 135.5 270.8 MF 118.5 (5 NM to 3400')	
Sarnia (Chris Hadfield), ON (CYZR)	H-10G, 11B, L-30
Toronto Center 134.375	,,
Sault Ste Marie, ON (CYAM)	H-2K, L-31
ATIS 133.05 (1300–0100Z‡)	,
Toronto Center App/Dep Con 132.65 344.5	
Tower 118.8 (1300–0100Z‡) Gnd Con 121.7	
MF 118.8 (0100–1300Z‡ 5 NM irregular shape to 3000′)	
Sherbrooke, QC (CYAM)	H-11D, L-32
AWOS 126.25	11–110, 1–321
Montreal Center App/Dep Con 132.55 MF 123.5 (Ltd hrs 5 NM to 3800') South Penfrow Muni. ON (CNIP2)	L-31E, 32
South Renfrew Muni, ON (CNP3) Montreal Contact App (Pap 134 375)	L-31E, 32
Montreal Center App/Dep 124.275	H-2I
Southport, MB (CYPG) ATIS 120 85 (Map Fri 1400 23007† except helidaya)	H-21
ATIS 120.85 (Mon–Fri 1400–2300Z‡ except holidays)	
Tower 126.2 384.2 (Mon-Fri 1400–2300Z‡ except holidays)	
Gnd Con 121.7 275.8	

I

CILITY NAME Springwater Barrie Airpark, ON (CNA3)	CHART & PANEL
Toronto Center App/Dep Con 124.025	L-310
St. Catherines/Niagara District, ON (CYSN)	H-10H, 11B, L-31E
ATIS 128.525 (1215–0200Z‡)	11-1011, 110, 1-311
Toronto Trml App/Dep Con 133.4 253.1	
MF 123.25 (1215–0200Z‡ 5 NM to 3300')	
St. Frederic, QC (CSZ4)	L-32H
Montreal Center App/Dep Con 135.025 270.9	2 02.
Gt. Georges, QC (CYSG)	H-32H, L-11D
Montreal Center App/Dep Con 132.35	,
MF 122.15 (5 NM 3900' ASL)	
St. Jean, QC (CYJN)	L-320
Montreal Center App/Dep Con 125.15 268.3	
Tower 118.2 (Apr-Oct 1230-0230Z‡ Nov-Mar 1300-0200Z‡)	
Gnd Con 121.7	
Sudbury, ON (CYSB)	H-31B, 10G, L-31D
ATIS 127.4	,,
Toronto Center App/Dep Con 135.5	
MF 125.5 (7 NM to 4000')	
Summerside, PE (CYSU)	H-11E, L-32J
AWOS 122.55 (Pvt)	112, 2 323
Moncton Center App/Dep Con 124.4 384.8	
'hunder Bay, ON (CYQT)	H-2J, L-14.
ATIS 128.8 (1100–0400Z‡)	11 25, 6 143
Winnipeg Center App/Dep Con 132.125 (0400–1100Z‡)	
Tower 118.1 (1100–0400Z‡) Gnd Con 121.9	
App/Dep 119.2 MF 118.1 (0400–1100Z‡ 5 NM to 4000')	
immins, ON (CYTS)	H-11E
ATIS 124.95 (1000–0500Z‡)	11-111
Toronto Center App/Dep Con 128.3 226.3 MF 122.3 (5 NM to 4000')	
Foronto/Buttonville Muni, ON (CYKZ)	L-31E
ATIS 127.1 (1200–0400Z‡)	L=31L
Toronto Center App Con 133.4 Toronto Center Dep Con 133.4	
Tower 124.8 119.9 (1200–0400Z‡) Gnd Con 121.8	
MF 124.8 (0400–1200Z‡ No gnd station. 5 NM shape irregular to below 2500')	
Foronto/City Centre, ON (CYTZ)	L-31E
ATIS 133.6 (1130–0400Z‡)	L-311
App Con 133.4 Dep Con 133.4	
· · ·	
Tower 118.2 119.2 (1130–0400Z‡) Gnd Con 121.7	H-11B, L-31D
foronto/Lester B Pearson Intl, ON (CYYZ)	п-11В, L-31В
ATIS 120.825	
App Con 124.475 125.4 132.8 Dep Con 127.575 128.8	
Tower 118.35 118.7 Gnd Con 118.0 119.1 121.65 121.9	
Clnc Del 121.3 (1200–0400Z‡) VFR Advisory 119.3 133.4	11 440 1 045 005
frenton, ON (CYTR)	H-11C, L-31E, 32F
ATIS 135.45 257.7	
App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8	
Cinc Del 124.35 286.4	
Trenton/Mountain View, ON (CPZ3)	H-11C, L-31E, 32F
Trenton Mil Advisory 268.0	
Trois-Rivieres, QC (CYRQ)	H-11C, L-32H
Montreal Center App/Dep Con 128.225 229.2	
MF 123.0 (5 NM to 3200')	
/al-D'or, QC (CYVO)	H-11E
Montreal Center App/Dep Con 125.9 308.3	
MF 118.5 (1030-0325Z‡ 5 NM to 4000')	
MF 118.5 (1030–0325Z‡ 5 NM to 4000′) Vancouver Intl, BC (CYVR)	H-1B, L-1E
MF 118.5 (1030-0325Z‡ 5 NM to 4000')	H-1B, L-1E
MF 118.5 (1030–0325Z‡ 5 NM to 4000′) Vancouver Intl, BC (CYVR)	H-1B, L-1E
MF 118.5 (1030–0325Z‡ 5 NM to 4000') Vancouver Intl, BC (CYVR) ATIS 124.6 124.75	H-1B, L-1E
MF 118.5 (1030–0325Z‡ 5 NM to 4000') Vancouver Intl, BC (CYVR) ATIS 124.6 124.75 App Con 128.6 128.17 352.7 (Outer) 133.1 134.225 352.7 (Inner)	H-1B, L-1E

	CHART & PANEL
Victoria Intl, BC (CYYJ)	H-1B, L-1E
ATIS 118.8 (1400-0800Z‡)	
App Con 125.95 308.4 Dep Con 133.85 308.4	
Tower 119.1 (Outer) 119.7 (Inner) 239.6	
Gnd Con 121.9 361.4 (1400-0800Z‡ OT ctc Kamloops 119.7)	
Cinc Del 126.4 (1400-0800Z‡)	
/ictoriaville, QC (CSR3)	L-32H
Montreal Center App Con 132.35	
Naterville/Kings Co Muni, NS (CCW3)	L-32.
Greenwood Trml App/Dep Con 120.6 335.9	
Greenwood Tower 119.5 324.3	
Wiarton, ON (CYVV)	H-11B, L-31D
Toronto Center App/Dep Con 132.575	
MF 122.2 (5 NM to 3700')	
Windsor, ON (CYQG)	H-10G, L-8J
ATIS 134.5 (1130-0330Z‡)	
Detroit App/Dep Con 126.85 127.5 134.3 348.3 363.2	
Tower 124.7 (1130–0330Z‡) Gnd Con 121.7	
MF 124.7 (0330–1130Z‡ 6 NM irregular shape to below 3000')	
VFR Advisory Detroit App Con 134.3	
Yarmouth, NS (CYQI)	H-11E, L-32
Moncton Center App/Dep Con 123.9 368.5 MF 123.0 (5 NM to 3100')	
MEXICO	
CILITY NAME	CHART & PANEI
Abraham Gonzalez Intl (MMCS)	H-4K, L-6F
Juarez App Con 119.9 Juarez Tower 118.9	11–4K, L–01
Del Norte Intl (MMAN)	H-7B, L-200
ATIS 127.55 (1300–0300Z‡)	11-7B, L-200
Monterrey App 119.75 120.4 Tower 118.6	
Durango Intl (MMDO)	H-7 <i>A</i>
ATIS 132.1 Tower 118 1 Durango Info 122 3	
Tower 118.1 Durango Info 122.3	
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ)	
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9	
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35	
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1	Н-4Н, L-4Н
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX)	Н-4Н, L-4Н
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8	H-4H, L-4H H-7B, L-20H
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY)	H-4H, L-4H H-7B, L-20H
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7	H-4H, L-4H H-7B, L-20H
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9	H–4H, L–4H H–7B, L–20H H–7B, L–20G
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7	H–4H, L–4H H–7B, L–20F H–7B, L–20G
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Tierro Villalobos Intl (MMCU) ATIS 127.9	H–4H, L–4H H–7B, L–20F H–7B, L–20G
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4	H–4H, L–4H H–7B, L–20F H–7B, L–20G
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Tierro Villalobos Intl (MMCU) ATIS 127.9	H–4H, L–4H H–7B, L–20F H–7B, L–20G
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6	H–4H, L–4H H–7B, L–20F H–7B, L–20G
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolifo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3	H–4H, L–4F H–7B, L–20F H–7B, L–20G L–6 H–4H, L–4J, 5A
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3 General Servando Canales (MMMA)	H–4H, L–4F H–7B, L–20F H–7B, L–20G L–6 H–4H, L–4J, 5A
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3 General Servando Canales (MMMA) Matamoros App Con 118.0 Matamoros Tower 118.0	H-4H, L-4H H-7B, L-20F H-7B, L-20G L-6 H-4H, L-4J, 5A
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3 General Servando Canales (MMMA) Matamoros App Con 118.0 Matamoros Tower 118.0 Plan De Guadalupe Intl (MMIO)	H-4H, L-4H H-7B, L-20F H-7B, L-20G L-6 H-4H, L-4J, 5A
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3 General Servando Canales (MMMA) Matamoros App Con 118.0 Matamoros Tower 118.0 Plan De Guadalupe Intl (MMIO) Saltillo App Con 127.4 Saltillo Tower 118.4	H–4H, L–4H H–7B, L–20F H–7B, L–20G L–6 H–4H, L–4J, 5A H–7C, L–21A
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolifo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3 General Servando Canales (MMMA) Matamoros App Con 118.0 Matamoros Tower 118.0 Plan De Guadalupe Intl (MMIC) Saltillo App Con 127.4 Saltillo Tower 118.4 Quetzalcoatl Intl (MMNL)	H–4H, L–4H H–7B, L–20H H–7B, L–20G L–6l H–4H, L–4J, 5A H–7C, L–21A
Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Taboada Intl (MMML) ATIS 127.6 Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3 General Servando Canales (MMMA) Matamoros App Con 118.0 Matamoros Tower 118.0 Plan De Guadalupe Intl (MMIO) Saltillo App Con 127.4 Saltillo Tower 118.4	H-4H, L-4H H-7B, L-20G H-4H, L-4J, 5A H-7C, L-21A H-7B, L-20G

In support of the Federal Aviation Administration's Runway Incursion Program, selected towered airport diagrams have been published in the Airport Diagram section of the A/FD. Diagrams will be listed alphabetically by associated city and airport name. Airport diagrams, depicting runway and taxiway configurations, will assist both VFR and IFR pilots in ground taxi operations. The airport diagrams in this publication are the same as those published in the U.S. Terminal Procedures Publications. For additional airport diagram legend information see the U.S. Terminal Procedures Publication.

NOTE: Some text data published under the individual airport in the front portion of the A/FD may be more current than the data published on the Airport Diagrams. The airport diagrams are updated only when significant changes occur.

GENERAL INFORMATION

PILOT CONTROLLED AIRPORT LIGHTING SYSTEMS

Available pilot controlled lighting (PCL) systems are indicated as follows:

- 1. Approach lighting systems that bear a system identification are symbolized using negative symbology, e.g., 🚳, 🔾, 🗞
- 2. Approach lighting systems that do not bear a system identification are indicated with a negative "①" beside the name.

A star (*) indicates non-standard PCL, consult the individual airport in the front portion of the A/FD, e.g., 0*

To activate lights use frequency indicated in the communication section of the chart with a **0** or the appropriate lighting system identification e.g., UNICOM 122.8 **0**, **a**, **o**

KEY A	۸IKE		

7 times within 5 seconds

5 times within 5 seconds

3 times within 5 seconds

FUNCTION

Highest intensity available

Medium or lower intensity (Lower REIL or REIL-off) Lowest intensity available (Lower REIL or REIL-off)

CHART CURRENCY INFORMATION

FAA procedure amendment number Amdt 11A 99365 Date of latest change Orig 00365

The Chart Date indentifies the Julian date the chart was added to the volume or last revised for any reason. The first two digits indicate the year, the last three digits indicate the day of the year (001 to 365/6) in which the latest addition or change was first published.

The Procedure Amendment Number precedes the Chart Date, and changes any time instrument information (e.g., DH, MDA, approach routing, etc.) changes. Procedure changes also cause the Chart Date to change.

MISCELLANEOUS

- ★ Indicates a non-continuously operating facility, see the individual airport in the front portion of the A/FD.
- # Indicates control tower temporarily closed UFN.

09071 LEGEND

INSTRUMENT APPROACH PROCEDURES (CHARTS)

AIRPORT DIAGRAM Runways Helicopter Alighting Areas (H) [H] [H] [A] [H] Other Than Stopways, Taxiways, Displaced Hard Negative Symbols used to identify Copter Procedures Hard Surface Parking Areas, Threshold Surface landing point...... 🕕 🛨 🖽 Water Runways xxx Runway Threshold elevation.....THRE 123 Closed Runway TDZ elevation.....TDZE 123 Closed Meta Under Runway Taxiway Construction Surface --- 0.3% DOWN (shown when runway slope is greater than ARRESTING GEAR: Specific arresting gear systems; or equal to 0.3%) e.g., BAK12, MA-1A etc., shown on airport diagrams, not applicable to Civil Pilots. Military Pilots refer to Runway Slope measured to midpoint on runways appropriate DOD publications. 8000 feet or longer. uni-directional bi-directional ₹ Jet Barrier U.S. Navy Optical Landing System (OLS) "OLS" location is shown because of its height of ARRESTING SYSTEM / approximately 7 feet and proximity to edge of runway may create an obstruction for some types REFERENCE FEATURES of aircraft. Buildings..... Approach light symbols are shown in the Tanks..... Flight Information Handbook. Airport digaram scales are variable. True/magnetic North orientation may vary from Radar Reflectors diagram to diagram Control Tower # Coordinate values are shown in 1 or ½ minute Hot Spot increments. They are further broken down into 6 second ticks, within each 1 minute increments. # When Control Tower and Rotating Beacon are co-located, Beacon symbol will be used and Positional accuracy within ±600 feet unless otherwise further identified as TWR noted on the chart. Runway length depicted is the physical length of the runway (end-to-end, including displaced thresholds All new and revised airport diagrams are shown referif any) but excluding areas designated as stopways. enced to the World Geodetic System (WGS) (noted on appropriate diagram), and may not be compatible A D symbol is shown to indicate runway declared with local coordinates published in FLIP. (Foreign Only) distance information available, see appropriate A/FD, Alaska or Pacific Supplement for distance information. Runway Weight Bearing Capacity/or PCN Pavement Classification Number is shown as a codified expression. Refer to the appropriate Supplement/Directory for applicable codes e.g., RWY 14-32 S75, T185, ST175, TT325 PCN 80 F/D/X/U Rwy 2 ldg 8000' **FIELD** Runway Displaced Threshold **ELEV** Slope Runway 174 **EMAS** Identification 1200 X 200 0.7% UP 1000 X 200 9000 X 200 023.2°() Arresting System Operations ELEV Runway End (in feet) 164 Runway Dimensions Runway Heading Elevation (in feet) (Magnetic) Stopway Dimensions (in feet) SCOPE Airport diagrams are specifically designed to assist in the movement of ground traffic at locations with complex runway/taxiway configurations and provide information for updating Computer Based Navigation Systems (I.E.,

LEGEND

INS, GPS) aboard aircraft. Airport diagrams are not intended to be used for approach and landing or departure

operations. For revisions to Airport Diagrams: Consult FAA Order 7910.4.

RALEIGH/DURHAM

RALEIGH-DURHAM INTL (RDU)

AIRPORT DIAGRAMS HOT SPOTS

An "airport surface hot spot" is a location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary.


A "hot spot" is a runway safety related problem area on a airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness, and training. Hot spots are depicted on airport diagrams as circles or polygons designated as "HOT¹", "HOT²", etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.


risk has been reduced or eliminated.				
CITY/AIRPORT	HOT SPOT	DESCRIPTION		
	ALABAMA			
MONTGOMERY MONTGOMERY RGNL				
(DANNELY FIELD) (MGM)	HOT ¹	Intersection of Twy A3 and the terminal ramp. Potential confusion of Twy A3 as the taxi route to Rwy 10/28.		
	HOT ²	Intersection of the Twy A5 and the ANG ramp. Potential exiting Rwy 10/28 at Twy A5.		
	FLORIDA			
DAYTONA BEACH INTL (DAB)	HOT ¹	Dilate taviling anothly and an Toro Washinson		
DAYTONA BEACH INTL (DAB)	HOT-	Pilots taxiing southbound on Twy W sometimes miss the right turn on Twy S and enter the runway without clearance.		
MIAMI INTL, FL (MIA)	HOT ¹	Multiple intersections closely spaced.		
, , ,	HOT ²	Departure taxi out of Spot 15, Spot 14, Spot 13, misidentification of Twy P and Twy Q at Twy T has lead to rwy incursions onto Rwy 12–30.		
	HOT ³	Twy runway ends in close proximity.		
STUART	. 4			
WITHAM FIELD (SUA)	HOT ¹	Intersecting rwys, wrong rwy departure risk. (Check rwy alignment.)		
	GEORGIA	Rwy 12 and Twy A1.		
I ATLANTA	UEURUIA			
HARTSFIELD-JACKSON ATLANTA INTL (ATL)	HOT ¹	Intersections of Twy C and Twy D at Rwy 8L–26R. Hold short line is only 250 feet after exiting the FBO ramp. Rwy hold bar is canted which peaks towards the twy.		
	HOT ²	Intersections of Twy C and Twy D at Rwy 8R–26L. Caution transitioning between the parallel rwys. Rwy hold bar is canted which peaks towards the twy. Rwy hold short line is only 380 feet away after exiting Rwy 8L–26R and 70 feet south of the Twy B		
	HOT ³	centerline. Intersection of Twy H at Rwy 8R–26L. Aircraft		
		travelling westbound for the Twy V end-around, mistakenly turn southbound on Twy H and enter Rwy 8R-26L.		
	HOT ⁴	Intersection of Twy D at Rwy 9L-27R. Aircraft		
		southbound on Twy D fail to turn on Twy L and Twy		
		M and enter Rwy 9L–27R. Aircraft crossing Rwy		
		9L-27R at Twy D southbound to Twy K must turn 45 degrees left immediately after crossing the rwy hold		
		bar.		
AUGUSTA	1			
AUGUSTA RGNL AT BUSH FLD (AGS)	HOT ¹	Intersection of Twy E and Rwy 17/35.		
NORTH CAROLINA				
CHARLOTTE CHARLOTTE/DOUGLAS INTL (CLT)	HOT ¹	Confusing intersection due to convergence of		
(02.)		Twy R, Twy A, Twy C and Twy C9, along with grass		


HOT1


island.

Intersection of Rwy 5R/23L and Twy C.












 $\begin{array}{c} \text{ATLANTA, GEORGIA} \\ \text{ATLANTA/ COBB COUNTY-McCOLLUM FIELD } (RYY) \end{array}$





 $\begin{array}{c} \text{ATLANTA, GEORGIA} \\ \text{ATLANTA/DEKALB-PEACHTREE} \ (PDK) \end{array}$




 $\begin{array}{c} \text{ATLANTA, GEORGIA} \\ \text{ATLANTA/FULTON COUNTY AIRPORT-BROWN FIELD } (FTY) \end{array}$









09071




SE, 17 DEC 2009 to 11 FEB 2010





09295







BRISTOL-JOHNSON-KINGSPORT, TENNESSEE BRISTOL/TRI-CITIES RGNL TN/VA (TRI)














SE, 17 DEC 2009 to 11 FEB 2010














CHRISTIANSTED, ST. CROIX/ HENRY E ROHLSEN (STX)(TISX)







SE, 17 DEC 2009 to 11 FEB 2010




concord, north carolina concord rgnl $(JQF)\,$



COVINGTON/ CINCINNATI/NORTHERN KENTUCKY INTL (CVG)







SE, 17 DEC 2009 to 11 FEB 2010


09295 DOTHAN RGNL (DHN) AIRPORT DIAGRAM DOTHAN, ALABAMÁ AL-123 (FAA) ATIS 135.72 CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES DOTHAN TOWER★ READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED. 118.4 257.6 GND CON 121.7 348.6 D ·31° 20′N -RWY 14-32 S75, D105, DT190 PCN 34 F/B/X/T FIELD RWY 18-36 **ELEV** \$75, D105, DT190 401 PCN 30 F/B/X/T **ELEV** 395 182.8° HANGAR 8×08+150 WATER 5500 X 100 TANK FIRE 555 STATION CONTROL TOWER -31° 19′N -TERMINAL 0.3% UP -002.8° ELEV **ELEV** 378 382 В 36 JANUARY 2005 ANNUAL RATE OF CHANGE 0.1° W 85° 27.5′W 85° 27′W 85° 26.5′W AIRPORT DIAGRAM DOTHAN, ALABAMA DOTHAN RGNL (DHN)

09295




VALPARAISO, FLORIDA DUKE FLD (EGLIN AF AUX NR3) (KEGI)





ELIZABETH CITY COAST GUARD AIR STATION/RGNL (ECG)


09239





AIRPORT DIAGRAM


09239


 $\label{eq:fayetteville} \mbox{Fayetteville rgnl/grannis field } (FAY)$
























99351 FORT STEWART(HINESVILLE)/ WRIGHT AAF(FORT STEWART)/MIDCOAST RGNL(LHW)








Greenville, north carolina Greenville/Pitt-Greenville (PGV)




GREENVILLE/ DONALDSON CENTER (GYH)



09183


GREENVILLE, SOUTH CAROLINA GREENVILLE DOWNTOWN (GMU) 07298




AIRPORT DIAGRAM


GREER/ GREENVILLE-SPARTANBURG INTL-ROGER MILLIKEN (GSP)


07298








HOLLYWOOD, FLORIDA HOLLYWOOD / NORTH PERRY (HWO)
















JACKSONVILLE NAS (KNIP)




AIRPORT DIAGRAM


 $\label{eq:jacksonville} \mbox{\sc jacksonville, florida} \\ \mbox{\sc jacksonville/\cecil field} \mbox{\sc ville/\cecil field$



AIRPORT DIAGRAM


JACKSONVILLE, FLORIDA JACKSONVILLE/ CRAIG MUNI $\left(CRG\right)$







06215


KEY WEST, FLORIDA KEY WEST INTL(EYW)







07298










LAWRENCEVILLE/GWINNETT COUNTY-BRISCOE FIELD (LZU)




SE, 17 DEC 2009 to 11 FEB 2010











SE, 17 DEC 2009 to 11 FEB 2010


























09295




MEMPHIS INTL (MEM)





SE, 17 DEC 2009 to 11 FEB 2010





SE, 17 DEC 2009 to 11 FEB 2010

















SE, 17 DEC 2009 to 11 FEB 2010










AIRPORT DIAGRAM


NEW BERN/COASTAL CAROLINA RGNL (EWN)










SE, 17 DEC 2009 to 11 FEB 2010







SE, 17 DEC 2009 to 11 FEB 2010












SE, 17 DEC 2009 to 11 FEB 2010







SE, 17 DEC 2009 to 11 FEB 2010

PATRICK AFB (KCOF)








SE, 17 DEC 2009 to 11 FEB 2010




07354









SE, 17 DEC 2009 to 11 FEB 2010







SE, 17 DEC 2009 to 11 FEB 2010





 $\begin{array}{c} \text{ROME, GEORGIA} \\ \text{ROME/ RICHARD B. RUSSELL } (RMG) \end{array}$




SE, 17 DEC 2009 to 11 FEB 2010












SAN JUAN, PUERTO RICO SAN JUAN, FERNANDO LUIS RIBAS DOMINICCI (SIG)(TJIG)






SE, 17 DEC 2009 to 11 FEB 2010





SAVANNAH, GEORGIA SAVANNAH/HILTON HEAD INTL (SAV)




SE, 17 DEC 2009 to 11 FEB 2010


SHAW AFB (KSSC)







SE, 17 DEC 2009 to 11 FEB 2010









07354





TAMPA EXECUTIVE (VDF) TAMPA, FLORIDA







 $\label{eq:titusville} \begin{tabular}{ll} TITUSVILLE, FLORIDA \\ TITUSVILLE/ SPACE COAST RGNL (TIX) \\ \end{tabular}$









09127



SE, 17 DEC 2009 to 11 FEB 2010





SE, 17 DEC 2009 to 11 FEB 2010

